

PACON SUPREME LATEX FLAT WHITE BASE

MSDS Number

BRBTM

National Stock Number

8010-00F028294

Product Name

PACON SUPREME LATEX FLAT WHITE BASE

Manufacturer

BRUNING PAINT CO INC

Product Identification

Product ID: PACON SUPREME LATEX FLAT WHITE BASE

MSDS Date: 04/20/1989

FSC: 8010

NIIN: 00F028294

MSDS Number: BRBTM

Responsible Party

BRUNING PAINT CO INC

601 S HAVEN ST

BALTIMORE , MD 21224-4347

US

Emergency Phone: 301-342-3636AM/301-342-3641PM

Info Phone: 301-342-3636AM/301-342-3641PM

Cage: EO376

Contractor

KYANIZE PAINT

BALTIMORE, MD 21224

US

800-368-2076

Cage: 85520

Ingredients

SILICA DIOXIDE, CRYSTALLINE QUARTZ, SAND (SUSPECTED HUMAN

CAS: 14808-60-7

RTECS: VV7330000

Fraction By Weight: 1.52%

OSHA PELSEE TABLE Z3

ACGIH TLV: 0.1 MG/M3 RDUST;9293

ETHYLENE GLYCOL, GLYCOL

CAS: 107-21-1

RTECS: KW2975000

Fraction By Weight: 1.78%

ACGIH TLV: C 127 MG/CUM

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

Hazards

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO
Health Hazards Acute and Chronic:EYES: IRRITATION.
Explanation of Carcinogenicity:SEE INGREDIENTS
Effects of Overexposure:INHALATION: PERMANENT BRAIN & NERVOUS SYSTEM
DAMAGE. SILICOSIS, POSSIBLY FATAL.

First Aid

First Aid:EYE: FLUSH W/LUKE WARM WATERFOR AT LEAST 15 MINS. SKIN: WASH
W/COPIOUS AMOUNTS OF LUKE WARM WATER. INHALATION: REMOVE TO FRESH
AIR. RESTORE BREATHING. INGESTION: RINSE MOUTH IMMEDIATELY. GIVE
EXPOSED INDIVIDUAL 6 TO 8 OUNCES OF LIQUID. (NEVER GIVE ANYTHING
BY MOUTH TO AN UNCONSCIOUS PERSON). DON'T INDUCE VOMTING. OBTAIN
MEDICAL ATTENTION IN ALL CASES.

Fire Fighting

Flash Point Method:TCC
Extinguishing Media:CO2, DRY CHEMICAL OR FOAM EXTINGUISHER
Fire Fighting Procedures:WATER SPRAY MAY BE INEFFECTIVE. WATER MAY BE
USED TO COOL CLOSED CONTAINERS TO PREVENT PRESSURE BUILD-UP &
POSSIBLE AUTOIGNITION/EXPLOSION WHEN EXPOSED TO HEAT.
Unusual Fire/Explosion Hazard:CONTAINERS EXPOSED TO INTENSE HEAT FROM
FIRES SHOULD BE COOLED W/WATER TO PREVENT VAPOR PRESSURE BUILDUP
WHICH COULD RESULT IN CONTAINER RUPTURE.

Accidental Release

Spill Release Procedures:DON'T FLUSH TO SEWER, WATERSHED OR WATERWAY.

Handling

Handling and Storage Precautions:KEEP FROM FREEZING. DON'T STORE >120F.
CLOSE CONTAINER AFTER USE.
Other Precautions:DON'T TAKE INTERNALLY. KEEP OUT OF REACH OF CHILDREN.
INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING & INHALING THE
CONTENTS MAY BE HARMFUL OR FATAL. DON'T BREATH VAPORS OR SPRAY
MIST.

Exposure Controls

Respiratory Protection:USE NIOSH/MSHA APPROVED MECHANICAL FILTER
RESPIRATOR IN RESTRICTED VENTILATION AREAS & AIR LINE TYPE
RESPIRATOR OR HOOD IN CONFINED AREAS.
Ventilation:PROVIDE GENERAL DILUTION OR LOCAL EXHAUST.
Work Hygienic Practices:REMOVE & WASH CONTAMINATED CLOTHES BEFORE
REUSE. WASH HANDS THOROUGHLY W/SOAP & WATER BEFORE EATING & USING
WASHROOM.
Supplemental Safety and Health
THIS PRODUCT CONTAINS PIGMENTS WHICH MAY BECOME A DUST NUISANCE UPON
ABRASIVE BLASTING, SANDING, GRINDING.

Chemical Properties

Boiling Pt:B.P. Text:212-410F
Vapor Pres:17
Vapor Density:>AIR
Evaporation Rate & Reference:SLOWER THAN BU AC
Percent Volatiles by Volume:65.16

Stability

Stability Indicator/Materials to Avoid:YES
STRONG ACIDS.
Stability Condition to Avoid:TEMPS >120F. HEAT, FLAME, FREEZING
Hazardous Decomposition Products:CO, CO2 & OXIDES OF NITROGEN

Disposal

Waste Disposal Methods:DISPOSE OF PRODUCT IN ACCORDANCE W/APPLICABLE

LOCAL, COUNTY, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.