# **55 - DIAZEPAM INJECTION**

## **MSDS Number**

**BRFVC** 

### **National Stock Number**

6505-01-240-6894

#### **Product Name**

55 - DIAZEPAM INJECTION

#### Manufacturer

FUJISAWA USA INC

#### **Product Identification**

Product ID:55 - DIAZEPAM INJECTION MSDS Date:10/07/1992 FSC:6505 NIIN:01-240-6894 MSDS Number: BRFVC

**Responsible Party** 

FUJISAWA USA, INC.

3 PARKWAY NORTH

DEERFIELD , IL 60015-2548

US

Emergency Phone: 708-317-0800 OR 800-888-7704

Info Phone: 708-317-0800 OR 800-888-7704

Preparer: GREGORY KOLAR

Cage: 0K706 **Contractor** 

FUJISAWA USA, INC.

DEERFIELD, IL 60015-2548

US

708-317-0800 OR 800-888-7704

Cage: 0K706 **Ingredients** 

DIAZEPAM (VALIUM) - 5 MG/ML

CAS: 439-14-5 RTECS: DF1575000

PROPYLENE GLYCOL 400 MG/ML

CAS: 57-55-6

RTECS: TY2000000

ETHYL ALCOHOL (ETHANOL)

CAS: 64-17-5

RTECS: KQ6300000 OSHA PEL1000 PPM



ACGIH TLV: 1000 PPM; 9293

SODIUM BENZOATE - 47 MG/ML

CAS: 532-32-1

RTECS: DH6650000

BENZOIC ACID (SARA III) - 2.5 MG/ML

CAS: 65-85-0

RTECS: DG0875000

EPA Report Quantity: 5000 LBS DOT Report Quantity: 5000 LBS

BENZYL ALCOHOL

CAS: 100-51-6

RTECS: DN3150000

WATER

CAS: 7732-18-5 RTECS: ZC0110000

#### **Hazards**

LD50 LC50 Mixture:LD50 (ORAL RAT) IS 710 MG/M3 Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:THE PRODUCT IS A MUSCLE RELAXANT AND IS INTENDED FOR THEREPUTIC USE ONLY WHEN PRESCRIBED BY A PHYSICIAN. POTENTIAL ADVERSE REACTIONS FROM PRESCRIBED DOSES AND OVERDOSES ARE DESCRIBED IN THE PACKAGE I NSERT. OCCUPATIONAL EXPOSURE HAS NOT BEEN FULLY INVESTIGATED.

Explanation of Carcinogenicity: MANUFACTURED GAVE NO COMMENTS OTHER THAN

THE REFERENCE TO THE THREE LISTINGS.

Effects of Overexposure: EYE/SKIN/RESPIRATORY IRRITATION, DROWSINESS,

FATIGUE, VISUAL EFFECTS, AND MOOD CHANGES MAY OCCUR.

Medical Cond Aggravated by Exposure: NO INFORMATION GIVEN ON MSDS BY MFR.

### First Aid

First Aid: INHALED: REMOVE TO FRESH AIR. RESUSCITATE IF NEEDED AND GET MEDICAL ATTENTION. INGESTED: FUSH MOUTH WITH WATER AND SEEK MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING & LAUNDER BEFORE REUSE. FLUSH SKINWITH WATER. GET MEDICAL ATTENTION.EYE:FLUSH WITH WATER FOR 15 MINUTES & GET MEDICAL ATTENTION. \*\*FOR ADDITIONAL INFORMATION SEE PACKAGE INSERT.\*\*

## Fire Fighting

Flash Point Method:CC

Flash Point:>200F,>93C

Extinguishing Media: WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE, FOAM AS **APPROPRIATE** 

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPAARATUS AND PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard: NO INFORMATION GIVEN ON MSDS BY MFR.

### **Accidental Release**

Spill Release Procedures: WEAR APPROPRIATE PERSONAL PROTECTIVE



EQUIPMENT. USE ABSORBENT TOWELS OR BOOMS TO CLEAN UP SPILL. WIPE SURFACES CLEAN AND WASH WITH SOAP & WATER.

Neutralizing Agent: NO INFORMATION GIVEN ON MSDS BY MFR.

#### Handling

Handling and Storage Precautions: AS A GENERAL RULE, WHEN HANDLING PHARMACEUTICAL PRODUCTS, AVOID ALL CONTACT AND INHALATION OF DUST, FUME, MISTS, AND/OR VAPORS ASSOCIATED WITH PRODUCT Other Precautions: THIS IS A DEA CLASS IV CONTROLLED DRUG.

# **Exposure Controls**

Respiratory Protection: WITH SATISFACTORY VENTILATION, RESPIRATORY PROTECTION NOT USUALLY REQUIRED.

Ventilation: GENERAL ROOM VENTILATION IS USUALLY SATISFACTORY. USE LOCAL EXHAUST WHEN NECESSARY.

Protective Gloves: DISPOSABLE LATEX

Eye Protection: SAFETY GLASSES OR GOGGLES

Other Protective Equipment: DISPOSABLE GARMENTS IF SKIN CONTACT IS

ANTICIPATED.

Work Hygienic Practices: MFR: ? HMIS: USE GOOD CHEMICAL HYGIENE

PRACTICE. AVOID UNNECESSARY CONTACT. WASH THOROUGHLY BEFORE EATING

OR DRINKING.

Supplemental Safety and Health

KEY2:KT \*\*FOR MOR INFORMATION SEE PACKAGE INSERT.\*\*

# **Chemical Properties**

HCC:N1

NRC/State Lic Num: NONE

Melt/Freeze Pt:M.P/F.P Text:257F,125C

pH:6.2-7

Solubility in Water: SPARINGLY SOLUBLE

Appearance and Odor: CLEAR, ALCOHOLIC ODOR, SLIGHTLY YELLOW SOLUTION

#### **Stability**

Stability Indicator/Materials to Avoid:YES

NO INFORMATION GIVEN ON MSDS BY MFR.

Stability Condition to Avoid: EXPOSURE TO HEAT OR LIGHT MAY CAUSE

DECOMPOSITION.

Hazardous Decomposition Products: WHEN HEATED TO DECOMPOSITION IT EMITS

TOXIC FUMES OF NOX AND CL

Conditions to Avoid Polymerization: WILL NOT OCCUR

#### Disposal

Waste Disposal Methods: DISPOSE I/A/W FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.