https://msdsreport.com/msds/BRGZM

MEDICIDE HOSPITAL DISINFECTANT

MSDS Number

BRGZM

National Stock Number

6840-01-065-3662

Product Name

MEDICIDE HOSPITAL DISINFECTANT

Manufacturer

HYSAN CORP

Product Identification

Product ID:MEDICIDE HOSPITAL DISINFECTANT MSDS Date:10/02/1991 FSC:6840 NIIN:01-065-3662 MSDS Number: BRGZM

Responsible Party

HYSAN CORP

919 W 38TH ST

CHICAGO , IL 60609-1419

US

Emergency Phone: 800-752-4869/800-535-5053

Info Phone: 800-431-1075

Cage: 27689

Contractor

SILFEN LEO INC, INDUSTRIAL CHEMICAL DIV

ARMONK, NY 10504-1710

US

800-431-1075

Cage: 1GJ71

Ingredients

ETHYL ALCOHOL (ETHANOL) CAS: 64-17-5 RTECS: KQ6300000 Fraction By Weight: 50-75% OSHA PEL1000 PPM ACGIH TLV: 1000 PPM; 9192

BUTANE

CAS: 106-97-8 RTECS: EJ4200000 Fraction By Weight: 5-20% OSHA PEL800 PPM ACGIH TLV: 800 PPM; 9192



PROPANE

CAS: 74-98-6

RTECS: TX2275000

Fraction By Weight: 5-20%

OSHA PEL1000 PPM

ACGIH TLV: ASPHYXIANT; 9192

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:UNKNOWN IARC:UNKNOWN OSHA:NO Health Hazards Acute and Chronic:EYES: CAUSES TEMPORARY EYE IRRITATION Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

•

First Aid

First Aid:FLUSH EYES WITH PLENTY OF WATER. CALL A PHYSICIAN IF IRRITATION PERSISTS.

Fire Fighting

Flash Point Method:TCC Flash Point:71.0F,21.7C Lower Limits:4 Upper Limits:19 Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, OR DRY CHEMICAL. Fire Fighting Procedures:KEEP CONTAINERS COOL. USE SHIELDING TO PROTECT PERSONNELAGAINST BURSTING, RUPTURING OR VENTING CONTAINERS. Unusual Fire/Explosion Hazard:AT ELEVATED TEMPERATURES (OVER 130F) CONTAINERS MAY VENT, BURST OR RUPTURE.

Accidental Release

Spill Release Procedures:REMOVE ALL SOURCES OF FLAME, SPARK OR HEAT. PROVIDE ADEQUATE VENTILATION. WIPE UP SPILLS. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions: WARNING! CONTENTS UNDER PRESSURE. FLAMMABLE. KEEP IN A COOL, DRY, LOCKED AREA AWAY FROM FLAMES, SPARKS AND OTHER SOURCES OF HEAT OR IGNITION. Other Precautions: DO NOT SPRAY ON OR TOWARDS EYES OR FACE. AVOID BREATHING SPRAY MIST OR VAPORS.

Exposure Controls

Respiratory Protection:NONE REQUIRED Ventilation:LOCAL EXHAUST. NONE REQUIRED. Protective Gloves:NONE REQUIRED Eye Protection:SAFETY GLASSES Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices:USE WITH ADEQUATE VENTILATION. AVOID BREATHING VAPOR/SPRAY MIST. AVOID CONTACT WITH SKIN & EYES. WASH HANDS AFTER USE. Supplemental Safety and Health NONE

Chemical Properties

HCC:F8 Boiling Pt:B.P. Text:180F,82C Vapor Pres:30 Vapor Density:>1 AIR=1 Spec Gravity:0.87 Evaporation Rate & Reference:>1 (N-BUTYL ACETATE=1) Solubility in Water:APPRECIABLE



_ _ _ _ _ _ _ _ _ _ _

Appearance and Odor: CLEAR, COLORLESS LIQUID; PLEASANTLY SCENTED

Stability

Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid:AVOID HEATING TO ABNORMAL TEMPERATURES. Hazardous Decomposition Products:OXIDES OF CARBON MAY BE FORMED

Disposal

Waste Disposal Methods: REPLACE CAP AND DISCARD CONTAINER IN TRASH. DO NOT PUNCTURE OR INCINERATE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.