GYPSUM WALLBOARD REGULAR OR STA-SMOOTH

MSDS Number

BRJXG

National Stock Number

5610-00N039556

Product Name

GYPSUM WALLBOARD REGULAR OR STA-SMOOTH

Manufacturer

GOLD BOND BUILDING PRODUCTS

Product Identification

Product ID:GYPSUM WALLBOARD REGULAR OR STA-SMOOTH

MSDS Date:11/13/1990

FSC:5610

NIIN:00N039556

MSDS Number: BRJXG

Responsible Party

GOLD BOND BUILDING PRODUCTS

2001 REXFORD RD

CHARLOTTE, NC 28211

US

Emergency Phone: 704-365-7300

Info Phone: 704-365-7300

Preparer: N.W. KALETA

Cage: 9N701

Contractor

GOLD BOND BUILDING PRODUCTS DIV NATIONAL GYPSUM

CHARLOTTE, NC 28211-3415

US

704-365-7300

Cage: 9N701

Ingredients

2); (GYPSUM)

CAS: 10101-41-4 RTECS: EW4150000

OSHA PEL15 MG/M3 TDUST

ACGIH TLV: 10 MG/M3 TDUST; 9293

CELLULOSE (PAPER FIBER)

CAS: 9004-34-6 RTECS: FJ5691460

KIECS: FJ5691460

OSHA PEL15 MG/M3 TDUST

ACGIH TLV: 10 MG/M3



SILICA, CRYSTALLINE - QUARTZ; (QUARTZ)

CAS: 14808-60-7 RTECS: VV7330000 OSHA PELSEE TABLE Z3

ACGIH TLV: 0.1 MG/M3 RDUST;9293

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO
Health Hazards Acute and Chronic:GOLD BOND GYPSUM BOARD PRODS DO NOT
PRESENT INHAL, INGEST/CONT HLTH HAZ UNLESS SUBJ TO OPERATIONS SUCH
AS SAWING, SANDING/MACHINING WHICH RSLT IN GEN OF AIRBORNE
PARTICULATE. TARGET ORGAN:RESP SYS. CO NTINUED & PRLNG EXPOS TO
AIRBORNE DUST CONC IN EXCESS OF PEL/TLV MAY RSLT IN COUGH, DYSPNEA,
WHEEZING & (EFTS OF OVEREXP)

Explanation of Carcinogenicity: CRYSTALLINE SILICA-QUARTZ: ANTIC TO BE CARC, NTP 6TH ANNUAL RPT ON CARCINOGENS, 1991; GROUP 2A, IARC VOL 7, P.341, 1987.

Effects of Overexposure: HLTH HAZ: IMPAIRED PULM FUNCTION. ACCORDING TO IARC THERE IS SUFFICIENT EVID FOR CARCIN OF CRYSTALLINE SILICA TO EXPTL ANIMALS & LTD EVID FOR CARCIN OF CRYSTALLINE SILICA TO HUMANS.

Medical Cond Aggravated by Exposure: OVEREXPOSURE WOULD AGGRAVATE RESPIRATORY SYSTEM DYSFUNCTIONS.

First Aid

First Aid:INGEST:CALL MD IMMEDIATELY . SKIN:FLUSH W/COPIOUS AMOUNTS OF WATER. CALL MD . EYES:IMMED FLUSH W/WATER FOR AT LEAST 15 MINUTES & GET MEDICAL ATTENTION. INHAL:MOVE EXPOSED PERSON TO FRESH A IR AT ONCE. IF NOT BREATHING INITIATE PULMONARY RESUSCITATION. GET MEDICAL ATTENTION.

Fire Fighting

Extinguishing Media:DRY CHEMICAL, FOAM, WATER FOG OR SPRAY. Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard: NONE SPECIFIED BY MANUFACTURER.

Accidental Release

Spill Release Procedures: PICKUP TO AVOID TRIPPING HAZARD. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions: KEEP DRY TO PRESERVE USEFULNESS. Other Precautions: THE SCORE & SNAP METHOD OF CUTTING IS RECOMMENDED. SAWING, DRILLING OR MACHINING WILL PRODUCE DUST.

Exposure Controls

Respiratory Protection: A NIOSH/MSHA APPROVED RESPIRATOR FOR TOXIC DUSTS IS RECOMMENDED IF PEL/TLV IS EXCEEDED.

Ventilation: PROVIDE VENTILATION TO MAINTAIN A DUST LEVEL BELOW PEL/TLV.

Protective Gloves: IMPERVIOUS GLOVES .

 $\ \ \, \hbox{Eye Protection:} CHEMICAL\ WORKERS\ GOGGLES\ .$

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

Chemical Properties

Appearance and Odor:GYPSUM CORE WRAPPED W/PAPER. SURFACE FINISH WILL VARY W/PRODUCT; NO ODOR.

Stability



Stability Indicator/Materials to Avoid:YES
NONE SPECIFIED BY MANUFACTURER.
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:WHEN HEATED TO DECOMPOSITION OXIDES OF CARBON & SULFUR WILL BE RELEASED.

Disposal

Waste Disposal Methods: NOT A HAZARDOUS WASTE. DISPOSE OF I/A/W APPLICABLE FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.