

## **TRANSUL CUT 708**

### **MSDS Number**

BRNFQ

### **National Stock Number**

9150-00N042873

### **Product Name**

TRANSUL CUT 708

### **Manufacturer**

G C LUBRICANTS CO

### **Product Identification**

Product ID:TRANSUL CUT 708

MSDS Date:02/01/1991

FSC:9150

NIIN:00N042873

MSDS Number: BRNFQ

### **Responsible Party**

G-C LUBRICANTS CO

977 BRANSTEN RD

SAN CARLOS , CA 94070

US

Emergency Phone: 415-592-1050;800-424-9300(CHEMTREC)

Info Phone: 415-592-1050

Cage: 0HJB5

### **Contractor**

G-C LUBRICANTS COMPANY

SAN CARLOS, CA 94070

US

(415) 592-1050

Cage: 0HJB5

### **Ingredients**

NON-HAZARDOUS INGREDIENTS (ACCORDING TO 29 CFR 1910.1200C,

OSHA PELN/K

ACGIH TLV: N/K

### **Hazards**

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: NO HISTORY OF HEALTH HAZARDS WITH THIS PRODUCT. CHRONIC: PROLONGED AND REPEATED SKIN CONTACT MAY CAUSE IRRITATION/DERMATITIS. CHEMICALS KNOWN TO STATE OF CA TO CAUSE CANCER, BIRTH DEFECTS OR OT HER REPRODUCTIVE HARM, MAY BE FOUND IN PETROLEUM PRODUCT, INCLUDING LUBRICANT-BASED OILS AND DERIVED (EFTS OF OVEREXP)

Explanation of Carcinogenicity:NOT RELEVANT.

Effects of Overexposure:HLTH HAZ:PRODUCTS THAT ARE MANUFACTURED BY G-C LUBRICANTS, INCLUDING THE PRODUCT CONTAINED HEREIN. G-C LUBRICANTS HAS BEEN ADVISED THAT METAL DRUMS OR PAILS USED BY G-C LUBRICANTS ARE MADE FROM CHEMIC ALS KNOWN TO THE STATE OF CA TO CAUSE CANCER,

BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.  
Medical Cond Aggravated by Exposure:NO KNOWN CONDITIONS.

## First Aid

First Aid:INHAL:UNDER FIRE CNDTNS, MOVE VICTIM AWAY FROM AREA TO FRESH AIR. RESUSCITATE & ADMINISTER O2. CONSULT MD. EYES: IMMED FLUSH W/PLENTY WATER FOR @ LEAST 15 MIN. HOLD EYELIDS APART TO INSURE FLUSHING OF ENTIRE EYE. SEE MD. SKIN:WASH ALL CONTAM SKIN AREAS W/PLENTY SOAP & WATER. WASH ALL CONTAM CLTHG BEFORE RE-USE. INGEST:DO NOT INDUCE VOMIT. NEVER GIVE ANYTHING BY MOUTH TO UNCON PERSON. CONSULT MD.

## Fire Fighting

Flash Point:340F,171C  
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL.  
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT .  
Unusual Fire/Explosion Hazard:MATL SHOULD BE TREATED AS OIL WHEN EXPOSED TO FIRE. OVERPRESSURIZATION WILL OCCUR WHEN CONTAINER IS EXPOSED TO FIRE. USE WATER TO COOL FIRE-EXPOSED CONTAINERS.

## Accidental Release

Spill Release Procedures:CONTAIN WITH ABSORBENT MATERIAL.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

## Handling

Handling and Storage Precautions:USE NORMAL GOOD PRACTICES.  
Other Precautions:DO NOT INGEST. WASH ALL CONTAMINATED CLOTHING BEFORE RE-USE.

## Exposure Controls

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN . NONE REQUIRED FOR NORMAL OPERATIONS.  
Ventilation:APPROPRIATE. LOCAL EXHAUST SUGGESTED. MECHANICAL IS ACCEPTABLE.  
Protective Gloves:NITRILE GLOVES.  
Eye Protection:CHEMICAL SAFETY GOGGLES .  
Other Protective Equipment:NONE REQUIRED FOR NORMAL OPERATIONS.  
Work Hygienic Practices:ALWAYS WASH HANDS PRIOR TO SMOKING OR EATING.  
Supplemental Safety and Health  
NONE SPECIFIED BY MANUFACTURER.

## Chemical Properties

HCC:V6  
Boiling Pt:B.P. Text:550F,288C  
Vapor Pres:Vapor Density:>1  
Spec Gravity:0.93 (H2O=1)  
Evaporation Rate & Reference:Solubility in Water:NEGLIGIBLE  
Appearance and Odor:DARK BROWN LIQUID.  
Percent Volatiles by Volume:0.0

## Stability

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS SUCH AS NITRIC ACID, HYDROGEN PEROXIDE AND CHROMIC ACID.  
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.  
Hazardous Decomposition Products:FIRE YIELDS CARBON MONOXIDE AND CARBON DIOXIDE.

## Disposal

Waste Disposal Methods:INCINERATE OR BURY IN A LICENSED CHEMICAL WASTE DISPOSAL SITE OR DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.