
P 22 FIXER FX 22.15

MSDS Number

BRNVK

National Stock Number

6750-01-313-1955

Product Name

P 22 FIXER FX 22.15

Manufacturer

ILFORD PHOTO CORP

Product Identification

Product ID:P 22 FIXER FX 22.15 MSDS Date:04/29/1993 FSC:6750 NIIN:01-313-1955 MSDS Number: BRNVK

Responsible Party

ILFORD PHOTO CORP

70 W CENTURY RD

PARAMUS, NJ 07653

US

Emergency Phone: 201-265-6000/800-842-9660 (MISUSE)

Info Phone: 201-265-6000 Preparer: NOT KNOWN

Cage: 64145

Contractor

Contractor

ILFORD PHOTO CORP PARAMUS, NJ 07653

US

201-265-6000 Cage: 64145

Ingredients

AMMONIUM THIOSULFATE

CAS: 7783-18-8 RTECS: XN6465000

Fraction By Weight: 25 - 35%

AMMONIUM BISULFITE (SARA III)

CAS: 10192-30-0
RTECS: WT3595000
Fraction By Weight: >1%
EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS



AMMONIUM SULFITE (SARA III)

CAS: 10196-04-0

Fraction By Weight: 5 - 10% EPA Report Quantity: 5000 LBS DOT Report Quantity: 5000 LBS

1-METHYLPYRROLIDONE

CAS: 872-50-4

RTECS: UY5790000

Fraction By Weight: 10 - 30%

WATER

CAS: 7732-18-5 RTECS: ZC0110000

Fraction By Weight: 40 - 50%

Hazards

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS 3,600 MG/KG. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: ACUTE- MAY CAUSE EYE OR SKIN IRRITATION. INHALATION OF MIST MAY CAUSE IRRITATION OF UPPER RESPIRATORY TRACT. INGESTION MAY CAUSE STOMACH UPSET AND IRRITATION. CHRONIC- NOT KNOWN.

Effects of Overexposure: EYE, SKIN, RESPIRATORY TRACT AND STOMACH

IRRITATION

First Aid

First Aid: CALL A DOCTOR IF SYMPTOMS PERSIST. EYE: IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN: WASH WITH SOAP & WATER. INHALED: REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. ORAL: I F CONSCIOUS, DRINK 2-3 GLASSES OF WATER& INDUCE VOMITING. CALL A PHYSICIAN/POISON CONTROL CENTER IMMEDIATELY.

Fire Fighting

Flash Point Method: PMCC Flash Point:>212F,>100C

Autoignition Temp: Autoignition Temp Text: NOT KN

Extinguishing Media: USE MEDIA PROPER TO PRIMARY SOURCE OF FIRE. Fire Fighting Procedures: WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard: MAY FORM HAZARDOUS DECOMPOSITION

PRODUCTS.

Accidental Release

Spill Release Procedures: FLUSH SMALL SPILLS OR RELEASES TO SEWER WITH LARGE AMOUNT OF WATER IF PERMITTED. LARGE SPILLS SHOULD BE COLLECTED FOR DISPOSAL. Neutralizing Agent: NOT RELEVANT

Handling

Handling and Storage Precautions: STORE IN A COOL PLACE AWAY FROM ACIDS. KEEP CONTAINERS CLOSED.

Other Precautions: WASH THOROUGHLY AFTER HANDLING. AVOID CONTACT WITH EYES, SKIN AND CLOTHING. KEEP OUT OF REACH OF CHILDREN.

Exposure Controls



Respiratory Protection: WEAR NIOSH-APPROVED SELF CONTAINED BREATHING APPARATUS OR ACID GAS/ORGANIC VAPOR RESPIRATOR IN HIGH VAPOR AREAS.

DO NOT BREATHE VAPORS OR MISTS.

Ventilation: LOCAL EXHAUST (CHANGE MACHINE FILTERS AS RECOMMENDED) AND

MECHANICAL (10-12 ROOM VOLUE CHANGES PER HOUR) Protective Gloves: RUBBER OR PLASTIC RECOMMENDED

Eye Protection: SAFETY GOGGLES

Other Protective Equipment: EYE WASH STATION & SAFETY SHOWER. Work Hygienic Practices: PRACTICE GOOD HYGIENIC PROCEDURE. WASH

THOROUGHLY BEFORE EATING OR DRINKING.

Supplemental Safety and Health

Chemical Properties

HCC:N1

Boiling Pt:B.P. Text:>212F,>100C

Melt/Freeze Pt:M.P/F.P Text:Vapor Pres:24 @ 77F

Vapor Density:Spec Gravity:1.21

pH:6.9

Evaporation Rate & Reference:1 (WATER=1)

Solubility in Water: COMPLETE

Appearance and Odor: CLEAR, COLORLESS LIQUID WITH SLIGHT AMMONIA ODOR

Stability

Stability Indicator/Materials to Avoid:YES
MINERAL ACIDS
Stability Condition to Avoid:EXCESSIVE HEAT. AVOID CONTACT WITH ACID
SOLUTIONS E.G. P-22.15 BLEACH SOLUTION.
Hazardous Decomposition Products:SULFUR OXIDES

Disposal

Waste Disposal Methods: DISPOSE OF IN CONFORMITY WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.