

KELLYS COBBLER SALT STAIN REMOVER (2246)

MSDS Number

BSBGX

National Stock Number

7930-00N040240

Product Name

KELLYS COBBLER SALT STAIN REMOVER (2246)

Manufacturer

FIEBING CO INC

Product Identification

Product ID:KELLYS COBBLER SALT STAIN REMOVER (2246)
MSDS Date:08/01/1990
FSC:7930
NJIN:00N040340

NIIN:00N040240 MSDS Number: BSBGX

Responsible Party

FIEBING CO INC

516 SOUTH 2ND ST

MILWAUKEE, WI 53204-0125

US

Emergency Phone: 414-271-5011

Info Phone: 414-271-5011

Cage: 98857

Contractor

FIEBING CO INC

LIEDING CO INC

04125

MILWAUKEE, WI 53204-1613

US

414-271-5011

Cage: 98857

Ingredients

ETHYL ALCOHOL; (ETHANOL)

CAS: 64-17-5

RTECS: KQ6300000 OSHA PEL1000 PPM ACGIH TLV: 1000 PPM

Hazards

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO

Health Hazards Acute and Chronic:ACUTE: INGEST: DIZZINESS, DROWSINESS, DECREASED RXN, EUPHORIA, NAUSEA, VOMITING, STAGGERING GAIT & COMA. SKIN ABSORB: NONE CURRENTLY KNOWN. INHAL: MAY CAUSE DIZZINESS, DROWSINESS, NAUSEA & VOMITING. S KIN: NONE CURRENTLY KNOWN. EYES:

MINOR IRRIT. CHRONIC EFTS: NONE CURRENTLY NONE.

Explanation of Carcinogenicity: NOT RELEVANT.



Effects of Overexposure: SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure: NONE CURRENTLY KNOWN.

First Aid

First Aid:INGEST: GIVE TWO GLASSES OF WATER. INDUCE VOMIT. CALL MD. SKIN: WASH WITH SOAP & WATER FOR AT LEAST 15 MINUTES. INHAL: REMOVE TO FRESH AIR. CALL MD. EYES: FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MI NUTES. CALL MD.

Fire Fighting

Flash Point Method:COC Flash Point:106F,41C

Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER SPRAY. Fire Fighting Procedures: USE WATER SPRAY TO COOL FIRE EXPOS CNTNRS & STRUCTURES. USE NIOSH/MSHA APPRVD SCBA & PROTECTIVE CLOTHING. Unusual Fire/Explosion Hazard: VAPORS MAY FORM FROM THIS PRODUCT AND MAY TRAVEL OR MOVE BY AIR CURRENTS & BE IGNIT BY IGNITION SOURCES AT LOCATIONS DISTANT FROM HNDLG POINT.

Accidental Release

Spill Release Procedures: ELIMINATE ALL SOURCES OF IGNITION. PROVIDE ADEQUATE VENTILATION. WEAR NIOSH/MSHA APPROVED RESPIRATOR AND PROTECTIVE CLOTHING. ABSORB WITH APPROPRIATE INERT MATERIAL. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions: KEEP AWAY FROM HEAT, SPARKS AND FLAME. KEEP CONTAINER CLOSED WHEN NOT IN USE. STORE AND USE WITH ADEQUATE VENTILATION.

Other Precautions: KEEP FROM CHILDREN'S REACH. DO NOT INGEST. AVOID BREATHING VAPORS.

Exposure Controls

Respiratory Protection: NONE REQUIRED NORMALLY. WEAR NIOSH/MSHA APPROVED SCBA IN HIGH CONCENTRATIONS.

Ventilation:LOCAL EXHAUST PREFERRED AT POINTS WHERE VAPORS ARE EXPECTED TO BE VENTED TO THE WORK PLACE AIR.

Protective Gloves: IMPERVIOUS GLOVES.

Eve Protection:SAFETY GOGGLES.

Other Protective Equipment: APRON, SAFETY SHOWER, EYE WASH STATION.

Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

Chemical Properties

Spec Gravity:0.982 (H*2O=1) Solubility in Water:COMPLETE

Appearance and Odor: PALE BLUE LIQUID; SLIGHT CHARACTERISTIC ODOR.

Stability

Stability Indicator/Materials to Avoid:YES

NONE.

Stability Condition to Avoid: AVOID HEAT, SPARKS, FLAMES.

Hazardous Decomposition Products: BURNING CAN PRODUCE CARBON MONOXIDE &/CARBON DIOXIDE &/OXIDES OF NITROGEN.

Disposal

Waste Disposal Methods: DISPOSE OF ACCORDING TO FEDERAL, STATE, COUNTY AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their





particular situation.