

GLUVIT

MSDS Number

BSCDR

National Stock Number

8010-00N044656

Product Name

GLUVIT

Manufacturer

TRAVACO LABS INC

Product Identification

Product ID: GLUVIT
MSDS Date: 01/01/1991
FSC: 8010
NIIN: 00N044656
Kit Part: Y
MSDS Number: BSCDR

Responsible Party

TRAVACO LABS INC
345 EASTERN AVE
CHELSEA , MA 02150
US
Emergency Phone: 617-884-7740
Info Phone: 617-884-7740
Preparer: RALPH TRAVERS
Cage: IO610

Contractor

TRAVACO LABS INC
CHELSEA, MA 02150
US
617-884-7740
Cage: IO610

Ingredients

EPOXY RESIN
CAS: 25068-38-6
RTECS: KC2100000
Fraction By Weight: 50%
OSHA PELN/K
ACGIH TLV: N/K

SILICA
Fraction By Weight: 50%
OSHA PEL6 MG/M3
ACGIH TLV: 10 MG/M3

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:HAS POTENTIAL TO CAUSE NAUSEA &
RESPIRATORY TRACT IRRITATION WHEN HEATED TO HIGH TEMPERATURE.
INGESTION (SWALLOWING) I.D. 507 2G/KG SLIGHTLY TOXIC.
Explanation of Carcinogenicity:NOT RELEVANT
Effects of Overexposure:SEE HEALTH HAZARDS.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid:INGEST:CALL MD IMMEDIATELY . EYE:FLUSH W/WATER FOR AT LEAST
15 MINUTES WHILE HOLDING EYE LIDS OPEN. GET MEDICAL ATTENTION.
SKIN:FLUSH W/WATER. INHAL:IF EXPOSED TO HIGH CONCENTRATIONS OF
VAPORS, REMOVE TO FRESH AIR.

Fire Fighting

Flash Point Method:SCC
Flash Point:480F,249C
Extinguishing Media:USE WATER SPRAY, DRY CHEMICAL, FOAM OR CARBON
DIOXIDE.
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE
EQUIPMENT . USE WATER TO KEEP FIRE-EXPOSED CONTAINERS COOL.
Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY EXPLODE (DUE TO
BUILD UP OF PRESSURE) WHEN EXPOSED TO EXTREME HEAT.

Accidental Release

Spill Release Procedures:ELIMINATE IGNITION SOURCES. COMPLETELY ABSORB
W/INERT MATERIAL, SCOOP UP & PUT IN DISPOSAL CONTAINER.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:AVOID CONTAMINATION OF SKIN. KEEP AWAY
FROM HEAT & OPEN FLAME.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

Exposure Controls

Respiratory Protection:NONE LIKELY - NEED ADEQUATE VENTILATION.
NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN

Ventilation:LOCAL EXHAUST VENTILATION.
Protective Gloves:IMPERVIOUS GLOVES.
Eye Protection:CHEMICAL SPLASH GOGGLES.
Other Protective Equipment:EYE WASH FACILITY.
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

Chemical Properties

HCC:C2
Boiling Pt:B.P. Text:500F,260C
Vapor Pres:0.01 @ 20C
Vapor Density:HVR/AIR
Spec Gravity:1.75 (H*20=1)
Evaporation Rate & Reference:SLOWER THAN BUTYL ACETATE
Solubility in Water:NONE
Appearance and Odor:SYRUP LIKE CONSISTENCY; MILD ODOR.
Percent Volatiles by Volume:NIL

Stability

Stability Indicator/Materials to Avoid:YES
STRONG ACIDS, BASES: MERCAP.
Stability Condition to Avoid:EXCESSIVE HEAT.
Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE.

Disposal

Waste Disposal Methods: BURY IN LANDFILL I/A/W FEDERAL, STATE & LOCAL REGULATIONS. U.S. EPA DOES NOT DEFINE THIS PRODUCT AS A HAZARDOUS WASTE UNDER RCRA.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.