

## **HURRI CLEAN F1-39A**

### **MSDS Number**

BSECT

### **National Stock Number**

6850-00N044893

### **Product Name**

HURRI CLEAN F1-39A

### **Manufacturer**

MITCO MFG INC

### **Product Identification**

Product ID:HURRI CLEAN F1-39A

MSDS Date:03/15/1990

FSC:6850

NIIN:00N044893

MSDS Number: BSECT

### **Responsible Party**

MITCO MFG INC

317 NEW SOUTH RD

HICKSVILLE , NY 11801

US

Emergency Phone: 516-935-4417

Info Phone: 516-935-4417

Cage: 70180

### **Contractor**

MITCO MFG INC

HICKSVILLE, NY 11801

US

516-935-4430

Cage: 70180

### **Ingredients**

SODIUM HYDROXIDE (SARA III)

CAS: 1310-73-2

RTECS: WB4900000

OSHA PEL2 MG/M3, C

ACGIH TLV: 2 MG/M3, C

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

SILICIC ACID (H\*2SIO\*3), DISODIUM SALT; (SODIUM

CAS: 6834-92-0

RTECS: VV9275000

OSHA PELN/K

ACGIH TLV: N/K

2-BUTOXYETHANOL

CAS: 111-76-2

RTECS: KJ8575000

OSHA PEL25 PPM, S

ACGIH TLV: 25 PPM, S

## Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ANIMAL STUDIES CLEARLY DEMONSTRATED DOSE-RELATED ADVERSE EFTS ON THE CNS, HEMATOPOIETIC TISSUES, BLOOD, KIDNEYS & LIVER, ASSOCIATED W/ADMINISTRATION OF ETHYLENE GLYCOL MONOBUTYL ETHER (EGBE) & ETHYLENE GLYCOL MONOBUTYL ETHER ACETATE (EGBEA). (EXTRACTED FROM DHHS (NIOSH) PUBLICATION NO. 90-118) . (EFTS OF OVEREXP)

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:HLTH HAZ: EYES:CAUSES BURNS. SKIN:CAUSES BURNS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

## First Aid

First Aid:SKIN:REMOVE CONTAM CLTHG & SHOES IMMEDIATELY. WASH AFFECTED AREA WITH LARGE AMOUNTS OF WATER FOR 15-20 MINUTES. GET MEDICAL ATTENTION. EYES:WASH EYES IMMEDIATELY WITH LARGE AMOUNTS OF WATER, (OCCASION ALLY LIFTING UPPER AND LOWER LIDS) FOR AT LEAST 15 MINUTES. GET MD ATTENTION. INHAL:REMOVE TO FRESH AIR. SUPPORT BRTHG (GIVE O\*2 ARTIFICIAL RESPIRATION) . INGEST: CALL MD IMMEDIATELY .

## Fire Fighting

Flash Point:>200F,>93C

Extinguishing Media:USE EXTINGUISHING MEDIA SUITABLE FOR SURROUNDING FIRE .

Fire Fighting Procedures:WEAR NIOSH/MSHA SCBA AND FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

## Accidental Release

Spill Release Procedures:PICK UP SPILL. FLUSH WITH WATER.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

## Handling

Handling and Storage Precautions:AVOID CONTACT WITH EYES, SKIN AND CLOTHING.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

## Exposure Controls

Respiratory Protection:WEAR NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation:NONE SPECIFIED BY MANUFACTURER.

Protective Gloves:RUBBER OR PLASTIC.

Eye Protection:ANSI APPRVD CHEM WORK GOGGS W/(SUP DAT)

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health  
EYE PROT:FULL LENGTH FACESHIELD .

## Chemical Properties

HCC:B3

Solubility in Water:COMPLETE

Appearance and Odor:FLUORESCENT GREEN LIQUID.

## Stability

Stability Indicator/Materials to Avoid: YES

NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products: NONE SPECIFIED BY MANUFACTURER.

## Disposal

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS .

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.