

HURRI CLEAN F1-28

MSDS Number

BSCKV

National Stock Number

6850-00N044894

Product Name

HURRI CLEAN F1-28

Manufacturer

MITCO MEG INC

Product Identification

Product ID:HURRI CLEAN F1-28 MSDS Date: 03/15/1990 FSC:6850 NIIN:00N044894 MSDS Number: BSCKV

Responsible Party

MITCO MFG INC

317 NEW SOUTH RD

HICKSVILLE, NY 11801

US

Emergency Phone: 516-935-4417

Info Phone: 516-935-4417

Cage: 70180 **Contractor**

MITCO MFG INC

HICKSVILLE, NY 11801

US

516-935-4430 Cage: 70180

Ingredients

SODIUM HYDROXIDE (SARA III)

CAS: 1310-73-2 RTECS: WB4900000 OSHA PEL2 MG/M3, C ACGIH TLV: 2 MG/M3, C

EPA Report Quantity: 1000 LBS DOT Report Quantity: 1000 LBS

SILICIC ACID (H*2SIO*3), DISODIUM SALT; (SODIUM

CAS: 6834-92-0 RTECS: VV9275000 OSHA PELN/K ACGIH TLV: N/K



2-BUTOXYETHANOL

CAS: 111-76-2

RTECS: KJ8575000 OSHA PEL25 PPM, S ACGIH TLV: 25 PPM, S

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ANIMAL STUDIES CLEARLY DEMONSTRATED
DOSE-RELATED ADVERSE EFTS ON THE CNS, HEMATOPOIETIC TISSUES, BLOOD,
KIDNEYS & LIVER ASSOCIATED WARDMINISTRATION OF ETHYLENE GLYCOL

KIDNEYS & LIVER, ASSOCIATED W/ADMINISTRATION OF ETHYLENE GLYCOL MONOBUTYL ETHER (EGBE) & ETHYLEN E GLYCOL MONOBUTYL ETHER ACETATE (EGBEA). (EXTRACTED FROM DHHS (NIOSH) PUBLICATION NO. 90-118).

(EFTS OF OVEREXP)

Explanation of Carcinogenicity: NOT RELEVANT

Effects of Overexposure: HLTH HAZ: EYES: CAUSES BURNS. SKIN: CAUSES BURNS. Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid:SKIN:REMOVE CONTAM CLTHG & SHOES IMMEDIATELY. WASH AFFECTED AREA WITH LARGE AMOUNTS OF WATER FOR 15-20 MINUTES. GET MEDICAL ATTENTION. EYES:WASH EYES IMMEDIATELY WITH LARGE AMOUNTS OF WATER, (OCCASION ALLY LIFTING UPPER AND LOWER LIDS) FOR AT LEAST 15 MINUTES. GET MD ATTENTION. INHAL:REMOVE TO FRESH AIR. SUPPORT BRTHG (GIVE 0*2 ARTIFICIAL RESPIRATION). INGEST: CALL MD IMMEDIATELY.

Fire Fighting

Flash Point:>200F,>93C

Extinguishing Media: USE EXTINGUISHING MEDIA SUITABLE FOR SURROUNDING FIRE .

Fire Fighting Procedures: WEAR NIOSH/MSHA SCBA AND FULL PROTECTIVE EOUIPMENT.

Unusual Fire/Explosion Hazard: NONE SPECIFIED BY MANUFACTURER.

Accidental Release

Spill Release Procedures: PICK UP SPILL. FLUSH WITH WATER. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions: AVOID CONTACT WITH EYES, SKIN AND CLOTHING.

Other Precautions: NONE SPECIFIED BY MANUFACTURER.

Exposure Controls

Respiratory Protection: WEAR NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation: NONE SPECIFIED BY MANUFACTURER.

Protective Gloves: RUBBER OR PLASTIC.

Eye Protection: ANSI APPRVD CHEM WORK GOGGS W/(SUP DAT)

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

EYE PROT: FULL LENGTH FACESHIELD.

Chemical Properties

HCC:B3

Solubility in Water: COMPLETE

Appearance and Odor: FLUORESCENT GREEN LIQUID.

Stability

https://msdsreport.com/msds/BSCKV





Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER. Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products: NONE SPECIFIED BY MANUFACTURER.

Disposal

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS .

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.