SHER-WOOD WIPING STAIN CONCENTRATE, S64N22

MSDS Number

BSCMN

National Stock Number

8010-00N045040

Product Name

SHER-WOOD WIPING STAIN CONCENTRATE, S64N22

Manufacturer

SHERWIN WILLIAMS

Product Identification

Product ID: SHER-WOOD WIPING STAIN CONCENTRATE, S64N22

MSDS Date:01/02/1992

FSC:8010

NIIN:00N045040

MSDS Number: BSCMN

Responsible Party

SHERWIN WILLIAMS

101 PROSPECT AVE NW

CLEVELAND, OH 44115

US

Emergency Phone: 216-566-2917

Info Phone: 216-566-2902

Cage: 54626

Contractor

SHERWIN-WILLIAMS CO THE

CLEVELAND, OH 44115-1042

US

800-251-2486/216-566-2242

Cage: 54636

Ingredients

KEROSENE (PETROLEUM), HYDROTREATED; (MINERAL SPIRITS) VP

CAS: 64742-47-8

RTECS: 0A5504000

Fraction By Weight: 30%

OSHA PEL100 PPM

ACGIH TLV: 100 PPM

5.9

CAS: 1330-20-7

RTECS: ZE2100000

Fraction By Weight: 11-15% OSHA PEL100 PPM; 150 STEL

ACGIH TLV: 100 PPM; 150 STEL



EPA Report Quantity: 1000 LBS DOT Report Quantity: 1000 LBS

44

CAS: 64-17-5

RTECS: KQ6300000

Fraction By Weight: 1%

OSHA PEL1000 PPM

ACGIH TLV: 1000 PPM

2.97

RTECS: 9999999VO

OSHA PELN/K ACGIH TLV: N/K

& ANY OTHER SOURCES OF IGNIT. CONSULT NFPA CODE. USE

RTECS: 9999999ZZ

WHEN NOT IN USE. TRANSFER ONLY TO APPRVD CNTNRS

RTECS: 9999999ZZ

OUT OF THE REACH OF CHILDREN.

RTECS: 9999999ZZ

ONLY W/ADEQ VENT. AVOID BRTHG VAP & SPRAY MIST.

RTECS: 9999999ZZ

CLASS AS NUISANCE PARTICULATES WHICH MAY BE PRESENT @

RTECS: 9999999ZZ

ACGIH TLV 10MG/M3 RTECS: 9999999ZZ

GENERATED FROM THIS PROD, UNDERLYING PAINT OR THE

RTECS: 9999999ZZ

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: IRRIT OF EYES, SKIN & RESP SYS.
MAY CAUSE NERVOUS SYS DEPRESSION. EXTREME OVEREXP MAY RESULT IN
UNCONSCIOUSNESS & POSSIBLY DEATH. HEADACHE, DIZZINESS, NAUSEA &
LOSS OF COORDINATION ARE INDICATI ONS OF EXCESSIVE EXPOSURE TO



VAPORS/SPRAY MISTS. REDNESS & ITCHING OR BURNING SENSATION MAY INDICATE (EFTS OF OVEREXP)

Explanation of Carcinogenicity: NOT RELEVANT

Effects of Overexposure: HLTH HAZ: EYE OR EXCESSIVE SKIN EXPOSURE.

CHRONIC: PROLONGED OVEREXPOSURE TO SOLVENT INGREDS IN PRODUCT MAY

CAUSE ADVERSE EFFECTS TO LIVER, URINARY, BLOOD-FORMING,

CARDIOVASCULAR & REPRODUCTIVE SYSTEMS . REPORTS HAVE ASSOCIATED REPEATED & PROLONGED OVEREXPOSURE TO SOLVENTS WITH PERMANENT BRAIN

& NERVOUS SYSTEM DAMAGE.

Medical Cond Aggravated by Exposure: NONE GENERALLY RECOGNIZED.

First Aid

First Aid:INHALATION: IF AFFECTED, REMOVE FROM EXPOSURE. RESTORE BREATHING. KEEP WARM & QUIET. SKIN: WASH AFFECTED AREA THOROUGHLY WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHING & LAUNDER BEFORE RE-USE. EYES: FLUSH EYES WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION. INGESTION: GET MEDICAL ATTENTION.

Fire Fighting

Flash Point:80.0F,26.7C Lower Limits:0.9% Upper Limits:19%

Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM.

Fire Fighting Procedures: USE NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP. WATER SPRAY MAY BE INEFTIVE. IF WATER USED, FOG NOZZ PREF. WATER

MAY BE USED TO COOL CLSD CNTNRS TO (SUPDAT)

Unusual Fire/Explosion Hazard: KEEP CNTNRS TIGHTLY CLSD. ISOLATE FROM HEAT, ELEC EQUIP, SPK & OPEN FLAME. CLSD CNTNRS MAY EXPLODE WHEN

EXPOS TO EXTREME HEAT. APPLICATN TO HOT SURF (SUPDAT)

Accidental Release

Spill Release Procedures: REMOVE ALL SOURCES OF IGNITION. VENTILATE AND REMOVE WITH INERT ABSORBENT.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions: CONTENTS ARE FLAMM. KEEP AWAY FROM HEAT, SPK & OPEN FLAME. DURING USE & UNTIL ALL VAPS GONE: KEEP AREA VENT. DO NOT SMOKE. EXTING ALL FLAMES, (SUPDAT)
Other Precautions: INTENTIONAL MISUSE BY DELIB CONC & INHALING CONTENTS CAN BE HARMFUL/FATAL. THESE PRODS MAY BE MIXED W/OTHER COMPONENTS, INCL REDUCERS, BEFORE USE. BEFORE OPENING PACKAGES, READ & FOLLOW WARNING LABELS & MSDS ON ALL COMPONENTS. USE (ING 8)

Exposure Controls

Respiratory Protection:IF PERSONAL EXPOS CANNOT BE CONTROLLED BELOW APPLIC LIM BY VENT, WEAR PROPERLY FITTED ORG VAP/PARTICULATE RESP APPRVD BY NIOSH/MSHA. WHEN SANDING/ABRADING DRIED FILM, WEAR DUST/MIST RESP APPRVD BY NIO SH/MSHA FOR DUST WHICH MAY BE (ING 11) Ventilation:LOC EXHST PREF. GEN EXHST ACCEPTABLE IF EXPOS TO MATLS IS < APPLIC EXPOS LIM. REFER TO OSHA STDS 1910.94, 107, 108.

Protective Gloves: IMPERVIOUS GLOVES .

Eye Protection:SFTY GLASSES W/UNPERFORATED SIDESHIELDS.

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: WASH HANDS AFTER USING.

Supplemental Safety and Health

FIRE FIGHT PROC:PVNT PRESS BUILD-UP & POSS AUTOIGNIT/EXPLOS WHEN EXPOS TO EXTREME HEAT. EXPLO HAZ:REQS SPECIAL PREC. DURING EMER CNDTNS OVEREXP TO DECOMP PRODS MAY CAUSE HLTH HAZ. SYMP MAY NOT BE IMME D APPARENT. OBTAIN MED ATTN. HNDLG/STORPREC:PILOT LIGHTS & HEATERS. TURN OFF STOVES, ELEC TOOLS & APPLIANCES (ING 5)

Chemical Properties

HCC:F4

Boiling Pt:B.P. Text:>172F,>78C

Vapor Pres:SEE INGS



Vapor Density:HVR/AIR Spec Gravity:0.81-1.6

Evaporation Rate & Reference:SLOWER THAN ETHER

Appearance and Odor: NONE SPECIFIED BY MANUFACTURER.

Percent Volatiles by Volume:40-97

Stability

Stability Indicator/Materials to Avoid:YES NONE KNOWN.
Stability Condition to Avoid:NONE KNOWN.
Hazardous Decomposition Products:BY FIRE:CARBON DIOXIDE, CARBON MONOXIDE.

Disposal

Waste Disposal Methods: WASTE FROM PROD MAY BE HAZ AS DEFINED UNDER RCRA 40 CFR 261. WASTE MUST BE TESTED FOR IGNIT TO DETERM APPLIC EPA HAZ WASTE NUMBERS. INCIN IN APPRVD FACILITY. DO NOT INCIN CLSD CNTNR. DISPOSE OF I/A/W FED, STATE, & LOCAL REGS REGARDING POLLUTION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.