

00768 CAPELLA OIL WF 100

MSDS Number

BSDHS

National Stock Number

9150-00N044769

Product Name

00768 CAPELLA OIL WF 100

Manufacturer

TEXACO

Product Identification

Product ID:00768 CAPELLA OIL WF 100

MSDS Date:09/23/1989

FSC:9150

NIIN:00N044769

MSDS Number: BSDHS

Responsible Party

TEXACO

BEACON , NY 12508

US

Emergency Phone: 914-813-3400

Info Phone: 914-813-3400

Cage: 06668

Contractor

TEXAS INSTRUMENTS INC INFORMATION TECHNOLOGY GROUP

1444

HOUSTON, TX 77251

US

800-336-5236

Cage: 06668

Ingredients

PETROLEUM DISTILLATES, CLAY-TREATED HVY NAPHTHENIC;(SEV

CAS: 64742-44-5

RTECS: SE7449700

Fraction By Weight: 100%

OSHA PEL5 MG/M3 (OIL MIST)

ACGIH TLV: 5 MG/M3 (OIL MIST)

DOES NOT MEET CRITERIA OF A HAZARDOUS WASTE IF

RTECS: 9999999ZZ

TIMES DAILY WITH SOAP AND WATER, AND

RTECS: 9999999ZZ

Hazards

LD50 LC50 Mixture:LD50:(ORAL,RAT) >5 G/KG
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: EYE/SKIN: BELIEVED TO BE MINIMALLY IRRITATING. RESP SYS: VAPORS OR MIST IN EXCESS OF PERMISSIBLE CONCS MAY CAUSE IRRITATION (NOSE/THROAT), HEADACHE, NAUSEA, AND DROWSINESS.
Explanation of Carcinogenicity:NOT RELEVANT
Effects of Overexposure:SEE HEALTH HAZARDS.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid:EYE: AS WITH MOST FOREIGN MATLS, SHOULD EYE CONTACT OCCUR, FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MIN. SKIN: WASH EXPOSED AREAS WITH SOAP AND WATER. INGEST: GET MD IMMEDIATELY .
INHAL: IF IRRITATION OR DROWSINESS OCCURS, REMOVE TO FRESH AIR.

Fire Fighting

Flash Point Method:COC
Flash Point:405F,207C
Extinguishing Media:ACCORDING TO THE NFPA GUIDE, USE WATER SPRAY, DRY CHEM, FOAM OR CARBON DIOXIDE. WATER OR FOAM MAY CAUSE (SUPP DATA)
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT .
Unusual Fire/Explosion Hazard:NONE.

Accidental Release

Spill Release Procedures:CONTAIN SPILL IF POSSIBLE. WIPE UP OR ABSORB ON SUITABLE MATERIAL AND SHOVEL.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:MINIMAL FEASIBLE HANDLING TEMP SHOULD BE MAINTAINED. PERIODS OF EXPOSURE TO HIGH TEMPRATURES SHOULD BE MINIMIZED. WATER CONTAM SHOULD BE AVOIDED.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

Exposure Controls

Respiratory Protection:IF VAPOR, MIST OR DUST IS GENERATED IN EXCESS OF PERMISSIBLE CONCENTRATIONS, USE NIOSH/MSHA APPROVED RESPIRATOR.
Ventilation:ADEQUATE TO MEET PERMISSIBLE CONCENTRATIONS.
Protective Gloves:IMPERVIOUS GLOVES .
Eye Protection:CHEM TYPE GOGGLES/FSHLD OPTIONAL.
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices:EXPOSED EMPLOYEE SHOULD EXERCISE REASONABLE PERSONAL CLEANLINESS; THIS INCL CLEANSING EXPOSED SKIN AREAS SEVERAL (ING 3)
Supplemental Safety and Health
EXTING MEDIA:FROTHING. USE WATER TO COOL FIRE-EXPOSED CONTAINERS. IF LEAK OR SPILL HAS NOT IGNITED, USE WATER SPRAY TO DISPERSE THE VAPS & TO PROVIDE PROTECTION FOR PERSONS ATTEMPTING TO STOP LEAK. WA STE DISP:RESULTING MATL HAZARDOUS. REMARKS: WASTE CLASSIFICATION: PRODUCT HAS BEEN EVALUATED FOR RCRA CHARAC & (ING 2)

Chemical Properties

HCC:V6
Spec Gravity:0.9018
Appearance and Odor:CLEAR, YELLOW LIQUID.

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS.
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, ALDEHYDES AND KETONES, COMBUSTION PRODUCTS OF NITROGEN AND SULFUR.

Disposal

Waste Disposal Methods: UNDER RCRA, IT IS THE RESPONSIBILITY OF THE USER OF PRODS TO DETERMINE, AT TIME OF DISPOSAL, WHETHER PROD MEETS RCRA CRITERIA FOR HAZARDOUS WASTE. THIS IS BECAUSE PRODUCT USES, TRANSFORMATIONS, MIXTURE, PROCESS, ETC. MAY RENDER THE (SUPP DATA)

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.