

DURAPOXY CLEANER

MSDS Number

BSQTG

National Stock Number

6850-00N041478

Product Name

DURAPOXY CLEANER

Manufacturer

GARON PRODUCTS INC

Product Identification

Product ID:DURAPOXY CLEANER

MSDS Date:06/28/1990

FSC:6850

NIIN:00N041478

MSDS Number: BSQTG

Responsible Party

GARON PRODUCTS INC

1924 HIGHWAY 35

WALL , NJ 07719

US

Emergency Phone: 201-449-1776

Info Phone: 201-449-1776

Cage: 2N005

Contractor

GARON PRODUCTS INC

1924

NEW BRUNSWICK, NJ 08901

US

908-449-1776

Cage: 2N005

Ingredients

SODIUM HYDROXIDE (SARA III)

CAS: 1310-73-2

RTECS: WB4900000

Fraction By Weight: 2%

OSHA PEL2 MG/M3, C

ACGIH TLV: 2 MG/M3, C

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

ETHANOL, 2-BUTOXY-; (2-BUTOXYETHANOL) (EGBE)

CAS: 111-76-2

RTECS: KJ8575000

Fraction By Weight: 3-5%

OSHA PEL25 PPM, S

ACGIH TLV: 25 PPM, S

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN:IRRITATION, REDNESS OR DRYING OF SKIN. EYES:IRRITATION. ANIMAL STUDIES CLEARLY DEMONSTRATED DOSE-RELATED ADVERSE EFFECTS ON CNS, HEMATOPOIETIC TISSUES, BLOOD, KIDNEYS & LIVER, ASSOCIATED W/ADMINI STRATION OF ETHYLENE GLYCOL MONOBUTYL ETHER (EGBE). (EXTRACTED FROM DHHS (NIOSH) PUBLICATION NO.90-118) .

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid:INGEST:CALL MD IMMEDIATELY . INHAL:REMOVE TO FRESH AIR.

SUPPORT BREATHING (GIVE O*2/ARTF RESP) . SKIN:WASH W/SOAP & WATER.

REMOVE CONTAMINATED CLOTHING. CONTACT MD. EYES:FLUSH W/LARGE AMOU NTS OF WATER FOR AT LEAST 15 MINUTES. CONTACT MD.

Fire Fighting

Flash Point:SUPP DATA

Extinguishing Media:MEDIA SUITABLE FOR SURROUNDING FIRE .

Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:NONE

Accidental Release

Spill Release Procedures:FLUSH TO SEWER OR ABSORB ON SOLID ABSORBENT OR RAGS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:CAUSES IRRITATION. HARMFUL IF INHALED.

AVOID CONTACT W/EYES, SKIN & CLOTHING. AVOID BREATHING OF VAPORS OR DUST. USE W/ADEQUATE VENTILATION.

Other Precautions:KEEP AWAY FROM HEAT, SPARKS & OPEN FLAMES. KEEP CONTAINER CLOSED. KEEP OUT OF REACH OF CHILDREN.

Exposure Controls

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN . NONE REQUIRED.

Ventilation:NONE REQUIRED.

Protective Gloves:RUBBER OR PLASTIC COATED GLOVES.

Eye Protection:ANSI APRV CHEMICAL WORKERS GOGGLES (FP N

Other Protective Equipment:EYE WASH & SAFETY SHOWER. WEAR FULL LENGTH CLOTHING.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

FL PT:NONE AT BOILING POINT.

Chemical Properties

Boiling Pt:B.P. Text:212F,100C

Vapor Pres:LIKE WATER

Vapor Density:LIKE WATER

Spec Gravity:1.04 (H*2O=1)

Evaporation Rate & Reference:1 (WATER=1)

Appearance and Odor:CLEAR BLUE-GREEN LIQUID; SASSAFRAS ODOR.

Percent Volatiles by Volume:88

Stability

Stability Indicator/Materials to Avoid: YES

Disposal

Waste Disposal Methods: DISPOSAL MUST BE I/A/W FEDERAL, STATE & LOCAL REGULATIONS . DISCARD ABSORBED MATERIAL W/GENERAL TRASH.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.