

WESTERN STAR ALUMINUM MOBILE HOME COATING

MSDS Number

BSSSC

National Stock Number

8010-00N041486

Product Name

WESTERN STAR ALUMINUM MOBILE HOME COATING

Manufacturer

GULF STATES ASPHALT CO INC

Product Identification

Product ID:WESTERN STAR ALUMINUM MOBILE HOME COATING MSDS Date:09/01/1992 FSC:8010

FSC:8010 NIIN:00N041486 MSDS Number: BSSSC

Responsible Party

GULF STATES ASPHALT CO INC

300 CHRISTY PLACE

SOUTH HOUSTON, TX 77587

US

Emergency Phone: 713-941-4410

Info Phone: 713-941-4410

Cage: 4H580

Contractor

GULF STATES ASPHALT CO INC

SOUTH HOUSTON, TX 77587

713-941-4410

US

Cage: 4H580

Ingredients

ASPHALT

CAS: 8052-42-4 RTECS: CI9900000

Fraction By Weight: 37-41% ACGIH TLV: 5 MG/M3; (FUME)

1.9

CAS: 64742-88-7

Fraction By Weight: 38-42% ACGIH TLV: 60 PPM (MFR)

Hazards

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation: YES Skin: NO Ingestion: YES



Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SOLVENT VAPORS IN POORLY VENTILATED AREAS MIGHT CAUSE DIZZINESS, NAUSEA. SKIN: IRRIT FROM DE-OILING. EYE: IRRITATION. REPORTS HAVE ASSOCIATED REPEATED & PROLONGED OCCUPATIONAL OVEREXPOSURE TO SOLVS W/ PERMANENT BRAIN & NERVOUS SYSTEM DMG. INTENTIONAL MISUSE BY DELIBERATEY CONCENTRATING AND INHALING (EFTS OF OVEREXP)

Explanation of Carcinogenicity: NOT RELEVANT

Effects of Overexposure: HLTH HAZ: THE CONTENTS MAY BE HARMFUL OR FATAL. Medical Cond Aggravated by Exposure: BREATHING VAPORS OVER A LONG PERIOD OF TIME CAN IRRITATE BRONCHIAL MEMBRANES WITH POSSIBLE CHEMICAL PNEUMONIA.

First Aid

First Aid:SKIN: REMOVE FROM SKIN WITH MINERAL SPIRITS; WASH WITH SOAP AND WATER. INHAL: REMOVE TO FRESH AIR; IF EXCESSIVELY DIZZY, ADMINISTER OXYGEN. EYE: WASH WITH LARGE QUANTITIES OF WATER. IF IRRITATION PERS ISTS, SEE A PHYSICIAN. INGEST: GET MD IMMEDIATELY.

Fire Fighting

Flash Point Method:PMCC Flash Point:>73F,>23C

Lower Limits: 1.7%

Extinguishing Media:FOAM, ALCOHOL FOAM, CO*2, DRY CHEMICAL, WATER FOG. Fire Fighting Procedures:TREAT AS ANY HYDROCARBON FIRE. WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard:DO NOT USE LIQUID WATER. THIS MAY CAUSE

Unusual Fire/Explosion Hazard: DO NOT USE LIQUID WATER. THIS MAY CAUSE THE FIRE TO SPREAD.

Accidental Release

Spill Release Procedures: SCOOP UP AND PLACE IN COVERED METAL CONTAINER. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions: KEEP AWAY FROM SPARKS, OPEN FLAMES OR OTHER SOURCES OF IGNITION.

Other Precautions: NONE.

Exposure Controls

Respiratory Protection: IF AREA CAN NOT BE ADEQUATELY VENTILATED, USE NIOSH/MSHA APPROVED SCBA.

Ventilation: USE FORCED AIR VENT TO MAINTAIN VAPOR BELOW 60 PPM.

Protective Gloves: IMPERVIOUS GLOVES .

Eye Protection: CHEMICAL WORKERS GOGGLES .

Work Hygienic Practices: WASH HANDS WELL BEFORE EATING. CHANGE CLOTHES

AT LEAST DAILY.

Supplemental Safety and Health

CNDTNS TO AVOID: BUILDING AND CAREFULLY RELIEVE PRESSURE BY LOOSENING LID ON SIDE AWAY FROM YOU. WATER CAN REACT WITH ALUMINUM PIGMENT PRODUCING HYDROCARBON GAS, SOMETIMES PRODUCING ENOUGH PRESSURE TO FORCE CONTENTS OUT OR TO LOOSEN LID.

Chemical Properties

Boiling Pt:B.P. Text:>200F,>93C

Vapor Pres:SEE ING Vapor Density:HVR/AIR Spec Gravity:0.95-0.99

Evaporation Rate & Reference:SLOWER THAN ETHER Appearance and Odor:NONE SPECIFIED BY MANUFACTURER.

Percent Volatiles by Volume: 48-52

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS SUCH AS NITRIC ACID.
Stability Condition to Avoid:KEEP AWAY FROM SOURCES OF FIRE. DO NOT
ALLOW TO GET INTO PRODUCT STORAGE. IF CNTNR IS BULGING, REMOVE FROM
(SUPP DATA)



Disposal

Waste Disposal Methods: DISPOSE AS WITH ANY HYDROCARBON LIQUID. DISPOSAL MUST BE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS .

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.