

J-K 500 FILM FREE GLASS/PLASTIC CLEANER

MSDS Number

BSSZL

National Stock Number

7930-00N042019

Product Name

J-K 500 FILM FREE GLASS/PLASTIC CLEANER

Manufacturer

CANBERRA CORP

Product Identification

Product ID:J-K 500 FILM FREE GLASS/PLASTIC CLEANER

MSDS Date:04/10/1986

FSC:7930

NIIN:00N042019

MSDS Number: BSSZL

Responsible Party

CANBERRA CORP

3610 HOLLAND-SYLVANIA RD

TOLEDO , OH 43615

US

Emergency Phone: 419-841-6616

Info Phone: 419-841-6616

Cage: CANBE

Contractor

CANBERRA CORPORATION

TOLEDO, OH 43615

US

419-841-6616

Cage: CANBE

Ingredients

ISOPROPYL ALCOHOL; (2-PROPANOL) (SARA III)

CAS: 67-63-0

RTECS: NT8050000

Fraction By Weight: 1-10%

OSHA PEL400 PPM; 500 STEL

ACGIH TLV: 400 PPM; 500 STEL

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: IRRITATION OF SKIN & RESPIRATORY TRACT. MAY CAUSE HEADACHES & DIZZINESS. CHRONIC: CHRONIC DATA IS NOT PRESENTLY AVAILABLE.

Explanation of Carcinogenicity:NOT RELEVANT.

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:SKIN CONDITIONS & RESPIRATORY

AILMENTS.

First Aid

First Aid:EYES:FLUSH IMMEDIATELY W/COPIOUS WATER FOR AT LEAST 15 MINS.
GET MEDICAL ATTENTION. SKIN:WASH OFF W/SOAP & WATER. INHAL:MOVE TO
FRESH AIR. KEEP AT REST. GET PROMPT MEDICAL ATTENTION. INGEST:DO
NOT INDUCE VOMITING. KEEP AT REST. GET MEDICAL ATTENTION.

Fire Fighting

Flash Point Method:COC
Flash Point:126F,52C
Extinguishing Media:CARBON DIOXIDE, WATER OR FOAM.
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL
PROTECTIVE EQUIPMENT . KEEP AWAY FROM HEAT, SPARKS OR OPEN FLAMES.
Unusual Fire/Explosion Hazard:TREAT AS A COMBUSTIBLE LIQUID.

Accidental Release

Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION IMMEDIATELY.
CONTAIN SPILL & VENTILATE AREA TO REMOVE FUMES. COLLECT IN AN
APPROVED CONTAINER W/SAND OR ABSORBENT CLAY.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:STORE AT AMBIENT TEMPERATURES. KEEP
LIQUID & VAPORS AWAY FROM HEAT, SPARKS & FLAME. KEEP CONTAINER
TIGHTLY CLOSED WHEN NOT IN USE.
Other Precautions:KEEP OUT OF REACH OF CHILDREN.

Exposure Controls

Respiratory Protection:NOT REQUIRED. NIOSH/MSHA APPROVED RESPIRATOR
APPROPRIATE FOR EXPOSURE OF CONCERN .
Ventilation:LOCAL EXHAUST RECOMMENDED.
Protective Gloves:RUBBER GLOVES.
Eye Protection:ANSI APPROVED CHEM WORKERS GOGGLES .
Other Protective Equipment:NOT REQUIRED.
Work Hygienic Practices:GOOD HOUSEKEEPING PRACTICES APPLY. WASH W/SOAP
& WATER AFTER USE.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

Chemical Properties

HCC:F4
Boiling Pt:B.P. Text:212F,100C
Spec Gravity:0.975 (H*20=1)
Solubility in Water:COMPLETE
Appearance and Odor:LIGHT BLUE COLOR; ALCOHOL ODOR.
Percent Volatiles by Volume:100

Stability

Stability Indicator/Materials to Avoid:YES
DO NOT MIX W/OTHER CHEMICALS.
Stability Condition to Avoid:ELEVATED TEMPERATURES & IGNITION SOURCES.
Hazardous Decomposition Products:CARBON DIOXIDE & CARBON MONOXIDE.

Disposal

Waste Disposal Methods:IF THIS MATERIAL BECOMES A WASTE MATERIAL, REFER
TO LATEST EPA OR FEDERAL, STATE & LOCAL REGULATIONS REGARDING
PROPER DISPOSAL.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.

