
TRAFFIC WAX LIQUID, 14300-18-22

MSDS Number

BSYFR

National Stock Number

7930-00N043267

Product Name

TRAFFIC WAX LIQUID, 14300-18-22

Manufacturer

S C JOHNSON WAX

Product Identification

Product ID:TRAFFIC WAX LIQUID, 14300-18-22

MSDS Date:06/29/1990

FSC:7930

NIIN:00N043267

MSDS Number: BSYFR

Responsible Party

S C JOHNSON WAX

1525 HOWE ST

RACINE , WI 53403

US

Emergency Phone: 800-228-5635

Info Phone: 414-631-2777

Preparer: TERRY A. MEYERS

Cage: GO109

Contractor

SC JOHNSON AND SON INC

RACINE, WI 53403-2236

US

800-725-6737

Cage: 32204

Ingredients

STODDARD SOLVENT

CAS: 8052-41-3

RTECS: WJ8925000

Fraction By Weight: 85-95%

OSHA PEL100 PPM

ACGIH TLV: 100 PPM

PARAFFIN; (PARAFFIN WAX)

CAS: 8002-74-2

RTECS: RV0350000

Fraction By Weight: 1-5%

OSHA PEL2 MG/M3 (FUME)

ACGIH TLV: 2 MG/M3 (FUME)

CARNUBA WAX

CAS: 8015-86-9

Fraction By Weight: 1-5%

OSHA PELN/K

ACGIH TLV: N/K

2-NAPHTHOL,1-(O-TOLYLazo)-; (DYE)

CAS: 2646-17-5

RTECS: QL5425000

Fraction By Weight: UNDER 1%

OSHA PELN/K

ACGIH TLV: N/K

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: PROLONGED OR REPEATED CONTACT OF PRODUCT WITH SKIN MAY CAUSE IRRITATION. IF TAKEN INTERNALLY, ASPIRATION OF LIQUID PRODUCT CAN CAUSE CHEMICAL PNEUMONITIS. INHAL OF PRODUCT VAPORS MAY CAUSE CHEMICAL INTOXICATION AT HIGH AIRBORNE CONCENTRATIONS.

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid:SKIN: REMOVE WITH SOAP AND WATER. INGEST: DO NOT INDUCE VOMITING. SEEK MED AID AT ONCE. INHAL: REMOVE TO FRESH AIR AND GET MEDICAL ATTENTIO. EYE: IMMEDIATELY FLUSH WITH POTABLE WATER FOR A MINIMUM OF 15 MIN , SEEK ASSISTANCE FROM MD .

Fire Fighting

Flash Point Method:TCC

Flash Point:86.0F,30.0C

Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL, WATER FOG.

Fire Fighting Procedures:NIOOSH/MSHA APPRVD SCBA & FULL PROT EQUIP .

COOL & USE CAUTION WHEN APPROACHING/HNDLG FIRE-EXPOSED CONTRS. DIKE FIRE CTL WATER FOR LATER DISP.

Unusual Fire/Explosion Hazard:LIQUID RUN-OFF TO SEWERS MAY CREATE FIRE/EXPLOSION HAZARD. CONTAINER MAY EXPLODE IN HEAT OF FIRE.

Accidental Release

Spill Release Procedures:ELIMINATE ALL IGNITION SOURCES. ABSORB WITH OIL-DRI OR SIMILAR INERT MATERIAL. SWEEP OR SCRAPE UP AND CONTAINERIZE.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:DANGER: HARMFUL/FATAL IF SWALLOWED. CONTAINS PETROLEUM DISTILLATE. IF SWALLOWED, DO NOT INDUCE VOMIT. CALL A PHYS IMMEDIATELY. KEEP OUT OF REACH OF CHILDREN.

Other Precautions:FLAMM. PROD RESIDUE MAY REMAIN ON/IN EMPTY CONTRS. ALL PREC FOR HNDLG PROD MUST BE USED IN HNDLG EMPTY CONTR AND RESIDUE. KEEP FROM FREEZING.

Exposure Controls

Respiratory Protection:NO SPECIAL REQUIREMENTS UNDER NORMAL USE
CONDITIONS. USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR
EXPOSURE OF CONCERN .

Ventilation:GENERAL ROOM VENTILATION ADEQUATE.

Protective Gloves:IMPERVIOUS.

Eye Protection:ANSI APPR CHEMICAL WORKERS GOGGLES

Other Protective Equipment:USE GOOD PERSONAL HYGIENE PRACTICES.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

Chemical Properties

HCC:F4

Spec Gravity:0.8(H₂O=1)

Solubility in Water:NEGLIGIBLE

Appearance and Odor:GREENISH-YELLOW LIQUID WITH NAPHTHA ODOR

Stability

Stability Indicator/Materials to Avoid:YES

NONE KNOWN.

Stability Condition to Avoid:NONE KNOWN.

Hazardous Decomposition Products:WHEN EXPOSED TO FIRE, PRODUCES NORMAL
PRODUCTS OF COMBUSTION.

Disposal

Waste Disposal Methods:DISP IS REGULATED UNDER RESOURCE CONSERVATION &
RECOVERY ACT AS AN IGNITABLE WASTE (40CFR261.21). DISP OF REGULATED
QTY SHOULD BE BY INCIN @ A PERMITTED FACILITY I/A/W ALL FED/ST REGS
& LOC ORDINANCES REGARDING DISP OF IGNITABLE WASTES.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.