

## **HUSQVARNA CHAIN/BAR**

### **MSDS Number**

BSZKX

### **National Stock Number**

9150-00F032386

### **Product Name**

HUSQVARNA CHAIN/BAR

### **Manufacturer**

SPECIALTY (WESTLAND) OIL COMPANY

### **Product Identification**

Product ID:HUSQVARNA CHAIN/BAR

MSDS Date:11/25/1985

FSC:9150

NIIN:00F032386

MSDS Number: BSZKX

### **Responsible Party**

SPECIALTY (WESTLAND) OIL COMPANY

2740 VALLEYVIEW DR

SHREVEPORT , LA 71148

US

Emergency Phone: 318-688-1300/318-687-8000

Info Phone: 318-687-8000

Cage: 0A6L6

### **Contractor**

SPECIALTY (WESTLAND) OIL COMPANY

SHREVEPORT, LA 71148

US

318-687-8000

Cage: 0A6L6

### **Ingredients**

MINERAL OIL; PETROLATUM-LIQUID; WHITE MINERAL OIL, PARAFFIN

CAS: 8012-95-1

RTECS: PY8030000

Fraction By Weight: 95-100%

OSHA PEL5 MG/CUM

ACGIH TLV: 5 MG/CUM

PETROLEUM HYDROCARBON POLYMERS

Fraction By Weight: 1-5%

### **Hazards**

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MINIMAL IRRITATION TO EYES, SKIN,  
RESPIRATORY SYSTEM.

Explanation of Carcinogenicity:NONE

## First Aid

First Aid:EYES: FLUSH W/PLENTY OF WATER. SKIN: WASH EXPOSED AREAS W/SOAP & WATER. INGESTION: DON'T INDUCE VOMITING. INHALATION: REMOVE FROM CONTAMINATED AREA. OBTAIN MEDICAL ATTENTION IN ALL CASES.

## Fire Fighting

Flash Point Method:COC

Flash Point:445F

Extinguishing Media:WATER SPRAY, DRY CHEMNICAL, FOAM, CO2.

Fire Fighting Procedures:WATER/FOAM MAY CAUSE FROTHING. USE WATER TO COOL FIRE-EXPOSED CONTAINERS. IF LEAK/SPILL HAS NOT IGNITED, USE WATER SPRAY TO DISPERSE THE VAPORS.

## Accidental Release

Spill Release Procedures:CONTAIN SPILL IF POSSIBLE. WIPE UP/ABSORB ON SUITABLE MATERIAL & SHOVEL UP.

## Handling

Handling and Storage Precautions:MINIMUM FEASIBLE HANDLING TEMPERATURES SHOULD BE MAINTAINED. PERIODS OF EXPOSURE TO HIGH TEMPERATURES SHOULD BE MINIMIZED.

Other Precautions:WATER CONTAMINATION SHOULD BE AVOIDED.

## Exposure Controls

Ventilation:NORMAL

Eye Protection:CHEMICAL TYPE GOGGLES/FACE SHIELD

Work Hygienic Practices:LAUNDER/DRY CLEANING SOILED WORK CLOTHING

Supplemental Safety and Health

## Chemical Properties

Spec Gravity:0.9285

Appearance and Odor:BRIGHT & CLEAR TAC KY ODOR.

## Stability

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS.

## Disposal

Waste Disposal Methods:UNDER RCRA, IT'S THE RESPONSIBILITY OF THE USER OF PRODUCTS TO DETERMINE, AT THE TIME OF DISPOSAL, WHETHER PRODUCT MEETS RCRA CRITERIA FOR HAZARDOUS WASTE. PRODUCT USES, TRANSFORMATIONS, MIXTURE, PROC ESSES, MAY RENDER THE RESULTING MATERIAL HAZARDOUS

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.