

31531 CARRIAGE HOUSE ACRYLIC SEMI-GLOSS H&T QUAKER BROWN

MSDS Number

BSZQC

National Stock Number

8010-00F032471

Product Name

31531 CARRIAGE HOUSE ACRYLIC SEMI-GLOSS H&T QUAKER BROWN

Manufacturer

BRUNING PAINT CO INC

Product Identification

Product ID:31531 CARRIAGE HOUSE ACRYLIC SEMI-GLOSS H&T QUAKER BROWN

MSDS Date:07/12/1993

FSC:8010

NIIN:00F032471

MSDS Number: BSZQC

Responsible Party

BRUNING PAINT CO INC

601 S HAVEN ST

BALTIMORE , MD 21224-4347

US

Emergency Phone: 301-342-3636AM/301-342-3641PM

Info Phone: 301-342-3636AM/301-342-3641PM

Cage: EO376

Contractor

KYANIZE PAINT

BALTIMORE, MD 21224

US

800-368-2076

Cage: 85520

Ingredients

1,2-PROPANEDIOL (PROPYLENE GLYCOL)

CAS: 57-55-6

RTECS: TY2000000

Fraction By Weight: 7.5-10%

PIGMENT

9.1

RTECS: 9999999WG

2.273 LBS/GAL

RTECS: 9999999VO

Hazards

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES
Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO
Health Hazards Acute and Chronic: EYES/SKIN: IRRITATION. MAY BE HARMFUL IF SWALLOWED. REPEATED/PROLONGED OVEREXPOSURE TO SOLVENTS: PERMANENT BRAIN & NERVOUS SYSTEM DAMAGE.
Explanation of Carcinogenicity: NONE

First Aid

First Aid: EYES: FLUSH W/ LUKE WARM WATER FOR 15 MINS. SKIN: FLUSH W/ PLENTY OF LUKE WARM WATER. REMOVE CONTAMINATED CLOTHING PROMPTLY. INHALATION: REMOVE TO FRESH AIR. RESTORE BREATHING IF REQUIRED. INGESTION: RINSE MOUTH IMMEDIATELY. GIVE 6-8 OUNCES OF LIQUID. NEVER GIVE ANYTHING BY MOUTH IF UNCONSCIOUS. DON'T INDUCE VOMITING UNLESS ADVISED BY PHYSICIAN. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Fire Fighting

Fire Fighting Procedures: CONTAINERS EXPOSED TO INTENSE HEAT FROM FIRES SHOULD BE COOLED W/ WATER TO PREVENT VAPOR PRESSURE BUILDUP WHICH COULD RESULT IN CONTAINER RUPTURE.

Accidental Release

Spill Release Procedures: STOP &/OR CONTAIN IF SAFE TO DO SO. KEEP ALL IGNITION SOURCES AWAY. VENTILATE AREA. USE NON-SPARKING TOOLS FOR CLEAN-UP. COVER W/ INERT MATERIAL TO REDUCE FUMES. KEEP OUT OF DRAINS, SEWERS OR WATERWAYS. CALL SPILL RESPONSE TEAMS IF LARGE SPILL.

Handling

Handling and Storage Precautions: KEEP FROM FREEZING. DON'T STORE > 120°F. CLOSED CONTAINER AFTER EACH USE.
Other Precautions: DON'T TAKE INTERNALLY. KEEP OUT OF REACH OF CHILDREN. AVOID SKIN & EYE CONTACT. AVOID PROLONGED/REPEATED BREATHING OF VAPORS.

Exposure Controls

Respiratory Protection: OUTDOOR/OPEN AREAS: NIOSH/MSHA APPROVED MECHANICAL FILTER RESPIRATOR FOR SOLID AIRBORNE PARTICLES. RESTRICTED VENTILATION AREAS: CHEMICAL-MECHANICAL FILTER FOR COMBINATION PARTICULATE GAS/VAPOR. CONFIRMED AREAS: AIR LINE TYPE RESPIRATOR/HOOD
Ventilation: GENERAL DILUTION OR LOCAL EXHAUST IN VOLUME & PATTERN TO KEEP BELOW TLV
Protective Gloves: NATURAL RUBBER/NEOPRENE/BUNA N/NITRILE
Eye Protection: GOGGLES
Other Protective Equipment: APRON
Work Hygienic Practices: REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. WASH HANDS THOROUGHLY BEFORE EATING & USING WASHROOM.
Supplemental Safety and Health
INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING & INHALING THE CONTENTS MAY BE HARMFUL OR FATAL. THIS PRODUCT CONTAINS PIGMENTS WHICH MAY BECOME A DUST NUISANCE WHEN REMOVED BY ABRASIVE BLASTING, SANDING OR GRINDING.

Chemical Properties

Boiling Pt: B.P. Text: 212-490°F
Vapor Pres: 17
Vapor Density: > 1
Evaporation Rate & Reference: SLOWER THAN BUTYL AC
Percent Volatiles by Volume: 70.03

Stability

Stability Indicator/Materials to Avoid: YES
STRONG ACIDS
Stability Condition to Avoid: TEMPS > 120°F, FREEZING
Hazardous Decomposition Products: CO, CO₂, OXIDES OF NITROGEN

Disposal

Waste Disposal Methods:DON'T FLUSH TO SEWER, WATERSHED OR WATERWAY.
DISPOSE OF IN ACCORDANCE W/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.