

## **LATEX FLAT WALL FINISH - WHITE & PASTEL BASE**

### **MSDS Number**

BTJWG

### **National Stock Number**

8010-00F000544

### **Product Name**

LATEX FLAT WALL FINISH - WHITE & PASTEL BASE

### **Manufacturer**

O'BRIEN CORP

### **Product Identification**

Product ID:LATEX FLAT WALL FINISH - WHITE & PASTEL BASE

MSDS Date:11/06/1992

FSC:8010

NIIN:00F000544

MSDS Number: BTJWG

### **Responsible Party**

O'BRIEN CORPORATION

450 E GRAND AVENUE

SOUTH SAN FRANCISCO , CA 94080-6207

US

Emergency Phone: 800-338-8084

Info Phone: 800-338-8084

Cage: 85207

### **Contractor**

O'BRIEN CORPORATION, FULLER O'BRIEN PAINTS

SOUTH SAN FRANCISCO, CA 94080-6207

US

Cage: 85207

### **Ingredients**

ETHYLENE OXIDE (SARA III)

CAS: 75-21-8

RTECS: KX2450000

Fraction By Weight:

OSHA PELSEE 1910.1047

ACGIH TLV: 1 PPM, A2; 9394

EPA Report Quantity: 10 LBS

DOT Report Quantity: 10 LBS

SODIUM ALUMINOSILICATE

CAS: 1344-00-9

Fraction By Weight:

SILICA, CRYSTALLINE - CRISTOBALITE

CAS: 14464-46-1

RTECS: VV7325000

Fraction By Weight:

OSHA PELSEE TABLE Z-3

ACGIH TLV: 0.05 MG/M3 RDUST9394

ETHYLENE GLYCOL (SARA III)

CAS: 107-21-1

RTECS: KW2975000

Fraction By Weight:

ACGIH TLV: C 50 PPM,VAPOR; 9394

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

TEXANOL

Fraction By Weight:

TITANIUM DIOXIDE

CAS: 13463-67-7

RTECS: XR2275000

Fraction By Weight: 10%

OSHA PEL15 MG/M3 TDUST

ACGIH TLV: 10 MG/M3 TDUST; 9394

CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS: 1317-65-3

RTECS: EV9580000

Fraction By Weight: 40%

OSHA PEL15 MG/M3 TDUST

ACGIH TLV: 10 MG/M3 TDUST; 9394

## Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES  
Health Hazards Acute and Chronic:PRIMARY IRRITANT. HAZARDS OF  
INDIVIDUAL INGREDIENTS; EYE: IRIDOCYCLITIS, BURNS, POSSIBLE  
PERMANENT DAMAGE. SKIN: BURNS, DERMATITIS. INHALATION: LUNG INJURY,  
CNS DEPRESSION, SILICOSIS, PNEUMONIA, EDEMA . INGESTION: CNS  
EFFECTS, GI TRACT IRRITATION. ADVERSE REPRODUCTIVE EFFECTS &  
CHROMOSOME DAMAGE.  
Explanation of Carcinogenicity:CONTAINS E [75-21-8] WHICH  
IS LISTED BY NTP AND IARC AND REGULATED BY OSHA AS A CARCINOGEN.  
Effects of Overexposure:EYES: IRRITATION. SKIN: IRRITATION, ECZEMA-LIKE  
CONDITION, DEFATTING. INHALATION: HEADACHE, NAUSEA, VOMITING,  
DIFFICULTY BREATHING, DIZZINESS, COUGH, CYANOSIS. INGESTION:  
DROWSINESS, HEADACHE, VOMITIN G, PAIN, DIARRHEA, UNCONSCIOUSNESS.  
Medical Cond Aggravated by Exposure:LUNG DISEASE, SKIN & RESPIRATORY  
CONDITIONS.

## First Aid

First Aid:INGESTION: DRINK 1 OR 2 GLASSES OF WATER & INDUCE VOMITING BY  
PLACING FINGER AT BACK OF THROAT. NEVER GIVE ANYTHING BY MOUTH TO

AN UNCONSCIOUS PERSON. INHALATION: REMOVE TO FRESH AIR. RESTORE BREATHIN G. EYES: FLUSH W/COOL WATER FOR AT LEAST 15 MINS. SKIN: WASH THOROUGHLY W/SOAP & WATER. OBTAIN MEDICAL ATTENTION IN ALL CASES.

## Fire Fighting

Flash Point:>200F,>93C

Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT.

## Accidental Release

Spill Release Procedures:SOAK UP & REMOVE WITH INERT ABSORBENT MATERIAL. PROVIDE ADEQUATE VENTILATION.

## Handling

Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER.

Other Precautions:NONE

## Exposure Controls

Respiratory Protection:USE APPROVED MECHANICAL RESPIRATOR OR MASK TO AVOID BREATHING SPRAY MISTS.

Ventilation:PROVIDE SUFFICIENT VENTILATION IN VOLUME & PATTERN TO KEEP BELOW TLV.

Protective Gloves:NONE REQUIRED.

Eye Protection:GOGGLES, SAFETY GLASSES W/SIDE SHIELDS

Other Protective Equipment:PROTECTIVE OVERALLS RECOMMENDED.

Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING. DISCARD CONTAMINATED SHOES.

Supplemental Safety and Health  
NONE

## Chemical Properties

HCC:N1

Boiling Pt:B.P. Text:212F,100C

Vapor Density:Evaporation Rate & Reference:SLOWER THAN ETHER

Appearance and Odor:NONE SPECIFIED BY MANUFACTURER.

Percent Volatiles by Volume:69.49

## Stability

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:MAY PRODUCR FUMES WHEN HEATED TO DECOMPOSITION. FUMES MAY CONTAIN CARBON MONOXIDE, CARBON DIOXIDE, NITROGEN DIOXIDE.

## Disposal

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS. DON'T INCINERATE IN CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.