

14650-34-35 TO 14654-34-35 COMPLETE FOR FLOORS

MSDS Number

BTNDX

National Stock Number

9160-00F034210

Product Name

14650-34-35 TO 14654-34-35 COMPLETE FOR FLOORS

Manufacturer

S C JOHNSON AND SON INC PROF WAX DIV

Product Identification

Product ID:14650-34-35 TO 14654-34-35 COMPLETE FOR FLOORS

MSDS Date:01/13/1993

FSC:9160

NIIN:00F034210

MSDS Number: BTNDX

Responsible Party

S C JOHNSON & SON INC/PROF WAX DIV

1525 HOWE ST

RACINE , WI 53403-5011

US

Emergency Phone: 800-851-7145/800-228-5635

Info Phone: 414-631-2777/414-631-2000

Preparer: TERRY A MEYERS

Cage: 0U826

Contractor

S C JOHNSON & SON INC/PROF WAX DIV

RACINE, WI 53403

US

800-725-6737/414-886-1480 INTNL#

Cage: 0U826

Ingredients

ACRYLIC POLYMER

Fraction By Weight: 10-20%

AMMONIUM HYDROXIDE, AQUA AMMONIA

CAS: 1336-21-6

RTECS: BQ9625000

Fraction By Weight: 1-3%

ACGIH TLV: 25 PPM

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

DIPROPYLENE GLYCOL METHYL ETHER, DOWANOL DPM, DIPROPYLENE

CAS: 34590-94-8
RTECS: JM1575000
Fraction By Weight: 2-5%
OSHA PEL100 PPM SKIN
ACGIH TLV: 606 MG/CUM

WATER
CAS: 7732-18-5
RTECS: ZC0110000
Fraction By Weight: 70-85%

WAXES
Fraction By Weight: 3-6%

Hazards

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES: IRRITATION
Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATION
Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN DISORDERS MAY BE
MORE SUSCEPTABLE TO IRRITATING EFFECTS.

First Aid

First Aid:EYES: FLUSH W/WATER FOR 15-20 MIN. SKIN: REMOVE W/SOAP/WATER.
INGESTED: DRINK PLENTY OF WATER/MILK. OBTAIN MEDICAL ATTENTION IN
ALL CASES.

Fire Fighting

Extinguishing Media:FOAM/CO2/DRY CHEMICAL/WATER FOG
Fire Fighting Procedures:FOLLOW NORMAL PROCEDURES. COOL & USE CAUTION
WHEN APPROACHING/HANDLING FIRE-EXPOSED CONTAINERS.
Unusual Fire/Explosion Hazard:CONTAINER MAY BURST IN HEAT/FIRE.

Accidental Release

Spill Release Procedures:CONTAINS AMMONIA. DON'T LET MATERIAL ENTER
WATERCOURSE. MAY BE TOXIC TO AQUATIC LIFE. ABSORB W/OIL-DRI/SIMILAR
INERT MATERIAL. SWEEP/SCRAPE UP & CONTAINERIZE. RINSE AFFECTED AREA
W/WATER.

Handling

Handling and Storage Precautions:STORE IN A COOL/DRY PLACE W/ADEQUATE
VENTILATION. KEEP FROM FREEZING.

Exposure Controls

Ventilation:GENERAL ROOM: ADEQUATE
Protective Gloves:IMPERVIOUS
Work Hygienic Practices:USE GOOD-PERSONAL PERSONAL HYGIENE PRACTICES.
Supplemental Safety and Health
PH CON'D: 9.2-9.5.

Chemical Properties

Boiling Pt:B.P. Text:>200F
Spec Gravity:1.02
pH:SUPP
Solubility in Water:COMPLETE
Appearance and Odor:OPAQUE, TAN LIQUID W/MILD MONOMERIC ODOR

Stability

Stability Indicator/Materials to Avoid: YES
 Stability Condition to Avoid: KEEP FROM FREEZING, HEAT & FIRE.
 Hazardous Decomposition Products: NORMAL PRODUCTS OF COMBUSTION

Disposal

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE W/LOCAL/STATE/FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
 This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.