

2000C02 TT-W-00572 TYPE CLEAR SEALER

MSDS Number

BTPCZ

National Stock Number

8010-00F035885

Product Name

2000C02 TT-W-00572 TYPE CLEAR SEALER

Manufacturer

GRIGGS PAINT

Product Identification

Product ID: 2000C02 TT-W-00572 TYPE CLEAR SEALER

MSDS Date: 07/21/1989

FSC: 8010

NIIN: 00F035885

MSDS Number: BTPCZ

Responsible Party

GRIGGS PAINT

3602 S 16TH PL

PHOENIX , AZ 85040-1319

US

Emergency Phone: 602-243-3293

Info Phone: 602-243-3293

Preparer: ROBERT COMMISSO

Cage: DO312

Contractor

GRIGGS PAINT

PHOENIX, AZ 85040-1319

US

602-243-3293

Cage: DO312

Ingredients

V M & P NAPHTHA, LIGROINE, MINERAL SPIRITS

CAS: 8032-32-4

RTECS: OI6180000

Fraction By Weight: 85%

ACGIH TLV: 300 PPM

SODIUM BOROSILICATE MICROSPHERES

Fraction By Weight: 15%

5.59 LB/GL (669 G/L)

RTECS: 9999999VO

Fraction By Weight: NONE

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION: HIGH CONCENTRATION OF VAPORS MAY LEAD TO LUNG CHANGES, PULMONARY IRRITATION & CNS DEPRESSION. SKIN: ABSORPTION, PROLONGED/REPEATED EXPOSURE MAY CAUSE IRRITATION & DERMATITIS. EYES: IRRITATION. INGESTION: GI DISTURBANCES, ASPIRATION INTO LUNGS MAY CAUSE PNEUMONITIS, PULMONARY EDEMA & HEMORRHAGE.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:DROWSINESS, DIZZINESS, FATIGUE, COMA, IRRITATION, DEFATTING.
Medical Cond Aggravated by Exposure:AILMENTS INVOLVING SKIN, CNS, LIVER & KIDNEY.

First Aid

First Aid:EYES: IMMEDIATELY FLUSH W/LARGE AMOUNTS OF WATER FOR 15 MINUTES. SKIN: WASH THOROUGHLY W/SOAP & WATER. INGESTION: DON'T INDUCE VOMITING. DON'T ATTEMPT TO GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Fire Fighting

Flash Point Method:TCC
Flash Point:100F
Lower Limits:1
Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG
Fire Fighting Procedures:APPROVED GAS MASK REQUIRED FOR FIRE FIGHTERS. WATER MAY BE INEFFECTIVE. WATER MAY BE USED TO COOL CONTAINERS. IF WATER IS USED, FOG NOZZLES ARE PREFERRED.
Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO HEAT.

Accidental Release

Spill Release Procedures:STOP LEAK IF NO RISK INVOLVED. REMOVE ALL SOURCES OF IGNITION. STAY UPWIND. ABSORB W/INERT MATERIAL. FLUSH AREA W/WATER. VENTILATE AREA FOR AT LEAST 24 HOURS/UNTIL AREA HAS BEEN DECLARED SAFE.

Handling

Handling and Storage Precautions:KEEP CONTAINERS TIGHTLY CLOSED & UPRIGHT TO PREVENT LEAKAGE. AVOID BREATHING OF VAPOR & SPRAY MIST. AVOID SKIN & EYE CONTACT.
Other Precautions:AVOID FLAME, WELDING, OPEN LIGHTS, HEAT, ELECTRICAL EQUIPMENT & SPARKS. DON'T USE IN CONFINED AREAS, TANK/PIT W/O ADEQUATE VENTILATION.

Exposure Controls

Respiratory Protection:USE NIOSH/MSHA APPROVED UNITS APPROPRIATE TO APPLICATION & FOLLOWING ALL INSTRUCTIONS & WARNINGS. IF W/IN OSHA PROTECTION FACTOR, AIR PURIFYING OV/FILTER UNITS OK FOR USE.
Ventilation:LOCAL & MECHANICAL EXHAUST.
Protective Gloves:RUBBER.
Eye Protection:GOGGLES/SAFETY GLASSES W/SIDE SHIELDS.
Other Protective Equipment:EYE BATH & SAFETY SHOWER.
Work Hygienic Practices:MAINTAIN GOOD PERSONAL HYGIENE.
Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:310F
Vapor Density:>1
Spec Gravity:0.8
Evaporation Rate & Reference:SLOWER THAN ETHER
Solubility in Water:INSOLUBLE
Appearance and Odor:VISCOUS LIQUID W/TYPICAL PAINT ODOR.

Stability

Stability Indicator/Materials to Avoid: YES
STRONG OXIDIZING AGENTS.
Stability Condition to Avoid: FLAMES, SPARKS, SMOKING, HEAT & ELECTRICAL
EQUIPMENT.
Hazardous Decomposition Products: CO, CO₂

Disposal

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE W/ FEDERAL, STATE &
LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.