

TRIBOLUBE-2

MSDS Number

BTQYK

National Stock Number

9150-00-267-7188

Product Name

TRIBOLUBE-2

Manufacturer

AEROSPACE LUBRICANTS INC

Product Identification

Product ID:TRIBOLUBE-2

MSDS Date:10/20/1998

FSC:9150

NIIN:00-267-7188

MSDS Number: BTQYK

Responsible Party

AEROSPACE LUBRICANTS INC.

1505 DELASHMUT AVE

COLUMBUS , OH 43212-2641

US

Emergency Phone: 614-291-3045

Info Phone: 614-291-3045

Cage: 66164

Contractor

INLAND PACKAGING INC

644

ELIZABETHTOWN, KY 42701-9804

US

502-737-6757

Cage: 66172

Ingredients

NO HAZARDOUS COMPONENTS WERE KNOWINGLY INCORPORATED INTO

Hazards

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: NONE. CHRONIC: NONE.

Explanation of Carcinogenicity:NOT CARCINOGENIC.

Effects of Overexposure:PROLONGED AND REPEATED CONTACT WITH SKIN MAY CAUSE SKIN IRRITATION. DECOMPOSITION PRODUCTS AT HIGH TEMPERATURES ABOVE 250C MAY CAUSE "POLYMER FEVER."

Medical Cond Aggravated by Exposure:NO KNOWN MEDICAL CONDITIONS THAT MIGHT BE AGGRAVATED BY EXPOSURE.

First Aid

First Aid:INHALATION:REMOVE TO FRESH AIR IF NECESSARY SEEK MEDICAL ATTENTION. EYES-FLUSH WITH WATER, GET MEDICAL ATTENTION.

SKIN-WIPE OFF AND WASH WITH SOAP AND WATER. INGESTION: NO KNOWN ADVERSE EFFECTS ARE KNOWN, CONSULT PHYSICIAN.

Fire Fighting

Autoignition Temp:>315.6C, 600.F
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER SPRAY.
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING CHEMICALS. DECOMPOSITION AT TEMPERATURES ABOVE 290C MAY CAUSE THE EXPLSION OF TOXIC GASOEUS FLUORI NE COMPOUNDS
Unusual Fire/Explosion Hazard:TOXIC FLUORINE GASES ARE BY-PRODUCT OF COMBUSTION..

Accidental Release

Spill Release Procedures:SCOOP UP WITH PROPER TOOLS, WIPE UP WITH ABSORBENT CLOTH OR PAPER TOWEL, APPLY NON-SKID MATERIAL TO FLOOR. COLLECT WASTE MATERIAL FOR SALVAGE OR DISPOSAL

Handling

Handling and Storage Precautions:USE REASONABLE CARE. DO NOT STORE ABOVE 250F OR NEAR FLAMMABLES.
Other Precautions:DECOMPOSITION PRODUCTS FORMED AT HIGH TEMPERATURES ABOVE 250C MAY CAUSE POLYMER FEVER.

Exposure Controls

Respiratory Protection:NOT REQUIRED UNLESS PRODUCT IS BEING USED AS A MIST.
Ventilation:MECHANICAL (GENERAL): RECOMMENDED.
Protective Gloves:PLASTIC DISPOSABLE.
Eye Protection:SAFETY GLASSES RECOMMENDED.
Other Protective Equipment:PLASTIC APRON, FABRIC LABORATORY COAT RECOMMENDED.
Work Hygienic Practices:DO NOT CONTAMINATE SMOKING MATERIALS; WASH HANDS/OR CONTAMINATED AREA AFTER EXPOSURE.
Supplemental Safety and Health
NONE

Chemical Properties

HCC:V6
Boiling Pt:>260.C, 500.F
Melt/Freeze Pt:>287.8C, 550.F
Vapor Pres:Spec Gravity:1.86
Solubility in Water:NEGLIGIBLE
Appearance and Odor:YELLOW GREASE, SLIGHT PETROLEUM ODOR

Stability

Stability Indicator/Materials to Avoid:YES
OXIDIZING MATERIALS CAN CAUSE A REACTION.
Stability Condition to Avoid:STRONG OXIDIZERS
Hazardous Decomposition Products:FLUORINE PRODUCTS, SILICON DIOXIDE, CARBON DIOXIDE, TRACES OF INCOMPLETELY BURNED CARBON.
Conditions to Avoid Polymerization:WILL NOT OCCUR

Disposal

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.