

MTE6

MSDS Number

BTVSD

National Stock Number

6505-01-237-0560

Product Name

MTE6

Manufacturer

FUJISAWA USA INC (LYPHOMED INC)

Product Identification

Product ID:M T E 6 MSDS Date:01/01/1994 FSC:6505 NIIN:01-237-0560 MSDS Number: BTVSD

Responsible Party

FUJISAWA USA INC (LYPHOMED INC)

3 PARKWAY NORTH

DEERFIELD, IL 60015-2548

US

Emergency Phone: 708-317-8202

Info Phone: 800-727-7003/708-317-8800

Preparer: CHRISTINA J BARRINGTON

Cage: 24832

Contractor

FUJISAWA USA, INC

DEERFIELD, IL 60015-2548

US

847-317-1256 Cage: 39832

Ingredients

CHROMIUM CHLORIDE

CAS: 10025-73-7 RTECS: GB5425000 OSHA PEL0.5 MG/CUM ACGIH TLV: 0.5 MG/CUM

COPPER SULFATE, BASIC

CAS: 7758-98-7 RTECS: GL8800000 OSHA PEL1 MG/CUM

ACGIH TLV: 1 MG/CUM (CU) EPA Report Quantity: 10 LBS



DOT Report Quantity: 10 LBS

MANGANESE SULFATE, MANGANESE SULPHATE

CAS: 7785-87-7 RTECS: OP1050000 OSHA PEL5 MG/CUM ACGIH TLV: 5 MG/CUM

SELENOUS ACID, SELENOUS ACID

CAS: 7783-00-8

RTECS: VS7175000

OSHA PEL0.2 MG/CUM

ACGIH TLV: 0.2 MG/CUM

EPA Report Quantity: 10 LBS

DOT Report Quantity: 10 LBS

SODIUM IODIDE

CAS: 7681-82-5

RTECS: WB6475000

OSHA PEL1 MG/CUM

ACGIH TLV: 1 MG/CUM

WATER

CAS: 7732-18-5 RTECS: ZC0110000

ZINC SULFATE
CAS: 7733-02-0
RTECS: ZH5260000

EPA Report Quantity: 1000 LBS DOT Report Quantity: 1000 LBS

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:IMMEDIATE EFFECTS: EYE, SKIN &

RESPIRATORY IRRITATION MAY OCCUR. Explanation of Carcinogenicity: NONE

Effects of Overexposure: IMMEDIATE EFFECTS: EYE, SKIN & RESPIRATORY

IRRITATION MAY OCCUR.

Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN & RESPIRATORY

CONDITIONS.

First Aid

First Aid:INHALATION: MOVE TO FRESH AIR. GIVE CPR IF REQUIRED. INGESTION: FLUSH MOUTH OUT W/WATER IMMEDIATELY. SKIN: FLUSH AREA W/WATER FOR 15 MINS. EYES: IMMEDIATELY FLUSH W/WATER FOR 15 MINS. OBTAIN MEDICAL A TTENTION IN ALL CASES.



Fire Fighting

Flash Point Method:CC Flash Point: >200F

Extinguishing Media: WATER SPRAY, DRY CHEMICAL, CO2/FOAM.

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS &

•

PROTECTIVE CLOTHING.

Accidental Release

Spill Release Procedures: WEAR RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT. USE ABSORBENT TOWELS/BOOMS TO CLEAN UP. WIPE SURFACES CLEAN & WASH W/SOAP & WATER.

Handling

Handling and Storage Precautions: WHEN HANDLING PHARMACEUTICAL PRODUCTS, AVOID CONTACT/INHALATION OF DUST, FUMES, MIST/VAPORS ASSOCIATED W/PRODUCT. PROTECT FROM FREEZING.

Exposure Controls

Respiratory Protection: NONE USUALLY REQUIRED W/SATISFACTORY

VENTILATION.

Ventilation: GENERAL ROOM USUALLY SATISFACTORY. LOCAL EXHAUST WHEN

NECESSARY.

Protective Gloves: DISPOSABLE LATEX Eye Protection: SAFETY GLASSES/GOGGLES

Other Protective Equipment: DISPOSABLE GARMENTS

Work Hygienic Practices: REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE

REUSE.

Supplemental Safety and Health

THIS PRODUCT IS INTENDED FOR THERAPEUTIC USE ONLY WHEN PRESCRIBED BY A

PHYSICIAN.

Chemical Properties

pH:2-3.5

Solubility in Water: COMPLETE

Appearance and Odor:CLEAR, GREENISH-BLUE SOLUTION W/NO ODOR

Stability

Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:FREEZING Hazardous Decomposition Products:SMOKE & SULFUR OXIDES

Disposal

Waste Disposal Methods: DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.