

## **M-COAT G CURING AGENT**

### **MSDS Number**

BVQVH

### **National Stock Number**

8030-00N053526

### **Product Name**

M-COAT G CURING AGENT

### **Manufacturer**

MEASUREMENTS GROUP

### **Product Identification**

Product ID:M-COAT G CURING AGENT

MSDS Date:06/24/1985

FSC:8030

NIIN:00N053526

Kit Part:Y

MSDS Number: BVQVH

### **Responsible Party**

MEASUREMENTS GROUP

RALEIGH , NC 27611

US

Emergency Phone: 919-365-3800

Info Phone: 919-365-3800

Cage: 88952

### **Contractor**

MEASUREMENTS GROUP INC

WENDELL, NC 27591

US

919-365-3800

Cage: 88952

### **Ingredients**

3)

CAS: 1308-38-9

RTECS: GB6475000

Fraction By Weight: 6.6%

OSHA PELN/K

ACGIH TLV: N/K

AMINOMETHYL PHENOL

Fraction By Weight: 3.7%

OSHA PELN/K

ACGIH TLV: N/K

INERT FILLERS

Fraction By Weight: 18.3%

OSHA PELN/K

ACGIH TLV: N/K

POLYSULFIDE LIQUID POLYMER

Fraction By Weight: 71.4%

OSHA PELN/K

ACGIH TLV: N/K

## Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO

Health Hazards Acute and Chronic:SKIN SENSITIZATION WITH REPEATED EXPOSURE.

Explanation of Carcinogenicity:CHROMIUM(III) OXIDE: NTP 7TH ANN RPT ON CARCIN, 1994: KNOWN CARCIN; IARC GROUP 1, SUPP 7, P 165, 1987. LUNG.

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

## First Aid

First Aid:SKIN: WASH AFFECTED AREA WITH SOAP & WATER. SEEK MEDICAL AID.

EYES: FLUSH WITH POTABLE WATER FOR AT LEAST 15 MINUTES . INHAL:

REMOVE TO FRESH AIR. SUPPORT BREATHING(GIVE O\*2/ARTF RESP). IN

GEST: CALL MD IMMEDIATELY .

## Fire Fighting

Flash Point Method:SCC

Flash Point:>220F,>104C

Extinguishing Media:USE MEDIA SUITABLE FOR SURROUNDING FIRE.

Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

## Accidental Release

Spill Release Procedures:WIPE WITH ABSORBENT MATERIAL, CHLORINATED SOLVENT FLUSH OFF AREA.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

## Handling

Handling and Storage Precautions:STORE IN TIGHTLY CAPPED TUBES.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

## Exposure Controls

Respiratory Protection:ADEQUATE VENTILATION. USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation:LOCAL EXHAUST.

Protective Gloves:POLYETHYLENE OR NEOPRENE.

Eye Protection:ANSI APPRVD CHEM WORKERS GOGGLES.

Other Protective Equipment:NEOPRENE APRON.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

## Chemical Properties

Appearance and Odor:GREEN PASTE - POLYSULFIDE ODOR.

## Stability

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:TOXIC FUMES OF PHOSGENE WHEN HEATED TO DECOMPOSITION.

## Disposal

Waste Disposal Methods:REFER TO LOCAL, STATE & FEDERAL REGULATIONS RELATIVE TO SOLID AND/OR SOLVENT DISPOSAL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.