

## **30008 PQ RP 160/MIL-L-6085B QA**

### **MSDS Number**

BWCWB

### **National Stock Number**

9150-00-223-4129

### **Product Name**

30008 PQ RP 160/MIL-L-6085B QA

### **Manufacturer**

AMERICAN OIL AND SUPPLY CO

### **Product Identification**

Product ID:30008 PQ RP 160/MIL-L-6085B QA

MSDS Date:10/01/1987

FSC:9150

NIIN:00-223-4129

MSDS Number: BWCWB

### **Responsible Party**

AMERICAN OIL AND SUPPLY CO

239 WILSON AVE

NEWARK , NJ 07105-3824

US

Emergency Phone: 201-589-0250

Info Phone: 201-589-0250

Preparer: LAB MANAGER

Cage: 92895

### **Contractor**

AMERICAN OIL AND SUPPLY CO

NEWARK, NJ 07105-3824

US

201-589-0250

Cage: 92895

### **Ingredients**

THE MANUFACTURER STATES THAT NO HAZARDOUS INGREDIENTS ARE

RTECS: 9999999ZZ

Fraction By Weight: 100%

NITRITES, SECONDARY/TERTIARY AMINES AND OTHER NITROSAMINE

RTECS: 9999999ZZ

### **Hazards**

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:DLA-HMIS-ACUTE: INHALATION OF VAPORS/MISTS MAY CAUSE NASAL IRRITATION AND CNS EFFECTS. CONTACT MAY CAUSE MILD SKIN & EYE IRRITATION. INGESTION MAY CAUSE GI TRACT IRRITATION. CHRONIC: PROLONGED OR REPEATED EXPOSURE MAY CAUSE SKIN IRRITATION.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.  
Effects of Overexposure:EYES: REDNESS. SKIN: REDNESS, DISCOMFORT.  
INHALED: NASAL IRRITATION, DIZZINESS, WEAKNESS, NAUSEA, HEADACHE, POSSIBLE UNCONSCIOUSNESS. INGESTION: NAUSEA, VOMITING, DIARRHEA.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

## First Aid

First Aid:SKIN-WASH EXPOSED AREA WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHES. EYES-FLUSH WITH LOTS OF WATER. GET MEDICAL ATTENTION.  
INGESTION-CONTACT A PHYSICIAN FOR DIRECTIONS. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. INHALATION-REMOVE INDIVIDUAL TO FRESH AIR.

## Fire Fighting

Flash Point Method:COC  
Flash Point:440F,227C  
Extinguishing Media:WATER FOG, CARBON DIXOIDE, DRY CHEMICAL, FOAM.  
Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED AREAS & EQUIPMENT.  
Unusual Fire/Explosion Hazard:DO NOT USE DIRECT STREAM OF WATER; MATERIAL MAY FLOAT & REIGNITE.

## Accidental Release

Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION. PROVIDE ADEQUATE VENTILATION. RECOVER FREE LIQUID. ADD ABSORBENT TO SPILL AREA. COLLECT ABSORBENT. KEEP PRODUCT OUT OF WATERWAYS. DLA-HMIS: IF SPILL ENTERS WATERWAY, CALL 800-424-8802 (NATIONAL RESPONSE CENTER).  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

## Handling

Handling and Storage Precautions:HANDLE AS TO PREVENT CONSTANT OR REPEATED CONTACT. APPROPRIATE EYE, SKIN, & BREATHING PROTECTION SHOULD BE EMPLOYED AT ALL TIMES.  
Other Precautions:EMPTY CONTAINERS OF THIS PRODUCT CAN BE HAZARDOUS DUE TO THE RETENTION OF RESIDUES & VAPORS. INHALATION OF VAPORS SHOULD BE AVOIDED.

## Exposure Controls

Respiratory Protection:NONE NORMALLY REQUIRED.  
Ventilation:ADEQUATE VENTILATION MUST BE PROVIDED TO MAINTAIN CONCENTRATION OF OIL MIST IN AIR CITED TLV.  
Protective Gloves:NEOPRENE OR NITRILE RECOMMENDED.  
Eye Protection:SAFETY GLASSES/SPLASH SHIELD.  
Other Protective Equipment:WHERE PROCESSING CAN EMIT HOT FUMES AN EXHAUST FAN IS RECOMMENDED.  
Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.  
Supplemental Safety and Health  
MINIMIZE CONTACT WITH ALL LUBRICANTS.

## Chemical Properties

HCC:V6  
Boiling Pt:B.P. Text:>450F,>232C  
Vapor Pres:Vapor Density:>10  
Spec Gravity:0.910  
Evaporation Rate & Reference:NEGLIGIBLE  
Solubility in Water:NIL  
Appearance and Odor:CLEAR, AMBER LIQUID; MILD ODOR

## Stability

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS, ACIDS, ALKALIS.  
Stability Condition to Avoid:DLA-HMIS: AVOID EXPOSURE TO STRONG OXIDIZING AGENTS, ACIDS OR ALKALIS.  
Hazardous Decomposition Products:CARBON MONOOXIDE IN THE CASE OF

INCOMPLETE COMBUSTION.

Conditions to Avoid Polymerization:HAZARDOUS POLYMERIZATION CAN NOT OCCUR.

## Disposal

Waste Disposal Methods:INCINERATE ABSORBED MATERIAL OR DISPOSE OF IN ACCORDANCE WITH YOUR LOCAL, STATE AND FEDERAL REGULATIONS GOVERNING YOUR OPERATION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.