

# **D-113 DESMODUR N-100**

## **MSDS Number**

**BWHJM** 

# **National Stock Number**

6850-00F006075

### **Product Name**

D-113 DESMODUR N-100

## Manufacturer

MILES INC

# **Product Identification**

Product ID:D-113 DESMODUR N-100 MSDS Date:08/10/1993 FSC:6850 NIIN:00F006075 MSDS Number: BWHJM

# **Responsible Party**

MILES INC MOBAY RD

PITTSBURGH , PA 15205-9741

US

Emergency Phone: 800-662-2927/412-923-1800

Info Phone: 412-923-1800/800-662-2927

Preparer: BJ GAMBINO

Cage: MILES

Contractor

MILES INC

PITTSBURGH, PA 15205-9741

800-662-2927

US

Cage: MILES

## **Ingredients**

ALIPHATIC POLYISOCYANATE, HEXAMETHYLENE DIISOCYANATE

CAS: 28182-81-2 RTECS: NQ9170000

Fraction By Weight: 99.3%

HEXAMETHYLENE DIISOCYANATE

CAS: 822-06-0
RTECS: MO1740000
ACGIH TLV: 0.005 PPM
EPA Report Quantity: 1 LB
DOT Report Quantity: 1 LB



#### **MONOMERS**

Fraction By Weight:

#### **Hazards**

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: INHALATION: IRRITATION/BURNING SENSATION TO RESPIRATORY TRACT/REDUCES LUNG FUNCTION. MAY LEAD TO BRONCHITIS/BRONCHIAL SPASM/PULMONARY EDEMA. OVEREXPOSURE OF ISOCYANATE; SENSITIZATION/DECREASED LUNG FU NCTION/DAMAGE WHICH MAY

BE PERMANENT. SKIN: REACTS W/SKIN PROTEIN & MOISTURE;

IRRITATION/SENSITIZATION. (SEE SUPP) Explanation of Carcinogenicity: NONE

Effects of Overexposure: IRRITATION, BURNING SENSATION, RUNNY NOSE, SORE THROAT, COUGHING, CHEST DISCOMFORT, SHORTNESS OF BREATH, FEVER, CHILLS, WHEEZING, REDDENING, SWELLING, RASH, SCALING, BLISTERING, PAIN, TEARING, STINGIN G

Medical Cond Aggravated by Exposure: ASTHMA & OTHER RESPIRATORY DISORDERS; BRONCHITIS, EMPHYSEMA, HYPERREACTIVITY, SKIN ALLERGIES, ECZEMA.

### First Aid

First Aid: EYES: FLUSH W/CLEAN, LUKEWARM WATER (LOW PRESSURE) FOR 15 MINS. SKIN: WASH THROROUGHLY W/SOAP & WATER. INHALATION: MOVE TO AN AREA FREE FROM EXPOSURE. GIVE OXYGEN/CPR AS NECESSARY. INGESTION: DON'T IN DUCE VOMITING. GIVE 1-2 CUPS OF MILK/WATER TO DRINK. DON'T GIVE ANYTHING BY MOUTH IF UNCONSCIOUS/CONVULSIVE. OBTAIN MEDICAL ATTENTION IN ALL CASES. CONTACT LENSES SHOULD NOT BE WORN. NOTE: (SEE SUPP)

## **Fire Fighting**

Flash Point Method:SCC

Flash Point: 375F

Extinguishing Media: DRY CHEMICAL, CO2, FOAM; WATER SPRAY FOR LARGE FIRES.

Fire Fighting Procedures: USE FULL EMERGENCY EQUIPMENT W/SELF CONTAINED BREATHING APPARATUS & FULL PROTECTIVE CLOTHING. Unusual Fire/Explosion Hazard: CLOSED CONTAINER MAY EXPLODE WHEN EXPOSED

TO EXTREME HEAT/BURST WHEN CONTAMINATED W/WATER. CO2 EVOLVED.

### **Accidental Release**

Spill Release Procedures: EVACUATE. REMOVE IGNITION SOURCES & VENTILATE AREA. USE PROTECTIVE EQUIPMENT. DIKE/IMPOUND MATERIAL. USE ABSORBENT OVER SPILLAGE, COLLECT IN OPEN CONTAINERS. REMOVE TO SAFE PLACE, COVER LOOSELY & LET STAND 24-48 HOURS. WASH AREA W/SOLUTION.

Neutralizing Agent: UNION CARBIDE'S TERGITOL TMN-10 & WATER 80%; AMMONIA 3-8%, DETERGENT/WATER 90-95

### Handling

Handling and Storage Precautions: STORE IN TIGHTLY CLOSED CONTAINERS. DON'T RESEAL IF CONTAMINATED. STORAGE TEMP RANGE FOR EASE OF HANDLING IS 50-81F. AVOID SKIN & EYE CONTACT. Other Precautions: EMPTY CONTAINERS MUST BE HANDLED W/CARE DUE TO PRODUCT RESIDUE. DECONTAMINATE CONTAINERS PRIOR TO DISPOSAL. DON'T HEAT/CUT EMPTY CONTAINER W/ELECTRIC/GAS TORCH. SHELF LIFE IS 6 MONTHS AT 77F. STORAGE TEMP IS MIN -30F/MAX 122F.

# **Exposure Controls**

Respiratory Protection: USE AN AIR PURIFYING/FRESH AIR SUPPLIED RESPIRATOR. WHEN SPRAY APPLICATION, USE A POSITIVE PRESSURE SUPPLIED AIR RESPIRATOR.

Ventilation: EXHAUST SUFFICIENT TO KEEP THE AIRBORNE CONCENTRATIONS OF HEXAMETHYLENE DIISOCYANIDE & POLYISOCYANATE Protective Gloves: PERMEATION RESISTANT Eye Protection: SAFETY GLASSES, SPLASH GOGGLES

Other Protective Equipment: FACE SHIELD, SAFETY SHOWER



Work Hygienic Practices: REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

HEALTH HAZ CONT'D: EYES: IRRITATION/CORNEAL OPACITY. INGESTION: IRRITATION/POSSIBLE CORROSIVE ACTION IN THE MOUTH/STOMACH TISSUE/DIGESTIVE TRACT. NOTE TO PHYSICIAN: EYES-STAIN FOR EVIDENCE OF CORNEAL INJURY. IF BURNED, INSTILL ANTIBIOTIC/STEROID PREPARATION FREQUENTLY. SKIN/INHALATION/INGESTION: TREAT SYMPTOMATICALLY.

# **Chemical Properties**

Boiling Pt:B.P. Text:382F

Vapor Pres: 0 Spec Gravity:1.14

Solubility in Water: INSOLUBLE

Appearance and Odor: CLEAR/PALE YELLOW LIQUID W/NO ODOR.

### Stability

Stability Indicator/Materials to Avoid:YES WATER, AMINES, STRONG BASES, ALCOHOLS, METAL COMPOUNDS & SURFACE ACTIVE MATERIALS.

Stability Condition to Avoid:HEAT, TEMPS >400F, MOISTURE Hazardous Decomposition Products:CO2, CO, OXIDES OF NITROGEN, HYDROGEN CYANIDE, HEXAMETHYLENE DIISOCYANIDE.
Conditions to Avoid Polymerization:MOISTURE, TEMPS >400F.

### Disposal

Waste Disposal Methods: INCINERATE/DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.