

# MCP-1203E1-A FS2H0026 FQJ64 4X5 GAL SIZE CINEREX CP FIXER

# **MSDS Number**

BWJNG

### **National Stock Number**

6525-00F037636

# **Product Name**

MCP-1203E1-A FS2H0026 FQJ64 4X5 GAL SIZE CINEREX CP FIXER

### Manufacturer

BAYER CORP AGFA DIV

# **Product Identification**

Product ID:MCP-1203E1-A FS2H0026 FQJ64 4X5 GAL SIZE CINEREX CP FIXER MSDS Date:06/01/1993 FSC:6525 NIIN:00F037636 Kit Part:Y MSDS Number: BWJNG

# **Responsible Party**

BAYER CORP AGFA DIV

100 CHALLENGER RD

RIDGEFIELD PARK , NJ 07660-5000

US

Emergency Phone: 212-971-0260/201-440-2500

Info Phone: 201-440-2500/212-971-0260

# Cage: EO426

# Contractor

BAYER CORP AGFA DIV RIDGEFIELD PARK, NJ 07660-5000

US

201-440-2500/212-971-0260

Cage: EO426

# Ingredients

SODIUM ACETATE, ANHYDROUS

CAS: 126-96-5

RTECS: AJ4375000

Fraction By Weight: 1-5%

# AMMONIUM THIOSULFATE

CAS: 7783-18-8 RTECS: XN6465000 Fraction By Weight: 40-45% OSHA PEL50 PPM AS AMMONIA ACGIH TLV: 25 PPM AS AMMONIA



WATER

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight: 45-50%

SODIUM SULFITE

CAS: 7757-83-7

RTECS: WE2150000

Fraction By Weight: 5-10%

#### Hazards

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES: MAY CAUSE IRRITATION. INHALATION: MIST MAY CAUSE RESPIRATORY IRRITATION. INGESTION: MAY CAUSE MUCOUS MEMBRANES/DIGESTIVE TRACT IRRITATION. Explanation of Carcinogenicity:NONE Effects of Overexposure:IRRITATION.

•

#### **First Aid**

First Aid:EYES/SKIN: IMMEDIATELY FLUSH W/PLENTY OF RUNNING WATER FOR 15 MINS. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION IN ALL CASES.

### **Fire Fighting**

Flash Point:NON-COMBUSTIBLE Lower Limits:NONE Upper Limits:NONE Extinguishing Media:ANY APPLICABLE TO PRIMARY CAUSE OF FIRE. Fire Fighting Procedures:EVACUATE PERSONNEL TO A SAFE AREA. KEEP PERSONNEL REMOVED & UPWIND OF FIRE. WEAR A SCBA. Unusual Fire/Explosion Hazard:WHEN HEATED TO DECOMPOSITION, EMISSION OF TOXIC FUMES OF SULFUR DIOXIDE IS POSSIBLE.

### Accidental Release

Spill Release Procedures:WEAR APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT DURING CLEANUP. DIKE. PREVENT LIQUID FROM ENTERING SEWERS/WATERWAYS/LOW AREAS. SOAK UP W/SAWDUST/SAND/OIL DRY/OTHER ABSORBENT MATERIAL.

### Handling

Handling and Storage Precautions:STORE IN WELL VENTILATED AREA. KEEP CONTAINER TIGHTLY CLOSED. DON'T STORE W/INCOMPATIBLE MATERIALS. AVOID USE OF PRODUCT IN UNVENTILATED AREAS. Other Precautions:DON'T STORE/CONSUME FOOD, DRINK/TOABACCO IN AREA WHERE THEY MAY BECOME CONTAMINATED W/THIS MATERIAL. AVOID EYE & SKIN CONTACT.

# **Exposure Controls**

Respiratory Protection:NONE NEEDED W/WORKING MIXTURES & NORMAL ROOM VENTILATION.

Ventilation:ROOM VENTILATION IS SUFFICIENT (10 AIR CHANGES PER HR). ALWAYS CONTROL AIRBORNE LEVELS Protective Gloves:CHEMICAL RESISTANT Eye Protection:SAFETY GLASSES W/SIDE SHIELDS/GOGGLES Other Protective Equipment:CHEMICAL RESISTANT APRON, DISPOSABLE COVERALLS ARE OPTIONAL Work Hygienic Practices:REMOVE CONTAMINATED CLOTHING. DISCARD DISPOSABLE COVERALLS AFTER USE. Supplemental Safety and Health

WASTE DISPOSAL: DISCHARGE TO SEWER REQUIRES APPROVAL OF PERMITTING AUTHORITY & MAY REQUIRE PRETREATMENT. DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.



### **Chemical Properties**

Boiling Pt:B.P. Text:221F Spec Gravity:1.31 pH:5.2 Solubility in Water:COMPLETE Appearance and Odor:CLEAR & COLORLESS W/SLIGHT SULFUR DIOXIDE ODOR.

### Stability

Stability Indicator/Materials to Avoid:YES STRONG ALKALIES. Hazardous Decomposition Products:OXIDES OF SULFUR, CO2, CO, AMMONIA.

#### Disposal

Waste Disposal Methods:RECOVER NONUSABLE FREE LIQUID &/CONTAMINATED WATER & DISPOSE OF IN APPROVED & PERMITTED TREATMENT SYSTEM. INCINERATION IS RECOMMENDED. REMOVE NONUSABLE SOLID MATERIAL &/CONTAMINATED SOIL FOR DISPOSAL IN APPROVED & PERMITTED LANDFILL. (SEE SUPP)

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.