

## **1176 DURA GLOSS ALKYD GLOSS ENAMEL**

### **MSDS Number**

BWKJF

### **National Stock Number**

8010-00F037992

### **Product Name**

1176 DURA GLOSS ALKYD GLOSS ENAMEL

### **Manufacturer**

DAL WORTH PAINT MFG CO

### **Product Identification**

Product ID:1176 DURA GLOSS ALKYD GLOSS ENAMEL

MSDS Date:11/01/1989

FSC:8010

NIIN:00F037992

MSDS Number: BWKJF

### **Responsible Party**

DAL-WORTH PAINT MFG CO

733 DALWORTH DR

MESQUITE , TX 75149-0173

US

Emergency Phone: 214-285-6346

Info Phone: 214-285-6346

Cage: DALWO

### **Contractor**

DAL-WORTH PAINT MFG CO

173

MESQUITE, TX 75149-0173

US

214-285-6346

Cage: DALWO

### **Ingredients**

3.5 LBS/GAL

RTECS: 9999999VO

MEDIUM ALIPHATIC NAPHTHA (AROMATIC 100), PARAFFIN-NAPTHANES

CAS: 64742-88-7

Fraction By Weight: 39.5%

OSHA PEL500 PPM

ACGIH TLV: 100 PPM

### **Hazards**

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: RESPIRATORY IRRITATION &  
CNS EFFECT, ANESTHETIC. SKIN: IRRITATION, DERMATITIS. EYES:

IRRITATION. INGESTION: DIGESTIVE TRACT & NERVOUS SYSTEM DEPRESSION.  
ASPIRATION HAZARD CAN CAUSE LUNG IN FLAMMATION & DAMAGE.  
REPEATED/OVEREXPOSURE TO SOLVENT CAN CAUSE PERMANENT BRAIN &  
NERVOUS SYSTEM DAMAGE.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATION, DROWSINESS, DIZZINESS, LOSS OF  
COORDINATION, FATIGUE.

Medical Cond Aggravated by Exposure:NONE

## First Aid

First Aid:INHALATION: REMOVE FROM HAZARD AREA, MAINTAIN BREATHING.  
EYES: FLUSH IMMEDIATELY W/LARGE AMOUNTS OF WATER. SKIN: WASH W/SOAP  
& WATER. INGESTION: DRINK 1 OR 2 GLASSES OF WATER TO DILUTE. DON'T  
INDUCE V OMITING. OBTAIN MEDICAL ATTENTION IN ALL CASES.

## Fire Fighting

Flash Point Method:PMCC

Flash Point:116F

Lower Limits:1

Extinguishing Media:CO2, DRY CHEMICAL, WATER FOG.

Fire Fighting Procedures:DON'T USE WATER STREAM ON BURNING LIQUID. COOL  
EXPOSED CONTAINERS W/WATER. USE SELF CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY BURST IF EXPOSED TO  
EXTREME HEAT/FIRE. TOXIC GASES MAY FORM WHEN PRODUCT BURNS.

## Accidental Release

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. AVOID  
BREATHING VAPORS. USE NON-SPARKING TOOLS. RETURN MATERIALS TO  
CONTAINER. ABSORB RESIDUE W/FULLER'S EARTH.

## Handling

Handling and Storage Precautions:COMBUSTIBLE. KEEP AWAY FROM HEAT &  
FLAME. USE WITH ADEQUATE VENTILATION.

Other Precautions:AVOID PROLONGED CONTACT W/SKIN & BREATHING OF VAPOR  
SPRAY MIST/SANDING DUST. CLOSE CONTAINERS AFTER EACH USE. KEEP OUT  
OF REACH OF CHILDREN. DON'T TAKE INTERNALLY.

## Exposure Controls

Respiratory Protection:WEAR NIOSH APPROVED RESPIRATOR SPECIFIED FOR  
PROTECTION AGAINST PAINT SPRAY MIST, SANDING DUST & ORGANIC VAPORS  
IN RESTRICTED/CONFINED AREAS.

Ventilation:MECHANICAL EXHAUST MAY BE REQUIRED IN CONFINED AREA.  
DISCHARGE EXHAUST ONLY IN AREA AWAY FROM IGNITION SOURCES.

Protective Gloves:SOLVENT IMPERMEABLE REQUIRED

Eye Protection:SPLASH GOGGLES

Other Protective Equipment:SAFETY GLASSES W/SIDE SHIELDS. ADEQUATE  
CLOTHING TO PROTECT SKIN.

Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE  
REUSE. WASH HANDS BEFORE EATING, SMOKING/USING THE WASHROOM.

Supplemental Safety and Health

## Chemical Properties

Boiling Pt:B.P. Text:350-405F

Vapor Density:>1

Evaporation Rate & Reference:SLOWER THAN ETHER

## Stability

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:ELEVATED TEMPERATURES & BUILD UP OF  
VAPORS.

Hazardous Decomposition Products:CO2, CO, TOXIC GASES

## Disposal

Waste Disposal Methods:DON'T INCINERATE SEALED CONTAINERS. DISPOSE OF  
IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.