

Z 2391 020293 C AQUA SATIN LATEX ENAMEL BASE 1

MSDS Number

BWKJQ

National Stock Number

8010-00F038000

Product Name

Z 2391 020293 C AQUA SATIN LATEX ENAMEL BASE 1

Manufacturer

PRATT AND LAMBERT INC

Product Identification

Product ID:Z 2391 020293 C AQUA SATIN LATEX ENAMEL BASE 1

MSDS Date:01/05/1994

FSC:8010

NIIN:00F038000

MSDS Number: BWKJQ

Responsible Party

PRATT AND LAMBERT INC

75 TONAWANDA ST

BUFFALO , NY 14240-5000

US

Emergency Phone: 716-873-6000

Info Phone: 716-873-6000

Cage: 61196

Contractor

PRATT AND LAMBERT INC

CLEVELAND, OH 44101-1027

US

216-566-2902

Cage: 61196

Ingredients

FORMALDEHYDE, FORMALIN (SUSPECTED HUMAN CARCINOGEN BY IARC;

CAS: 50-00-0

RTECS: LP8925000

Fraction By Weight:

ACGIH TLV: 0.37 MG/CUM IC (2A)

EPA Report Quantity: 100 LBS

DOT Report Quantity: 100 LBS

SILICON DIOXIDE, CELITE 322

CAS: 7631-86-9

RTECS: VV3100000

Fraction By Weight:

OSHA PEL80 MG/CUM

ACGIH TLV: 0.2 MG/CUM

TITANIUM DIOXIDE, TIO₂ (SUSPECTED ANIMAL CARCINOGEN BY

CAS: 13463-67-7

RTECS: XR2275000

Fraction By Weight: 20-25%

OSHA PEL15 MG/CUM

ACGIH TLV: 10 MG/CUM (DUST)

PROPANOIC ACID, 2-METHYL, MONOESTER

CAS: 25265-77-4

RTECS: UF6000000

Fraction By Weight:

Hazards

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO
Health Hazards Acute and Chronic:INHALATION: RESPIRATORY SYSTEM
IRRITATION, PULMONARY EDEMA. INGESTION: GI IRRITATION. EYES/SKIN:
IRRITATION.
Explanation of Carcinogenicity:SEE INGREDIENTS.
Effects of Overexposure:IRRITATION, DEFATTING.

First Aid

First Aid:INGESTION: CALL POISON CONTROL CENTER, HOSPITAL EMERGENCY
ROOM IMMEDIATELY. INHALATION: REMOVE TO FRESH AIR. EYES: FLUSH
W/LARGE AMOUNTS OF WATER FOR 15 MINS. SKIN: WASH AREA W/SOAP &
WATER. OBTAIN MEDICAL ATTENTION IN ALL CASES. NOTE TO PHYSICIAN:
ANY TREATMENT THAT MIGHT BE REQUIRED FOR OVEREXPOSURE SHOULD BE
DIRECTED AT THE CONTROL OF SYMPTOMS & THE CLINICAL CONDITIONS.

Accidental Release

Spill Release Procedures:CONFINE IN SMALL AREA. USE ABSORBENT TO CLEAN
UP. PLACE IN CONTAINER FOR DISPOSAL.

Handling

Handling and Storage Precautions:PROTECT FROM FREEZING. CLOSE CONTAINER
AFTER EACH USE.
Other Precautions:DON'T TAKE INTERNALLY. KEEP AWAY FROM CHILDREN.

Exposure Controls

Respiratory Protection:IF APPLIED BY SPRAYING, USE AN APPROPRIATE
PROPERLY FITTED NIOSH APPROVED RESPIRATOR TO REMOVE THE SPRAY MIST.
Ventilation:NATURAL VENTILATION SHOULD BE ADEQUATE UNDER NORMAL
CONDITIONS.
Eye Protection:SAFETY SPECTACLES W/SIDE SHIELDS.
Other Protective Equipment:WEAR FACE SHIELD AS NECESSARY WHEN SPRAYING.
Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE
REUSE.
Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:162-471F
Vapor Density:>1
Spec Gravity:1.3
Evaporation Rate & Reference:SLOWER THAN DIETHYL ETHER
Percent Volatiles by Volume:66

Stability

Stability Indicator/Materials to Avoid: YES
Stability Condition to Avoid: FREEZING
Hazardous Decomposition Products: CO, CO₂

Disposal

Waste Disposal Methods: DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.