



"B'LASTER" TIRE CLEANER

MSDS Number

BWNDS

National Stock Number

7930-00N056378

Product Name

"B'LASTER" TIRE CLEANER

Manufacturer

WILLIAM K WESTLEY CO

Product Identification

Product ID: "B'LASTER" TIRE CLEANER MSDS Date:07/17/1992 FSC:7930 NIIN:00N056378 MSDS Number: BWNDS

Responsible Party

WILLIAM K WESTLEY CO

9545 MIDWEST AVE STE D

GARFIELD HTS, OH 44125

US

Emergency Phone: 800-858-6605

Info Phone: 216-587-0011

Cage: 0BNB4 **Contractor**

WILLIAM K WESTLEY CO

GARFIELD HTS, OH 44125

US

216-587-0011 Cage: 0BNB4

Ingredients

ISOPROPYL ALCOHOL; (ISO ALCOHOL) (SARA III)

CAS: 67-63-0

RTECS: NT8050000 Fraction By Weight: OSHA PEL400 PPM ACGIH TLV: 400 PPM

SODIUM ORTHOSILICATE

Fraction By Weight:

OSHA PELN/K

ACGIH TLV: N/K



CAS: 6834-92-0 RTECS: VV9275000

Fraction By Weight:

OSHA PELN/K ACGIH TLV: N/K

Hazards

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO

Health Hazards Acute and Chronic:ISOPROPYL ALCOHOL: INHAL:PROLONGED

OVEREXPOSURE MAY CAUSE COUGHING, SHORTNESS OF BREATH, DIZZINESS AND

INTOXICATION.

Explanation of Carcinogenicity: NOT RELEVANT

Effects of Overexposure: SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid:SKIN:WASH WITH SOAP AND WATER, EMMOLIENT CREAM IS BENEFICIAL. EYE:FLUSH WITH WATER FOR AT LEAST 15 MINUTES. CALL PHYSICIAN. INHAL:PROVIDE FRESH AIR AND REST. INGEST:DRINK LOTS OF MILK OR WATER, ALSO C ITRUS OR VINEGAR WITH WATER.

Fire Fighting

Flash Point Method:TCC

Flash Point:NONE

Extinguishing Media: MEDIA SUITABLE FOR SURROUNDING FIRE . Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED SCBA & FULL

PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard: NONE

Accidental Release

Spill Release Procedures:FLUSH WITH WATER DIRECT TO NEAREST DRAIN

(STORM).

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions: NORMAL.

Other Precautions: KEEP OUT OF REACH OF CHILDREN.

Exposure Controls

Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE

FOR EXPOSURE OF CONCERN .

Ventilation: NORMAL LOCAL EXHAUST.

Protective Gloves: IMPERVIOUS GLOVES .

Eye Protection: ANSI APPRVD CHEM WORKER GOGGLES .

Other Protective Equipment: NONE.

Work Hygienic Practices: AVOID EYE CONTACT.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

Chemical Properties

Boiling Pt:B.P. Text:180F,82C

Melt/Freeze Pt:M.P/F.P Text:88.0F,31.1C

Vapor Density:GTR/AIR

Spec Gravity:1.1 (H*2O=1)

pH:12.6

Evaporation Rate & Reference: N/A (BUTYL ACETATE=1)

Solubility in Water:100%

Appearance and Odor: CLEAR BLUE LIQUID, MILD ODOR.

Stability

Stability Indicator/Materials to Avoid:YES NONE CURRENTLY KNOWN.



Stability Condition to Avoid: NONE CURRENTLY KNOWN. Hazardous Decomposition Products: NONE CURRENTLY KNOWN.

Disposal

Waste Disposal Methods: DISPOSAL MUST BE I/A/W FEDERAL, STATE & LOCAL REGULATIONS . FLUSH WITH PLENTY OF WATER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.