

655 ENVIROSOLVE AEROSOL

MSDS Number

BWWXB

National Stock Number

6850-00F039385

Product Name

655 ENVIROSOLVE AEROSOL

Manufacturer

FINE ORGANICS CORP

Product Identification

Product ID: 655 ENVIROSOLVE AEROSOL

MSDS Date: 05/02/1994

FSC: 6850

NIIN: 00F039385

MSDS Number: BWWXB

Responsible Party

FINE ORGANICS CORP

205 MAIN ST

LODI , NJ 07644-0687

US

Emergency Phone: 201-472-6800/800-526-7480

Info Phone: 201-472-6800/800-526-7480

Cage: 05867

Contractor

FINE ORGANICS CORP

2277

CLIFTON, NJ 07015

US

973-478 1000

Cage: 05867

Ingredients

ISOPARAFFINIC HYDROCARBONS (NAPHTHA PETROLEUM),

CAS: 64742-48-9

Fraction By Weight: 72.4%

CARBON DIOXIDE

CAS: 124-38-9

RTECS: FF6400000

Fraction By Weight: 3.5%

OSHA PEL5000 PPM

ACGIH TLV: 9000 MG/CUM

PROPRIETARY MIXTURE OF ORGANIC CHEMICALS

Fraction By Weight: 24.1%

Hazards

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION: EXCESSIVE REPEATED CONTACT OF CONCENTRATED MATERIAL MAY CAUSE IRRITATION. EYES: MAY CAUSE IRRITATION. SKIN: MAY CAUSE IRRITATION &/DERMATITIS. INGESTION: HARMFUL IF ASPIRATED INTO LUNGS.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATION.

First Aid

First Aid:INHALATION: REMOVE TO FRESH AIR. EYES: FLUSH THOROUGHLY W/WATER FOR 15 MINS W/IN 1 MIN OF CONTACT. SKIN: WASH AREAS OF CONTACT W/GENEROUS AMOUNTS OF WATER. INGESTION: DON'T INDUCE VOMITING. GIVE PLENTY OF WATER. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Fire Fighting

Flash Point Method:TCC
Flash Point:147F
Lower Limits: 0.8
Upper Limits: 8.5
Extinguishing Media:DRY CHEMICAL, WATER SPRAY, FOAM
Fire Fighting Procedures:USE WATER SPRAY TO COOL FIRED EXPOSED CONTAINERS.
Unusual Fire/Explosion Hazard:EXPOSURE TO HEAT MAY CAUSE BURSTING.

Accidental Release

Spill Release Procedures:PRODUCT CONTAINED IN AEROSOL CANS.

Handling

Handling and Storage Precautions:KEEP < 120F. DON'T STORE NEAR HEAT, SPARKS, OPEN FLAME, HEATED SURFACES/ANY OTHER SOURCE OF IGNITION.
Other Precautions:THIS CONTAINER MAY BE HAZARDOUS WHEN EMPTIED. EMPTIED CONTAINERS MAY RETAIN PRODUCT RESIDUES (VAPORS/LIQUID). DON'T BREATHE VAPOR/SPRAY MIST.

Exposure Controls

Respiratory Protection:NIOSH APPROVED RESPIRATOR WHEN OPERATING ABOVE THE SUGGESTED TLV LIMITS.
Ventilation:LOCAL EXHAUST
Protective Gloves:RUBBER
Eye Protection:SAFETY GOGGLES
Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.
Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:365-421F
Vapor Pres:0.7
Vapor Density:5.7
Spec Gravity:0.75
Solubility in Water:NEGLIGIBLE
Appearance and Odor:CLEAR WATER W/WHITE LIQUID
Percent Volatiles by Volume:100

Stability

Stability Indicator/Materials to Avoid:YES
OXIDIZING AGENTS
Stability Condition to Avoid:TEMPS < 120F, HEAT, SPARKS, OPEN FLAME, HEATED SURFACES & OTHER SOURCE OF IGNITION.
Hazardous Decomposition Products:OXIDES OF CARBON

Disposal

Waste Disposal Methods:DISPOSE W/42 USG325/ET. SEQ. RCRA 1976
IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.