

2344 STIX-TITE PRIMER PIGMENTED

MSDS Number

BWWXT

National Stock Number

8010-00F039410

Product Name

2344 STIX-TITE PRIMER PIGMENTED

Manufacturer

DAL WORTH PAINT MFG CO

Product Identification

Product ID:2344 STIX-TITE PRIMER PIGMENTED

MSDS Date:07/13/1990

FSC:8010

NIIN:00F039410

MSDS Number: BWWXT

Responsible Party

DAL-WORTH PAINT MFG CO

733 DALWORTH DR

MESQUITE , TX 75149-0173

US

Emergency Phone: 214-285-6346

Info Phone: 214-285-6346

Preparer: WAYNE MCELYEA

Cage: DALWO

Contractor

DAL-WORTH PAINT MFG CO

173

MESQUITE, TX 75149-0173

US

214-285-6346

Cage: DALWO

Ingredients

TALC (POWDER), (ASBESTOS FREE), TALCUM; HYDROUS MAGNESIUM

CAS: 14807-96-6

RTECS: WW2710000

Fraction By Weight: 15%

ACGIH TLV: 2 MG/CUM (RESP DUST)

0.23 LG/GL (27 G/L); 0.07 LB/GL (9 G/L)

RTECS: 9999999VO

Hazards

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: INHALATION: IRRITATION OF THE NOSE, THROAT & SIGNS OF NERVOUS SYSTEM DEPRESSION. EYES: MILD IRRITATION. SKIN: MILD IRRITATION/DERMATITIS. INGESTION: IRRITATION OF DIGESTIVE TRACT & NERVOUS SYSTEM DEPRESSION. THIS MATERIAL CAN ENTER LUNGS DURING SWALLOWING/VOMITING & CAUSE LUNG INFLAMMATION & DAMAGE.

Explanation of Carcinogenicity: NONE

Effects of Overexposure: IRRITATION, HEADACHE, DROWSINESS, DIZZINESS, LOSS OF COORDINATION, FATIGUE, STINGING, TEARING, REDNESS, DRYING, CRACKING, DEFATTING, VOMITING, INFLAMMATION, BREATHING DIFFICULTY, BLURRED VISION, NAUSEA, DIARRHEA

Medical Condition Aggravated by Exposure: PRE-EXISTING LUNG DISORDERS, SKIN DISORDERS

First Aid

First Aid: EYES: MOVE TO FRESH AIR, FLUSH EYES W/CLEAN WATER. SKIN: THOROUGHLY WASH W/MILD SOAP & WATER. INHALATION: MOVE INTO FRESH AIR. IF NOT BREATHING, BEGIN CPR. INGESTION: DRINK 1-2 GLASSES OF WATER TO DILUTE. DON'T INDUCE VOMITING. TREAT SYMPTOMATICALLY. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Fire Fighting

Extinguishing Media: FOAM, CO2, DRY CHEMICAL, WATER FOG

Fire Fighting Procedures: WATER MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT PRESSURE BUILDUP & POSSIBLE AUTO-IGNITION/EXPLOSION. USE SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard: TOXIC GASES MAY FORM WHEN PRODUCT BURNS. CLOSED CONTAINERS MAY BURST IF EXPOSED TO EXTREME HEAT/FIRE.

Accidental Release

Spill Release Procedures: ISOLATE AREA. PREVENT MATERIAL FROM ENTERING SEWERS/STORM DRAINS. MAY BE ABSORBED INTO AN APPROPRIATE ABSORBENT MATERIAL SUCH AS SAWDUST/RAGS.

Handling

Handling and Storage Precautions: KEEP CLOSURE TIGHT & CONTAINER UPRIGHT TO PREVENT LEAKAGE. KEEP CONTAINER CLOSED. STORE ONLY IN APPROVED CONTAINERS. PROTECT FROM PHYSICAL DAMAGE.

Other Precautions: DON'T GET IN EYES. AVOID SKIN CONTACT. AVOID BREATHING SANDING DUST. PREVENT PROLONGED/REPEATED BREATHING OF VAPOR/SPRAY MIST. DON'T HANDLE UNTIL SAFETY PRECAUTIONS HAVE BEEN READ & UNDERSTOOD.

Exposure Controls

Respiratory Protection: IF EXPOSURE LIMITS ARE EXCEEDED, A NIOSH/MSHA APPROVED AIR SUPPLIED RESPIRATOR IS ADVISED IN ABSENCE OF PROPER ENVIRONMENTAL CONTROL. A NIOSH/MSHA RESPIRATOR (NEGATIVE PRESSURE MODE) UNDER SPECIFIED CONDITIONS.

Ventilation: SUFFICIENT MECHANICAL (GENERAL/LOCAL EXHAUST) TO MAINTAIN EXPOSURE BELOW TLV.

Protective Gloves: IMPERMEABLE

Eye Protection: RECOMMENDED

Other Protective Equipment: IMPERVIOUS CLOTHING & BOOTS, CLEAN WATER FOR FLUSHING EYES & SKIN.

Work Hygienic Practices: REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. WASH HANDS BEFORE EATING, SMOKING/USING THE WASHROOM.

Supplemental Safety and Health

Chemical Properties

Vapor Density: Specific Gravity: 1.2

Evaporation Rate & Reference: SLOWER THAN ETHER

Solubility in Water: COMPLETE

Appearance and Odor: MILKY VISCOUS W/CHARACTERISTIC ODOR

Stability

Stability Indicator/Materials to Avoid: YES

NONE

Stability Condition to Avoid:HEAT, FIRE, ELEVATED TEMPS
Hazardous Decomposition Products:CO₂, CO

Disposal

Waste Disposal Methods:DON'T INCINERATE SEALED CONTAINERS. DISPOSE OF
IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.