

## 1200 ACRYLIC ALKALI RESISTANT SURFACE CONDITIONER

## **MSDS Number**

**BXDLZ** 

#### **National Stock Number**

8010-00N058740

# **Product Name**

1200 ACRYLIC ALKALI RESISTANT SURFACE CONDITIONER

#### Manufacturer

THE FLOOD CO

# **Product Identification**

Product ID:1200 ACRYLIC ALKALI RESISTANT SURFACE CONDITIONER

MSDS Date: 03/29/1991

FSC:8010

NIIN:00N058740

MSDS Number: BXDLZ

# **Responsible Party**

THE FLOOD CO

1213 BARLOW RD

**HUDSON**, OH 44236

US

Emergency Phone: 800-321-3444

Info Phone: 800-321-3444

Cage: IO988 Contractor

THE FLOOD CO

399

US

HUDSON, OH 44236

800-321-3444

Cage: IO988

## **Ingredients**

NON-HAZARDOUS INGREDIENTS

OSHA PELN/K

ACGIH TLV: N/K

## **Hazards**

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: INHALATION: ADVERSE HEALTH EFFECTS FROM

VAPORS OR SPRAY MISTS IN POORLY VENTILATED AREAS MAY INCLUDE

IRRITATION OF THE MUCOUS MEMBRANES OF THE NOSE, THROAT, RESPIRATORY TRACT AND SYMPTOMS OF HEADACHE A ND NAUSEA. SKIN:PROLONGED CONTACT

MAY CAUSE TRANSIENT REDDENING. EYES: DIRECT CONTACT MAY CAUSE IRRITATION.

Explanation of Carcinogenicity: NOT RELEVANT Effects of Overexposure: SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure: EXISTING RESPIRATORY OR SKIN



PROBLEMS MAY BE AGGRAVATED BY EXPOSURE.

#### First Aid

First Aid:INHALATION:IF VAPROS IRRITATE, EXPOSE TO FRESH AIR. EYES:IMMED FLUSH W/WATER UNTIL WATER IS NOT LONGER CLOUDY, AT LST 15 MIN. SKIN:WASH W/SOAP & WATER UNTIL WATER IS NO LONGER CLOUDY. IF CLTHG IS SOAK ED, REMOVE & WASH BEFORE REUSE. INGEST:IF CONSCIOUS, GIVE 2 GLASSES OF WATER TO DRINK. CALL A PHYSICIAN. DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

## Fire Fighting

Extinguishing Media:FOAM, CO\*2, DRY CHEMICAL. Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard:THIS PROD WILL NOT BURN UNTIL WATER IS EVAPORATED, THEN USE EXTING MEDIUM. PROD MAY SPATTER IF TEMP EXCEEDS BP OF WATER. POLYMER FILM IS CAPABLE OF (SUPP DATA)

### **Accidental Release**

Spill Release Procedures: COLLECT SPILLED MATERIAL AND PUT IN A CONTAINER FOR LATER DISPOSAL. WASH UP AREA WITH SOAP AND WATER. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

### Handling

Handling and Storage Precautions: AVOID BRTHG VAPS, PARTICULARLY THOSE IN TOP OF SHIPPING CNTNR. AVOID CONT W/SKIN & CLTHG. KEEP CNTNR CLSD. USE W/ADEQ VENT.

Other Precautions: NON FLAMM BUT EXCESSIVE HEAT MAY CAUSE SPOILAGE. FREEZING MAY ALSO CAUSE SPOILAGE. DO NOT TAKE INTERNALLY. KEEP AWAY FROM CHILDREN.

### **Exposure Controls**

Respiratory Protection: USE NIOSH/MSHA APPROVED CARTRIDGE FILTER FACE MASK FOR PARTICULATES AND VAPORS. USE AIR SUPPLY IN OXYGEN DEFICIENT AREAS.

Ventilation: AS NEEDED TO CONTROL MIST WHEN SPRAYING.

Protective Gloves: IMPERVIOUS GLOVES .

Eye Protection: ANSI APPROVED CHEM WORKERS GOGGS(SUPDAT) Other Protective Equipment: ANSI APPROVED EYE BATH FOR SPILLS AND SPLASHES.

Work Hygienic Practices: GOOD INDUST HYGIENE PRACT SHOULD BE FOLLOWED WHICH INCLUDES PVNTG EYE CONT, MIN SKIN CONT, & MIN INHAL OF VAP/MISTS.

Supplemental Safety and Health

EXPLO HAZS:BURNING GIVING OFF OXIDES OF CARBON/NITROGEN. EYE PROT:AND FULL LENGTH FACE SHIELD .

# **Chemical Properties**

Boiling Pt:B.P. Text:212F,100C

Vapor Pres:20

Vapor Density: HVR/AIR

Spec Gravity: 1.03

Evaporation Rate & Reference: SLOWER THAN ETHER

Percent Volatiles by Volume:80

### **Stability**

Stability Indicator/Materials to Avoid:YES NO HAZARDOUS INCOMPATIBILITIES EXPECTED WITH NORMAL USE. Stability Condition to Avoid:AVOID CONTACT WITH MATERIALS WHICH REACT WITH WATER.

Hazardous Decomposition Products: AS WITH ALL ORGANIC MATERIALS, COMBUSTION OF DRY COATING WILL PRODUCE CARBON DIOXIDE AND PROBABLY CARBON MONOXIDE.

#### Disposal

Waste Disposal Methods: DO NOT DISPOSE OF SPILLED OR WASTE MATERIAL IN SEWERS OR WATERWAYS. DISPOSE IN ACCORDANCE WITH ALL LOCAL, STATE



## AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.