
NP-2000 SERIES TONER (BLACK), F41-4401

MSDS Number

BXFTQ

National Stock Number

6850-01-273-6987

Product Name

NP-2000 SERIES TONER (BLACK), F41-4401

Manufacturer

CANON USA INC

Product Identification

Product ID:NP-2000 SERIES TONER (BLACK), F41-4401

MSDS Date:09/01/1986

FSC:6850

NIIN:01-273-6987

MSDS Number: BXFTQ

Responsible Party

CANON USA INC

ONE CANON PLAZA

LAKE SUCCESS , NY 11042

US

Emergency Phone: 800-424-9300(CHEMTREC)

Info Phone: 516-488-6700

Cage: 1BA63

Contractor

CANON USA INC

LAKE SUCCESS, NY 11042

US

516-328-5600

Cage: 1BA63

Ingredients

STYRENE COPOLYMER

CAS: 25119-62-4

Fraction By Weight: 55-65%

OSHA PELN/K

ACGIH TLV: N/K

IRON OXIDE

CAS: 1317-61-9

Fraction By Weight: 30-40%

OSHA PEL10 MG/M3

ACGIH TLV: 5 MG/M3

DIALKYL TIN COMPOUND

Fraction By Weight: 1-3%

OSHA PELN/K

ACGIH TLV: 0.1 MG/M3 (MFR)

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MINIMAL RESPIRATORY TRACT IRRITATION
MAY OCCUR AS WITH EXPOSURE TO LARGE AMOUNTS OF ANY NON-TOXIC DUST.

EYE CONTACT:NO SPECIFIC HAZARD KNOWN TO MFR, HOWEVER, ANY MATERIAL
THAT CONTACTS THE EYE MAY BE IRRITATING.

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid:INGEST:CALL MD IMMEDIATELY . INHAL:REMOVE FROM EXPOSURE.

EYE:FLUSH W/PLENTY OF WATER FOR AT LEAST 15 MINUTES. SKIN:WASH
W/SOAP & WATER.

Fire Fighting

Extinguishing Media:WATER, DRY CHEMICAL, CO*2.

Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE
EQUIPMENT .

Unusual Fire/Explosion Hazard:THIS MATL, LIKE MOST ORGANIC MATLS IN
POWDER FORM, IS CAPABLE OF CREATING DUST EXPLO. REFER TO NFPA
PAMPHLET NO.654, "STD FOR PREVENTION OF FIRE & DUST (SUPDAT)

Accidental Release

Spill Release Procedures:SWEEP MATERIAL ONTO PAPER & PLACE IN FIBER
CARTON.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

Exposure Controls

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR
EXPOSURE OF CONCERN .

Ventilation:NONE SPECIFIED BY MANUFACTURER.

Protective Gloves:NONE SPECIFIED BY MANUFACTURER.

Eye Protection:NONE SPECIFIED BY MANUFACTURER.

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

EXPLO HAZ:EXPLOSIONS IN THE CHEMICAL, DYE, PHARMACEUTICAL & PLASTICS
INDUSTRIES", IF THIS MATERIAL IS TO BE REDUCED OR COLLECTED AS A
POWDER.

Chemical Properties

Vapor Pres:NEGLIGIBLE

Spec Gravity:1.4 (H*2O=1)

Evaporation Rate & Reference:NEGLIGIBLE

Solubility in Water:NEGLIGIBLE

Appearance and Odor:FINE POWDER; SLIGHT PLASTIC ODOR.

Percent Volatiles by Volume:NEGLIG

Stability

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:AS WITH ANY OTHER ORGANIC MATERIAL,
COMBUSTION WILL PRODUCE CARBON DIOXIDE & CARBON MONOXIDE.

Disposal

Waste Disposal Methods:NO SPECIAL DISPOSAL TECHNIQUE REQUIRED. INSURE COMPLIANCE W/FEDERAL, STATE &/OR LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.