

V-LUBE H

MSDS Number

BXGQZ

National Stock Number

9150-00N059260

Product Name

V-LUBE H

Manufacturer

STOKES VACUUM INC

Product Identification

Product ID: V-LUBE H
MSDS Date: 01/13/1993
FSC: 9150
NIIN: 00N059260
MSDS Number: BXGQZ

Responsible Party

STOKES VACUUM INC
5500 TABOR ROAD
PHILADELPHIA , PA 19120
US

Emergency Phone: 800-424-9300 (CHEMTREC)

Info Phone: 215-831-5400

Preparer: RICHARD MAUNZ

Cage: GO130

Contractor

STOKES VACUUM INC
PHILADELPHIA, PA 19120-2124
US
(215) 831-5400
Cage: GO130

Ingredients

MINERAL OIL, PETROLEUM DISTILLATES, SOLV-REFINED (SEV)
CAS: 64741-88-4
RTECS: PY8040501
Fraction By Weight: 30-50%
OSHA PELN/K
ACGIH TLV: N/K

SOLVENT REFINED RESIDUM
CAS: 64742-01-4
Fraction By Weight: 0-60%
OSHA PELN/K
ACGIH TLV: N/K

PHENOL, 2,6-DI-TERT-BUTYL; (2,6-DI-TERT-BUTYLPHENOL)

CAS: 128-39-2

RTECS: SK8265000

Fraction By Weight: 0-1%

OSHA PEL10 PPM

ACGIH TLV: 10 PPM

SOLVENT REFINED HYDROTREATED RESIDUAL OIL; (HYDROTREATED

CAS: 64742-57-0

Fraction By Weight: 0-70%

OSHA PELN/K

ACGIH TLV: N/K

2-PROPENOIC ACID, 2-METHYL-, EICOSYL ESTER, POLYMER;

CAS: 68171-46-0

Fraction By Weight: 0-1%

OSHA PELN/K

ACGIH TLV: N/K

Hazards

LD50 LC50 Mixture:LD50 (ORAL RAT): >15 G/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: EYES: MAY CAUSE MILD

IRRITATION, TEMPORARY SMARTING. NO PERMANENT DAMAGE EXPECTED. SKIN:

MINIMAL IRRITATION WITH PROLONGED CONTACT. INGEST: PRACTICALLY

NON-TOXIC. CHRONIC: INHALATION OF OIL MIS T CAN LEAD TO LIPID

PNEUMONITIS.

Explanation of Carcinogenicity:NOT RELEVANT.

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid:INGEST: DO NOT INDUCE VOMITING. GIVE PLENTY OF WATER. GET MEDICAL ATTENTION. SKIN: FLUSH WITH SOAP AND WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. EYES: FLUSH WITH PLENTY OF WATER FOR AT LEAS T 15 MINUTES. INHAL: REMOVE TO FRESH AIR.

Fire Fighting

Flash Point Method:COC

Flash Point:490F,254C

Extinguishing Media:WATER FOG, CARBON DIOXIDE, DRY CHEMICAL, FOAM.

Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL

PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:NONE KNOWN.

Accidental Release

Spill Release Procedures:ABSORB WITH SAND OR INERT MATERIAL. SWEEP OR SCOOP UP AND REMOVE.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:NFPA CLASS IIIB STORAGE.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

Exposure Controls

Respiratory Protection:USE NIOSH/MSHA APPROVED FILTER RESPIRATOR IF MISTING OCCURS.

Ventilation:USE WITH ADEQUATE VENTILATION.

Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:ANSI APPRVD CHEM WORKERS GOGGS .

Other Protective Equipment:IMPERVIOUS, IF CONTACT UNAVOIDABLE.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

Chemical Properties

Boiling Pt:B.P. Text:WIDE RANGE

Vapor Pres:NIL

Vapor Density:10+

Spec Gravity:0.88 (H*20=1)

Evaporation Rate & Reference:SLOWER THAN ETHER

Solubility in Water:NIL

Appearance and Odor:DARK FLUID, LITTLE COLOR

Percent Volatiles by Volume:NIL

Stability

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS.

Stability Condition to Avoid:OPEN FLAMES.

Hazardous Decomposition Products:CARBON MONOXIDE AND ASPHYXIANTS.

Disposal

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS . DO NOT FLUSH TO DRAIN OR STORM SEWER. CONTRACT TO AUTHORIZED DISPOSAL SERVICE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.