

TT-P-47G NON-PENETRATING 37855 700W32

MSDS Number

BXGYK

National Stock Number

8010-00-530-4690

Product Name

TT-P-47G NON-PENETRATING 37855 700W32

Manufacturer

GRIGGS PAINT

Product Identification

Product ID:TT-P-47G NON-PENETRATING 37855 700W32

MSDS Date:01/01/1993

FSC:8010

NIIN:00-530-4690

MSDS Number: BXGYK

Responsible Party

GRIGGS PAINT

3602 S 16TH PLACE

PHOENIX , AZ 85040

US

Emergency Phone: 800-424-9300 CHEMTREC

Info Phone: 602-243-3293

Preparer: ROBERT COMMISSO

Cage: DO312

Contractor

GRIGGS PAINT

PHOENIX, AZ 85040-1319

US

602-243-3293

Cage: DO312

Ingredients

ALIPHATIC HYDROCARBONS (SARA III) (STODDARD TYPE) (VAPOR

CAS: 8052-41-3

RTECS: WJ8925000

Fraction By Weight: 7%

OSHA PEL100 PPM

ACGIH TLV: 100 PPM

TITANIUM DIOXIDE

CAS: 13463-67-7

RTECS: XR2275000

Fraction By Weight: 15%

OSHA PEL15 MG/M3

ACGIH TLV: 5 MG/M3

MAGNESIUM SILICATE

CAS: 14807-96-6

RTECS: MW2700000

Fraction By Weight: 5%

ACGIH TLV: 2 MG/M3

2.91 LB/GL (348 G/L)

RTECS: 9999999VO

Fire Fighting

Flash Point Method:TCC

Flash Point:100F,38C

Autoignition Temp:Autoignition Temp Text:474 F

Lower Limits:1.0

Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG

Fire Fighting Procedures:APPROVED GAS MASK REQUIRED FOR FIRE FIGHTING

PERSONNEL. WATER MAY BE INEFFECTIVE, MAY BE USED TO COOL

CONTAINERS. IF WATER USED, FOG NOZZLES ARE PREFERRED.

Unusual Fire/Explosion Hazard:KEEP CONTAINERS TIGHTLY CLOSED. ISOLATE

FROM HEAT, ELECTRICAL EQUIPMENT, SPARKS, & OPEN FLAME. CLOSED

CONTAINERS MAY EXPLODE WHEN EXPOSED TO HEAT.

Exposure Controls

Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:334F,168C

Vapor Density:> AIR

Spec Gravity:1.4 (WATER=1)

Viscosity:82 - 95 KU

Evaporation Rate & Reference:SLOWER THAN ETHER

Solubility in Water:ESSENTIALLY NIL

Appearance and Odor:VISCOUS LIQUID WITH TYPICAL PAINT ODOR

Percent Volatiles by Volume:45.3

Stability

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:FLAMES, SPARKS, SMOKING AND HEAT

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.