
PR1826 C-1/2 ACCELARATOR PC:1826C1 (SUPPLEMENT)

MSDS Number

BXHMJ

National Stock Number

8030-00D003577

Product Name

PR1826 C-1/2 ACCELARATOR PC:1826C1 (SUPPLEMENT)

Manufacturer

COURTAULDS AEROSPACE INC

Product Identification

Product ID:PR1826 C-1/2 ACCELARATOR PC:1826C1 (SUPPLEMENT)

MSDS Date:10/21/1993

FSC:8030

NIIN:00D003577

MSDS Number: BXHMJ

Responsible Party

COURTAULDS AEROSPACE INC

5430 SAN FERNANDO ROAD

GLENDALE , CA 91209

US

Emergency Phone: 818-549-7586/800-424-9300(CHEMTREC)

Info Phone: 818-240-2060

Cage: 83574

Contractor

PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

1800

GLENDALE, CA 91209

US

818-240-2060

Cage: 83574

Ingredients

CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS: 1317-65-3

RTECS: EV9580000

Fraction By Weight: 35%

OSHA PEL15 MG/M3 TDUST

ACGIH TLV: 10 MG/M3 TDUST; 9495

ORGANOSILANE ESTER.

CAS: 2530-83-8

RTECS: VV4025000

Fraction By Weight: 5%

EPOXY NOVOLAC RESIN.

CAS: 28064-14-4

Fraction By Weight: 20%

HYDANTOIN EPOXY RESIN

Fraction By Weight: 35%

CARBON BLACK

CAS: 1333-86-4

RTECS: FF5800000

Fraction By Weight: 5 - 10%

OSHA PEL3.5 MG/M3

ACGIH TLV: 3.5 MG/M3; 9495

Hazards

LD50 LC50 Mixture:NOT ESTABLISHED FOR PRODUCT
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EPOXY NOVALAC RESIN:SLIGHT TRANSIENT
EYE IRRIT.PROLON/REPEAT EXPO SKIN IRRIT.RARELY ALLERGIC SKIN
RESPONSE.HI TEMP MAY GENERATE VAP THAT IRRIT UPON INHAL.LOW ORAL
TOXICITY.HYDANTOIN EPOXY RESIN:SEVERE EYE/SKIN IRRIT/CORR.TOXIC BY
INGESTION.ORGANOSILANE ESTER:SKIN BURN/SYS POISONING.BURNING
EYES.ABDOMINAL PAIN UPON INGEST
Effects of Overexposure:TEMP EYE IRRIT, SKIN IRRIT, RARELY CAUSE AN
ALLERGIC SKIN RESPONSE. INHAL:IRRIT. SEVERE EYE/SKIN IRRIT/CORR.
TOXIC BY INGEST. EYES:BURNING,TEARING,REDDENING. SKIN:BURN,
SYSTEMIC POISONING. INGEST:ABDOMINAL PAIN,NAUSEA,VOMITING.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid:EYE:FLUSH W/LUKEWARM WATER FOR 15MINS.CONSULT PHYSICIAN.
SKIN:WASH W/SOAP & WATER.IF SYMPTOMS PERSIST CONSULT PHYSICIAN.
INHAL:REMOVE TO FRESH AIR.IF SYMPTOMS ARE PRESENT CONSULT
PHYSICIAN. INGEST:DRI NK LG AMTS OF WATER.DO NOT INDUCE
VOMITING.CONSULT PHYSICIAN.

Fire Fighting

Flash Point:NOT FLAMM >200F
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER SPRAY.
Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR.
Unusual Fire/Explosion Hazard:NONE KNOWN.

Accidental Release

Spill Release Procedures:SCOOP INTO CONTAINERS.CLEAN-UP RESIDUE
W/SUITABLE SOLVENT.

Handling

Handling and Storage Precautions:AVOID INGESTION.
Other Precautions:CONTAINS CARBON BLACK & CALCIUM CARBONATE LIMESTONE
WHICH ARE FULLY ENCAPSULATED FORM IN PROD;THEREFORE NOT HAZ TO
USERS UNDER NORMAL CIRCUMSTANCES.IF CURED PROD SAND/GROUND SO AS TO
RELEASE RESPIRABLE PARTICLES USE SUITABLE RESP PROT.

Exposure Controls

Respiratory Protection:NOT REQUIRED.
Ventilation:GENERAL VENTILATION.
Protective Gloves:PLASTIC OR RUBBER GLOVES.
Eye Protection:SAFETY GLASSES.

Other Protective Equipment:NONE.
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING & BEFORE SMOKING
OR EATING.
Supplemental Safety and Health
SEE NSN 8030-00-D00-3578 PNIND:A FOR BASE COMPOUND.

Chemical Properties

HCC:N1
Boiling Pt:B.P. Text:NONE
Vapor Density:NONVOLATIL
Spec Gravity:1.451
Evaporation Rate & Reference:NON-VOLATILE
Appearance and Odor:BLACK PASTE.
Percent Volatiles by Volume:0

Stability

Stability Indicator/Materials to Avoid:YES
STRONG AMINES.
Stability Condition to Avoid:NOT KNOWN.
Hazardous Decomposition Products:OXIDES OF CARBON. ALSO OXIDES OF
SILICON MAY BE EVOLVED.

Disposal

Waste Disposal Methods:NOT HAZARDOUS WASTE ACCORDING TO EPA REGS.
CONSULT STATE REGS PRIOR TO DISPOSAL OF SPILLAGE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.