

## **17012 GOLD KRYLON INTERIOR ENAMEL**

### **MSDS Number**

BXHMT

### **National Stock Number**

8010-00F008544

### **Product Name**

17012 GOLD KRYLON INTERIOR ENAMEL

### **Manufacturer**

SHERWIN WILLIAMS CO SPECIALTY PRODUCTS DIV

### **Product Identification**

Product ID:17012 GOLD KRYLON INTERIOR ENAMEL

MSDS Date:02/04/1987

FSC:8010

NIIN:00F008544

MSDS Number: BXHMT

### **Responsible Party**

SHERWIN-WILLIAMS CO, SPECIALTY PRODUCTS DIV.

31500 SOLON ROAD

SOLON , OH 44139-5000

US

Emergency Phone: 800-777-2966

Info Phone: 800-777-2966

Cage: DO642

### **Contractor**

SHERWIN-WILLIAMS DIVERSIFIED BRANDS, INC.

BEDFORD HEIGHTS, OH 44146

US

216-292-7400 OR 216-595-8634

Cage: 09800

### **Ingredients**

XYLENES (O-,M-,P- ISOMERS) (SARA 313) (CERCLA)

CAS: 1330-20-7

RTECS: ZE2100000

Fraction By Weight: 14-17%

OSHA PEL100 PPM

ACGIH TLV: 100 PPM/150STEL;9495

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

TOLUENE (SARA 313) (CERCLA)

CAS: 108-88-3

RTECS: XS5250000

Fraction By Weight: 8-10%

OSHA PEL200 PPM; Z-2

ACGIH TLV: S, 50 PPM; 9495

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

ISOBUTANE

CAS: 75-28-5

RTECS: TZ4300000

Fraction By Weight: 16.0%

PROPANE

CAS: 74-98-6

RTECS: TX2275000

Fraction By Weight: 12-13%

OSHA PEL1000 PPM

ACGIH TLV: ASPHYXIAN; 9495

ACETONE (SARA 313) (CERCLA)

CAS: 67-64-1

RTECS: AL3150000

Fraction By Weight: 36%

OSHA PEL1000 PPM

ACGIH TLV: 750PPM/1000STEL;9495

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

## Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES:CAUSES IRRITATION. SKIN:CAUSES IRRITATION. ABSORPTION, NO HAZARD. INGESTION:NOT EXPECTED TO BE HARMFUL. MAY CAUSE GI TRACT IRRITATION OR BURNS. INHALATION:MAY BE HARMFUL IF INHALED AS LIQUID OR V APOR. CAUSES CNS DEPRESSION. MAY CAUSE LIVER/KIDNEY DAMAGE. DELIBERATELY CONCENTRATING & INHALING VAPORS MAY BE HARMFUL.

Explanation of Carcinogenicity:AS OF THE DATE OF THE MSDS, THE MATERIAL HAS NOT BEEN LISTED BY NTP, IARC OR OSHA AS A CARCINOGEN.

Effects of Overexposure:CNS DEPRESSION, HEADACHE, DIZZINESS, NAUSEA, VOMITING, UNCONSCIOUSNESS, ASPHYXIATION.

Medical Cond Aggravated by Exposure:MFR GAVE NO INFORMATION ON MSDS.

## First Aid

First Aid:IF IRRITATION PERSISTS OR IS SEVERE, GET MEDICAL ATTENTION.

EYE:FLUSH W/WATER TO 15 MIN. SKIN:WASH W/SOAP & WATER. REMOVE CONTAMINATED CLOTHING & LAUNDER BEFORE REUSE. INHALED:REMOVE FROM EXPOSURE. AI D OR RESTORE BREATHING AS NEEDED. INGESTED:DILUTE BY DRINKING LARGE QUANTITIES OF WATER & CONTACT POISON CONTROL CENTER OR HOSPITAL EMERGENCY ROOM FOR ADDITIONAL TREATMENT.

## Fire Fighting

Flash Point:EXTREMELY FLAMBL

Extinguishing Media:WATER FOG, DRY CHEMICAL, CARBON DIOXIDE, FOAM. WATER

MAY BE INEFFECTIVE, USE IT TO COOL FIRE EXPOSED CONTAINERS.  
Fire Fighting Procedures:HIGH TEMPERATURES MAY CAUSE BURSTING. DO NOT PLACE CONTAINER ON RADIATOR, STOVE, DIRECT SUNLIGHT OR OTHER HEAT SOURCE. DO NOT PUNCTURE. CONTENTS UNDER PRESSURE.  
Unusual Fire/Explosion Hazard:VAPOR MAY IGNITE EXPLOSIVELY. SPRAY MIST OR VAPOR IS HEAVIER THAN AIR & MAY TRAVEL ALONG GROUND/LOW PLACES TO IGNITION SOURCE & FLASHBACK.

## Accidental Release

Spill Release Procedures:ELIMINATE SOURCES OF IGNITION. SOAK UP W/ABSORBENT MATERIAL & REMOVE TO A CHEMICAL DISPOSAL AREA. PREVENT ENTRY INTO NATURAL BODIES OF WATER.  
Neutralizing Agent:MFR GAVE NO INFORMATION ON MSDS.

## Handling

Handling and Storage Precautions:DO NOT STORE AT TEMPERATURES ABOVE 120F.  
Other Precautions:NONE.

## Exposure Controls

Respiratory Protection:WHERE AIR CONTAMINANTS CAN EXCEED ACCEPTABLE CRITERIA USE NIOSH/MSHA APPROVED RESPIRATORY PROTECTION EQUIPMENT. SELECT RESPIRATORS BASED ON FORM & CONCENTRATION OF CONTAMINANTS IN AIR I/A/W OSHA 29CFR 1910.134 OR OTHER APPLICABLE STANDARD.  
Ventilation:USE SUFFICIENT VENTILATION IN VOLUME & AIR FLOW PATTERN TO KEEP CONTAMINANT CONCENTRATION BELOW ACCEPTABLE CRITERIA.  
Protective Gloves:IMPERVIOUS GLOVES TO PREVENT CONTACT  
Eye Protection:GOGGLES IF CONTACT IS LIKELY  
Other Protective Equipment:MFR GAVE NO INFORMATION ON MSDS.  
Work Hygienic Practices:MFR:?. HMIS:USE GOOD CHEMICAL HYGIENE PRACTICES. AVOID CONTACT IF AT ALL POSSIBLE. WASH THOROUGHLY AFTER HANDLING.  
Supplemental Safety and Health  
NONE

## Chemical Properties

HCC:V3  
NRC/State Lic Num:NONE  
Vapor Pres:SEE CAN  
Vapor Density:>1  
Spec Gravity:Evaporation Rate & Reference:>1 (N-BUAC = 1)  
Solubility in Water:SLIGHT  
Appearance and Odor:MFR GAVE NO INFORMATION ON MSDS.  
Percent Volatiles by Volume:87-90

## Stability

Stability Indicator/Materials to Avoid:YES  
MFR GAVE NO INFORMATION ON MSDS.  
Stability Condition to Avoid:MFR GAVE NO INFORMATION ON MSDS.  
Hazardous Decomposition Products:OXIDES OF CARBON.  
Conditions to Avoid Polymerization:WILL NOT OCCUR.

## Disposal

Waste Disposal Methods:DISPOSE OF I/A/W FEDERAL, STATE, PROVINCIAL & LOCAL REQUIREMENTS. EMPTY CONTAINER MAY CONTAIN EXPLOSIVE VAPORS. DO NOT CUT, PUNCTURE, OR WELD NEARBY. INCINERATION WILL CAUSE CONTAINER TO BURST VIOLENT LY.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.