

ANISOLE, B469

MSDS Number

BXHYR

National Stock Number

6810-00N058929

Product Name

ANISOLE, B469

Manufacturer

J T BAKER INC

Product Identification

Product ID:ANISOLE, B469

MSDS Date:05/01/1989

FSC:6810

NIIN:00N058929

MSDS Number: BXHYR

Responsible Party

J T BAKER INC

222 RED SCHOOL LN

PHILLIPSBURG , NJ 08865

US

Emergency Phone: 800-424-9300 (CHEMTREC)

Info Phone: 800-582-2537

Cage: DO803

Contractor

MALLINCKRODT BAKER, INC.

PHILLIPSBURG, NJ 08865

US

800-582-2537

Cage: 70829

Ingredients

PHENOL (SARA 302/313) (CERCLA)

CAS: 108-95-2

RTECS: SJ3327000

Fraction By Weight: 0.2%

OSHA PEL5 PPM, S

ACGIH TLV: 5 PPM, S

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: INHAL: COUGHING, CHEST PAIN,
IRRITATION OF NOSE AND THROAT. SKIN/EYES: IRRITATION. CHRONIC: NONE
IDENTIFIED.

Explanation of Carcinogenicity:NOT RELEVANT.
Effects of Overexposure:SEE HEALTH HAZARDS.
Medical Cond Aggravated by Exposure:NONE IDENTIFIED.

First Aid

First Aid:INGEST: IF SWALLOWED AND THE PERSON IS CONSCIOUS, IMMEDIATELY GIVE LARGE AMOUNTS OF WATER. GET MEDICAL ATTENTION. INHAL: IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. SKIN: IN CASE OF CONTACT, FLUSH SKIN WITH WATER. EYES: IN CASE OF CONTACT, IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES.

Fire Fighting

Flash Point Method:CC
Flash Point:125F,52C
Extinguishing Media:ALCOHOL FOAM, DRY CHEMICAL OR CARBON DIOXIDE.
(WATER MAY BE INEFFECTIVE.)
Fire Fighting Procedures:WEAR NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP
. MOVE CONTRS FROM FIRE AREA IF IT CAN BE DONE W/OUT RISK. USE
WATER TO KEEP FIRE-EXPOSED CONTRS COOL.
Unusual Fire/Explosion Hazard:NONE IDENTIFIED.

Accidental Release

Spill Release Procedures:WEAR SUITABLE PROT CLTHG. SHUT OFF IGNIT
SOURCES; NO FLARES, SMKNG/FLAMES IN AREA. STOP LEAK IF YOU CAN DO
SO W/OUT RISK. USE WATER SPRAY TO REDUCE VAPS. TAKE UP W/SAND/OTHER
NON-COMBUST ABSORB MATL & PLACE INTO CONTR FOR DISP. FLUSH AREA
W/WATER.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:KEEP CONTAINER TIGHTLY CLOSED. STORE
IN A COOL, DRY, WELL-VENTILATED, FLAMMABLE LIQUID STORAGE AREA OR
CABINET.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

Exposure Controls

Respiratory Protection:NONE REQUIRED WHERE ADEQ VENT CNDTNS EXIST. IF
AIRBORNE CONC IS HIGH, A NIOSH/MSHA APPROVED CHEM CARTRIDGE RESP
W/ORG VAP CARTRIDGE IS RECOM. IF CONC EXCEEDS CAPACITY OF CARTRIDGE
RESP, A NIOSH/MSHA A PPROVED SCBA IS ADVISED.
Ventilation:USE ADEQUATE GENERAL OR LOCAL EXHAUST VENTILATION TO KEEP
VAPOR AND MIST LEVELS AS LOW AS POSSIBLE.
Protective Gloves:RUBBER GLOVES.
Eye Protection:ANSI APPRVD CHEM WORKERS GOGGS .
Other Protective Equipment:UNIFORM.
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

Chemical Properties

Boiling Pt:B.P. Text:309F,154C
Melt/Freeze Pt:M.P/F.P Text:-34F,-37C
Vapor Pres:42.2
Vapor Density:3.72
Spec Gravity:1.00 (H*20=1)
Solubility in Water:NEGLIGIBLE (Appearance and Odor:COLORLESS LIQUID, WITH AROMATIC ODOR)

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.
Stability Condition to Avoid:HEAT, FLAME, OTHER SOURCES OF IGNITION.
Hazardous Decomposition Products:NONE IDENTIFIED.

Disposal

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE &
FEDERAL ENVIRONMENTAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.