

## **SR1000**

### **MSDS Number**

BXNCW

### **National Stock Number**

8040-00F041122

### **Product Name**

SR1000

### **Manufacturer**

DEXTER ELECTRONIC MATERIALS DIV

### **Product Identification**

Product ID:SR1000

MSDS Date:06/15/1988

FSC:8040

NIIN:00F041122

MSDS Number: BXNCW

### **Responsible Party**

DEXTER ELECTRONIC MATERIALS DIV

15051 E DON JULIAN RD

INDUSTRY , CA 91749-1282

US

Emergency Phone: 818-916-9107/716-372-6309

Info Phone: 818-968-6511/716-372-6309

Preparer: PHIL PERKINS

Cage: 04347

### **Contractor**

DEXTER CORP THE DEXTER ELECTRONIC MATERIAL DIV

OLEAN, NY 14760-1297

US

716-372-6300/6309

Cage: 04347

### **Ingredients**

DIETHYLENE GLYCOL MONOETHYL ETHER ACETATE

CAS: 112-15-2

RTECS: KK8295000

Fraction By Weight: 1-15%

PARA-TERTIARY BUTYLPHENYL GLYCIDYL ETHER

CAS: 3101-60-8

RTECS: TX4250000

Fraction By Weight: 1-15%

### **Hazards**

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: EYES: SEVERE IRRITATION. SKIN: MODERATE IRRITATION, DERMATITIS. INHALATION: NASAL & RESPIRATORY IRRITATION, ASPHYXIATION, PULMONARY EDEMA. INGESTION: DAMAGE TO THROAT & ESOPHAGUS. MAY CAUSE PNEUMONIA & KIDNEY DAMAGE.  
Explanation of Carcinogenicity: NONE  
Effects of Overexposure: IRRITATION, REDNESS, TEARING, BLURRED VISION, DEFATTING, DIZZINESS, WEAKNESS, FATIGUE, NAUSEA, HEADACHE, UNCONSCIOUSNESS, VOMITING.  
Medical Condition Aggravated by Exposure: CHRONIC RESPIRATORY/KIDNEY DISEASE.

## First Aid

First Aid: EYES: FLUSH W/PLENTY OF WATER FOR 15 MINS. SKIN: WASH W/ SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. GIVE CPR IF NEEDED. OBTAIN MEDICAL ATTENTION IN ALL CASES.

## Fire Fighting

Flash Point Method: SCC  
Flash Point: 230F  
Extinguishing Media: CO<sub>2</sub>, FOAM, DRY CHEMICAL, WATER SPRAY/FOG.  
Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING APPARATUS.

## Accidental Release

Spill Release Procedures: REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. COVER W/ABSORBENT MATERIAL & REMOVE TO WASTE CONTAINER.

## Handling

Handling and Storage Precautions: STORE IN CLOSED CONTAINER IN A COOL, DRY AREA AWAY FROM HEAT.  
Other Precautions: AVOID PROLONGED/REPEATED BREATHING OF VAPORS/CONTACT W/SKIN.

## Exposure Controls

Respiratory Protection: PROPERLY FITTED NIOSH/MSHA APPROVED SCBA/INDUSTRIAL TYPE CANISTER MASK IN ENCLOSED AREAS W/POOR/NO VENTILATION SYSTEM.  
Ventilation: LOCAL EXHAUST PREFERRED. MECHANICAL EXHAUST ACCEPTABLE.  
Protective Gloves: HYDROCARBON INSOLUBLE RUBBER/PLASTIC  
Eye Protection: CHEMICAL GOGGLES/FACE SPLASH SHIELD  
Other Protective Equipment: SAFETY GLASSES/HYDROCARBON INSOLUBLE APRONS/EYE WASH/SAFETY SHOWER.  
Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING.  
Supplemental Safety and Health

## Chemical Properties

Vapor Density: >1  
Spec Gravity: 1.16  
Appearance and Odor: GREEN, LIQUID W/MILD ODOR.  
Percent Volatiles by Volume: 2-5

## Stability

Stability Indicator/Materials to Avoid: YES  
Stability Condition to Avoid: HIGH TEMP, OPEN FLAMES  
Hazardous Decomposition Products: CO, CO<sub>2</sub>

## Disposal

Waste Disposal Methods: DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

