

TRIBOLUBE-L3 LUBRICATING OIL

MSDS Number

BXSDR

National Stock Number

9150-01-310-5762

Product Name

TRIBOLUBE-L3 LUBRICATING OIL

Manufacturer

AEROSPACE LUBRICANTS INC

Product Identification

Product ID:TRIBOLUBE-L3 LUBRICATING OIL

MSDS Date:03/01/1995

FSC:9150

NIIN:01-310-5762

MSDS Number: BXSDR

Responsible Party

AEROSPACE LUBRICANTS INC.

1505 DELASHMUT AVE

COLUMBUS , OH 43212-2641

US

Emergency Phone: 614-291-3045

Info Phone: 614-291-3045

Cage: 66164

Contractor

AEROSPACE LUBRICANTS INC.

COLUMBUS, OH 43228

US

614-878-3600

Cage: 66164

Ingredients

NON HAZARDOUS INGREDIENTS.

Fraction By Weight: 100%

Hazards

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: NONE. CHRONIC: NONE.

Effects of Overexposure:PROLONGED AND REPEATED CONTACT WITH SKIN MAY CAUSE IRRITATION.

Medical Cond Aggravated by Exposure:NONE KNOWN.

First Aid

First Aid:INHALATION- NO SPECIAL RESPIRATORY PROTECTION REQUIRED. EYES- FLUSH WITH WATER AND CONSULT PHYSICIAN. SKIN- WASH WITH SOAP AND WATER. IF IRRITATION OCCURS, CONSULT PHYSICIAN. INGESTION- CONSULT PHYSICIAN.

Fire Fighting

Flash Point Method:COC

Flash Point:360F,182C
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, CHEMICAL FOAM, WATER
FOG.

Fire Fighting Procedures:DO NOT ENTER ANY ENCLOSED OR CONFINED FIRE
SPACE WITHOUT PROPER PROTECTIVE EQUIPMENT. THIS MAY INCLUDE
SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:DO NOT WELD, HEAT OR DRILL CONTAINER.
RESIDUE MAY IGNITE WITH EXPLOSIVE FORCE IF HEATED SUFFICIENTLY. DO
NOT PRESSURE TO EMPTY DRUM/CAN OR EXPLOSION MAY OCCUR.

Accidental Release

Spill Release Procedures:STOP THE SOURCE OF THE LEAK. CLEAN UP AS SOON
AS POSSIBLE. CONTAIN LIQUID TO PREVENT FURTHER CONTAMINATION OF
SOIL, SURFACE WATER OR GROUND WATER. CLEAN SMALL SPILLS BY USING
ABSORBENT MATERIAL OR PUM PING.

Handling

Handling and Storage Precautions:DO NOT STORE ABOVE 250F OR NEAR
FLAMMABLES.

Other Precautions:AVOID SPILLS.

Exposure Controls

Respiratory Protection:NOT REQUIRED.

Ventilation:LOCAL EXHAUST AND MECHANICAL (GENERAL) VENTILATION.

Protective Gloves:PLASTIC DISPOSABLE.

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:PLASTIC OR FABRC APRON OR LABORATORY COAT AS
NEEDED.

Work Hygienic Practices:DO NOT CONTAMINATE SMOKING MATERIALS.

Supplemental Safety and Health

NONE

Chemical Properties

HCC:V6

Boiling Pt:B.P. Text:>350F,>177C

Vapor Pres:0.1 MM HG

Spec Gravity:0.8368

Solubility in Water:NEGLIGIBLE

Appearance and Odor:RED-BROWN, ODORLESS.

Stability

Stability Indicator/Materials to Avoid:YES

MAY REACT WITH STRONG OXIDIZING MATERIALS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:NORMAL COMBUSTION CAUSES CARBON
DIOXIDE AND WATER; INCOMPLETE COMBUSTION MAY CAUSE CARBON MONOXIDE.

Disposal

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND
LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.