

## **D GREASE-NATURAL**

### **MSDS Number**

BXVWX

### **National Stock Number**

7930-00N060680

### **Product Name**

D GREASE-NATURAL

### **Manufacturer**

PRECISION SUPPLY

### **Product Identification**

Product ID:D GREASE-NATURAL

MSDS Date:11/14/1988

FSC:7930

NIIN:00N060680

MSDS Number: BXVWX

### **Responsible Party**

PRECISION SUPPLY

4450 CALIFORNIA AVE SUITE K 137

BAKERSFIELD , CA 93309

US

Emergency Phone: 800-424-9300 (CHEMTREC)

Info Phone: 305-974-5440

Cage: JO046

### **Contractor**

PRECISION SUPPLY

BAKERSFIELD, CA 93309

US

305-974-5440

Cage: JO046

### **Ingredients**

CYCLOHEXENE, 1-METHYL-4-(1-METHYLETHENYL)-, (R)-; (CITRUS

CAS: 5989-27-5

RTECS: GW6360000

OSHA PELN/K

ACGIH TLV: N/K

ISOPROPYL ALCOHOL (SARA 313)

CAS: 67-63-0

RTECS: NT8050000

OSHA PEL400 PPM

ACGIH TLV: 400 PPM/500STEL

HYDROCARBON PROPELLANT

CAS: 68476-86-8

OSHA PEL1000 PPM (MFR)

ACGIH TLV: 1000 PPM (MFR)

## Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE & CHRONIC: SKIN

CONTACT/ABSORPTION: NO EVIDENCE OF ADVERSE EFFECTS FROM AVAILABLE INFORMATION. PROLONGED OR REPEATED CONTACT MAY CAUSE IRRITATION.

INGESTION: CAN CAUSE GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING AND DIARRHEA. ASPIRATION OF MATERIAL INTO LUNGS CAN CAUSE CHEMICAL PNEUMONITIS. (EFTS OF OVEREXP)

Explanation of Carcinogenicity:NOT RELEVANT.

Effects of Overexposure:HLTH HAZ: EYES: CAN CAUSE SEVERE IRRITATION, REDNESS, TEARING, AND BLURRED VISION. INHALATION: PRODUCT IS FOAM. INHALATION OF VAPORS UNLIKELY. NO HARMFUL EFFECTS KNOWN FROM AVAILABLE INFORMATION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

## First Aid

First Aid:EYES: FLUSH WITH WATER, LIFTING UPPER AND LOWER LIDS, FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION. SKIN: WASH EXPOSED SKIN AREAS WITH SOAP AND WATER. INHALATION: TREAT FOR STRANGULATION. INGESTION: DILUTE WITH WATER. DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION.

## Fire Fighting

Flash Point Method:TOC

Flash Point:130F,54C

Extinguishing Media:FOAM, DRY CHEMICAL, CARBON DIOXIDE. LEVEL 2 AEROSOL (NFPA 30B).

Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT . KEEP CONTAINERS COOL.

Unusual Fire/Explosion Hazard:AT ELEVATED TEMPERATURES (ABOVE 120F), CONTAINERS MAY VENT, RUPTURE OR BURST.

## Accidental Release

Spill Release Procedures:CLEAN UP AREA BY MOPPING OR WITH ABSORBENT MATERIALS AND PLACE IN CLOSED CONTAINERS FOR DISPOSAL. CONTACT FEDERAL, STATE, AND LOCAL AUTHORITIES FOR APPROVED DISPOSAL PROCEDURES.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

## Handling

Handling and Storage Precautions:DO NOT STORE AT TEMPERATURES ABOVE 120F.

Other Precautions:PLEASE READ AND FOLLOW THE DIRECTIONS ON THE PRODUCT LABEL. THEY ARE YOUR BEST GUIDE TO USING THIS PRODUCT IN THE MOST EFFECTIVE WAY, AND THEY ALSO GIVE THE NECESSARY SAFETY PRECAUTIONS TO PROTECT YOUR HEALTH.

## Exposure Controls

Respiratory Protection:UNDER NORMAL CONDITIONS, NO RESPIRATORY PROTECTION IS REQUIRED. USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation:NORMAL VENTILATION.

Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:ANSI APPRVD CHEM WORKERS GOGGS .

Other Protective Equipment:EMERGENCY EYEWASH & DELUGE SHOWER MEETING ANSI DESIGN CRITERIA .

Work Hygienic Practices:DO NOT EAT, DRINK OR SMOKE IN WORK AREA. WASH HANDS BEFORE EATING.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

## Chemical Properties

Vapor Pres:45 @ 75F  
Spec Gravity:0.945 (H\*20=1)  
Solubility in Water:COMPLETE  
Appearance and Odor:WHITE GEL WITH CITRUS ODOR  
Percent Volatiles by Volume:>40

## Stability

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS, STRONG ACIDS OR BASES, SELECTED AMINES.  
Stability Condition to Avoid:DO NOT EXPOSE TO TEMPERATURES ABOVE 120F.  
Hazardous Decomposition Products:THERMAL DECOMPOSITION IN THE PRESENCE  
OF AIR MAY YIELD CARBON MONOXIDE AND/OR CARBON DIOXIDE.

## Disposal

Waste Disposal Methods:WHEN USED PROPERLY AEROSOL PROD DO NOT GENERATE  
HAZ WASTE. EMPTY CONTRS CAN NOT BE REUSED & SHOULD BE WRAPPED & PUT  
IN A PERMITTED WASTE MANAGEMENT FACILITY. CONSULT FEDERAL, STATE,  
AND LOCAL DISPOSAL AUTHORITIES FOR APPROVED PROCEDURES.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.