

PRELUBE 6

MSDS Number

BZNSH

National Stock Number

9150-00-935-4127

Product Name

PRELUBE 6

Manufacturer

GRIGNARD CO INC

Product Identification

Product ID:PRELUBE 6
MSDS Date:06/01/1993
FSC:9150
NIIN:00-935-4127
MSDS Number: BZNSH

Responsible Party

GRIGNARD CO INC
60 GRANT AVE
CARTERET , NJ 07008-2720
US
Emergency Phone: 201-541-6661
Info Phone: 201-541-6661
Cage: 27843

Contractor

HOLLAND J HENRY CORP (804-460-3300)
UNKNOW
PORT READING, NJ 07064-1044
US
731-541-1916
Cage: 8D826

Ingredients

VEHICLE (MINERAL OIL)
CAS: 64742-53-6
RTECS: PY8036000
OSHA PEL5 MG/M3 (OIL MIST)
ACGIH TLV: 5 MG/M3 (OIL MIST)

ADDITIVE (BARIUM SULFONATE)
CAS: 61790-48-5
RTECS: CR0700000
OSHA PEL0.5 MG/M3
ACGIH TLV: 0.5 MG/M3

OTHERS (ACETIC ACID ETHENYL ESTER POLYMER WITH ETHENE)

CAS: 24937-78-8

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: NA. CHRONIC: NA.
Explanation of Carcinogenicity:NA
Effects of Overexposure:PROLONGED OR REPEATED USE MAY CAUSE MILD SKIN IRRITATION.
Medical Cond Aggravated by Exposure:NA -NONE- THSI PRODUCT IS JUDGED TO BE NEITHER A "CORROSIVE" NOR AN "IRRITANT" BY OSHA CRITERIA.

First Aid

First Aid:INHALATION-VAPOR INHALATION UNDER AMBIENT CONDITIONS IS NORMALLY NOT A PROBLEM. EYES-FLUSH WITH CLEAR WATER UNTIL IRRITATION SUBSIDES. SKIN-WASH THOROUGHLY WITH SOAP AND WATER. INGESTION-DO NOT INDUCE VOMITING, CALL A PHYSICIAN IMMEDIATELY.

Fire Fighting

Flash Point Method:COC
Flash Point:360F,182C
Extinguishing Media:DRY CHEMICAL, CARBON DIOXIDE, FOAM.
Fire Fighting Procedures:USE AIR-SUPPLIED RESCUE EQUIPMENT.
Unusual Fire/Explosion Hazard:DO NOT MIX OR STORE WITH STRONG OXIDANTS.

Accidental Release

Spill Release Procedures:RECOVER FREE LIQUID, ADD ABSORBENT TO SPILL AREA.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:KEEP CONTAINER CLOSED. KEEP AWAY FROM HEAT AND OPEN FLAMES.
Other Precautions:AVOID BREATHING OIL MIST. REMOVE OIL IMPREGNATED CLOTHING. WASH THOROUGHLY AFTER EXPOSURE.

Exposure Controls

Respiratory Protection:NORMALLY NOT NEEDED.
Ventilation:LOCAL EXHAUST-NO CAPTURE HOT FUMES.
Protective Gloves:NORMALLY NOT NEEDED.
Eye Protection:NORMALLY NOT NEEDED.
Other Protective Equipment:OIL IMPERVIOUS APRON IF NEEDED.
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.
Supplemental Safety and Health
NONE

Chemical Properties

HCC:V6
Boiling Pt:B.P. Text:NA
Melt/Freeze Pt:M.P/F.P Text:NA
Vapor Pres:0.01 @100F
Vapor Density:12
Spec Gravity:0.930
Solubility in Water:NONE
Appearance and Odor:LIGHT COLOR, BLAND ODOR

Stability

STRONG OXIDIZERS LIKE LIQUID CHLORINE AND CONCENTRATED OXYGEN.
Stability Condition to Avoid:HIGH TEMPERATURE AND FLAMES
Hazardous Decomposition Products:CARBON MONOXIDE IN THE CASE OF INCOMPLETE COMBUSTION.

Disposal

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.