

KX-PR145

MSDS Number

BZYVG

National Stock Number

6850-00F050359

Product Name

KX-PR145

Manufacturer

S T SANGYO CO LTD

Product Identification

Product ID:KX-PR145

MSDS Date:07/09/1995

FSC:6850

NIIN:00F050359

MSDS Number: BZYVG

Responsible Party

S T SANGYO CO LTD

3-11 2-CHOME RYUTSU-DANCHI

KOSHIGAYA-AHI SALTAMA-KEN

JA

Emergency Phone: 0489-88-6711

Info Phone: 0489-88-6711

Preparer: K KITACHI

Cage: GO605

Contractor

S T SANGYO CO LTD

KOSHIGAYA-AHI SALTAMA-KEN

JA

0489-88-6711

Cage: GO605

Ingredients

SORBITAN TRIOLEATE *96-2*

CAS: 26266-58-0

RTECS: WG2934550

Fraction By Weight: 34.5%

LUBRICATING OILS PETROLEUM, C20-50, HYDROTREATED NEUTRAL

CAS: 72623-87-1

Fraction By Weight: 48%

NIGROSINE BASE, SOLVENT BLACK 7 *96-2*

CAS: 8005-02-5

Fraction By Weight: 11%

COLUMBIA CARBON, CARBON BLACK, LAMPBLACK, BLACK PEARLS

CAS: 1333-86-4

RTECS: FF5800000

Fraction By Weight: 6-11%

OSHA PEL3.5 MG/CUM

ACGIH TLV: 3.5 MG/CUM

C.I. BASIC BLUE 7

CAS: 2390-60-5

Fraction By Weight: 1.5%

SOLVENT YELLOW 29

CAS: 6706-82-7

Fraction By Weight: 1%

Hazards

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Explanation of Carcinogenicity:NONE

First Aid

First Aid:EYES: FLUSH THOROUGHLY W/CLEAN WATER. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Fire Fighting

Flash Point:356F
Lower Limits:0.1
Upper Limits:2
Extinguishing Media:DRY CHEMICAL, CO2.
Fire Fighting Procedures:DIRECT SPRAYING OF DRY CHEMICAL/CO2 TO FIRE.

Accidental Release

Spill Release Procedures:WIPE W/PAPER.

Handling

Handling and Storage Precautions:STORE AWAY FROM HIGH TEMPS, SPARKS/OPEN FLAME.

Exposure Controls

Ventilation:NOT REQUIRED
Protective Gloves:PLASTIC GLOVES
Eye Protection:NOT REQUIRED
Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:>356F
Melt/Freeze Pt:M.P/F.P Text:>14F
Vapor Pres:0.01
Spec Gravity:1.01
Solubility in Water:SLIGHT
Appearance and Odor:SWEET

Stability

Stability Indicator/Materials to Avoid:YES
Stability Condition to Avoid:HEAT >158F, SPARKS & OPEN FLAME.

Disposal

Waste Disposal Methods:DON'T DISSOLVE IN WATER. OBTAIN MEDICAL ATTENTION IN ALL CASES. DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.