

TOUCHDOWN 757 OUTDOOR ALL WEATHER ADHESIVE

MSDS Number

CBHTF

National Stock Number

8040-00N068437

Product Name

TOUCHDOWN 757 OUTDOOR ALL WEATHER ADHESIVE

Manufacturer

W F TAYLOR CO INC

Product Identification

Product ID:TOUCHDOWN 757 OUTDOOR ALL WEATHER ADHESIVE

MSDS Date:10/07/1988

FSC:8040

NIIN:00N068437

MSDS Number: CBHTF

Responsible Party

W.F. TAYLOR CO INC

11545 PACIFIC AVE

FONTANA, CA 92335

US

Emergency Phone: 800-535-5053

Info Phone: 909-360-6677

Cage: IO801

Contractor

W.F. TAYLOR CO INC

UNKNOW

FONTANA, CA 92335

US

909-360-6677

Cage: WFTAY

Ingredients

LACOLENE; (PETROLEUM DISTILLATE)

CAS: 64742-89-8

Fraction By Weight: 32%

OSHA PELN/K ACGIH TLV: N/K

371 GRAMS/LITER;

RTECS: 9999999VO

OSHA PELN/K

ACGIH TLV: N/K

Hazards

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.



Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: ACUTE: MAY LEAD TO HEADACHE, SKIN RASH.

SYMPS OF OVEREXP: INHAL: MAY CAUSE HEADACHE AND DROWSINESS. EYES AND SKIN: MAY CAUSE SLIGHT IRRITATION. INGESTION: MAY CAUSE VOMITING.

SYMPTOMS MAY BE SAME AS INHALA TION. CHRONIC: MAY CAUSE DIZZINESS,

IRRITATED MUCOUS MEMBRANES, SKIN RASH.

Explanation of Carcinogenicity: NOT RELEVANT

Effects of Overexposure: SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure: NONE KNOWN.

First Aid

First Aid: EYES: WASH WITH WATER FOR AT LEAST 15 MINUTES. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. APPLY SKIN CREAM. IF IRRITATION PERSISTS, SEE A PHYSICIAN. INHALATION: REMOV E TO FRESH AIR, ADMINISTER OXYGEN AND IF NECESSARY, SEEK MED ATTN. INGEST: SEEK MED ATTN. DO NOT INDUCE VOMIT, THIS COULD CAUSE CHEM PNEUM. NOTES TO MD:DETERM IF EMESIS SHOULD BE INDUCED FOR INGEST.

Fire Fighting

Flash Point Method:TCC Flash Point:21.0F,-6.1C Lower Limits: 1.0%

Upper Limits:8.0%

Extinguishing Media: WATER SPRAY, FOAM, CARBON DIOXIDE, DRY CHEMICAL.

Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT. WATER MAY SPREAD BURNING LIQUID. AVOID DIRECT STREAM OF WATER.

Unusual Fire/Explosion Hazard: DO NOT EXPOSE TO EXCESSIVE HEAT, OPEN FLAME OR SPARKS. TURN OFF ALL PILOT LIGHTS.

Accidental Release

Spill Release Procedures: SOAK UP MATERIAL WITH SAND OR CLAY. PLACE CONTAMINATED MATERIAL IN NON-LEAKING CONTAINER. WASH DOWN AREA WITH WATER.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions: PROTECT AGAINST PHYSICAL DAMAGE. STORE IN A COOL PLACE. KEEP OUT OF THE REACH OF CHILDREN. DO NOT INDUCE VOMITING IF INGESTED.

Other Precautions: AVOID BREATHING BUILD UP OF VAPORS. USE WITH ADEQUATE VENTILATION.

Exposure Controls

Respiratory Protection: NONE REQUIRED, UNLESS EXPOSURE IS OVER TLV. USE NIOSH/MSHA APPROVED RESPIRATOR.

Ventilation: LOCAL EXHAUST. OPEN WINDOWS IF NECESSARY.

Protective Gloves: ACRYLONITRILE GLOVES.

Eye Protection: ANSI APPROVED CHEM WORKERS GOGGS .

Other Protective Equipment: ANSI APPROVED EMERGENCY EYE WASH AND DELUGE SHOWER.

Work Hygienic Practices: IF CLOTHING BECOMES CONTAMINATED, REMOVE AND

CLEAN BEFORE REWEARING. FOLLOW ALL LABEL INSTRUCTIONS.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

Chemical Properties

Boiling Pt:B.P. Text: 206F,97C

Spec Gravity: 0.8-1.0

Evaporation Rate & Reference:9 (N-BUAC ACETATE=1)

Solubility in Water:NIL

Appearance and Odor:BROWN MASTIC, MILD ODOR.

Stability

Stability Indicator/Materials to Avoid:YES



NONE KNOWN.

Stability Condition to Avoid:STORAGE IN AREAS OF EXCESSIVE HEAT. Hazardous Decomposition Products:OXIDES OF CARBON.

Disposal

Waste Disposal Methods: DISPOSE OF ALL WASTES IN ACCORDANCE WITH FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.