

X-306 CAT FOR 463-6-3 OR 463-6-5

MSDS Number

CBQPM

National Stock Number

8010-01-053-8740

Product Name

X-306 CAT FOR 463-6-3 OR 463-6-5

Manufacturer

AKZO COATINGS INC

Product Identification

Product ID:X-306 CAT FOR 463-6-3 OR 463-6-5

MSDS Date:01/04/1993

FSC:8010

NIIN:01-053-8740

MSDS Number: CBQPM

Responsible Party

AKZO COATINGS INC

434 W MEATS AVE

ORANGE , CA 92665

US

Emergency Phone: 800-424-9300 (CHEMTREC)

Info Phone: 714-637-1750

Cage: 98502

Contractor

AKZO COATINGS INC

ORANGE, CA 92661

US

714-637-1750; CHEMTREC 800-424-9300

Cage: 98502

Ingredients

32.8 @

CAS: 67-63-0

RTECS: NT8050000

Fraction By Weight: 35-45%

OSHA PEL400 PPM

ACGIH TLV: 400 PPM;500 STEL

5.1 @ 68F.

CAS: 1330-20-7

RTECS: ZE2100000

Fraction By Weight: 35.5%

OSHA PEL100 PPM

ACGIH TLV: 100 PPM;150 STEL

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

7.1 @ 68F.

CAS: 100-41-4

RTECS: DA0700000

Fraction By Weight: 8.3%

OSHA PEL100 PPM

ACGIH TLV: 100 PPM;125 STEL

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

ETHYLENEDIAMINE,N-(3-(TRIMETHOXYSILYL)PROPYL)-;

CAS: 1760-24-3

RTECS: KV7400000

Fraction By Weight: 5-10%

OSHA PELN/K

ACGIH TLV: N/K

PHENOL, 2,4,6-TRIS(DIMETHYLAMINOMETHYL)-;

CAS: 90-72-2

RTECS: SN3500000

Fraction By Weight: 1-5%

OSHA PELN/K

ACGIH TLV: N/K

6.21 LBS/GAL (LESS WATER; LESS

RTECS: 9999999VO

CONTENTS OF THIS PACKAGE MAY BE HARMFUL OR FATAL.

RTECS: 9999999ZZ

WITH GLOVE MANUFACTURER TO DETERMINE PROPER

RTECS: 9999999ZZ

TO, WASHING WHEN SFTY EQUIP IS REMOVED, AT

RTECS: 9999999ZZ

Hazards

LD50 LC50 Mixture:SEE INGREDIENTS.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:HARMFUL IF SWALLOWED. MAY CAUSE EYE BURNS. CAN BE ABSORBED THRU SKIN. MAY CAUSE NOSE & THROAT

IRRIT. MAY CAUSE ALLERGIC SKIN RXN. CAUSES SKIN BURNS. MAY CAUSE LUNG INJURY. MAY AFFECT BRAIN/NERV SYS, CAUSING DIZZ, HDCH/NAUS. HARMFUL IF INHALED. OTHER EFTS OF OVEREXP MAY INCL:FATG, BURNS TO MOUTH, (EFTS OF OVEREXP)

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:HLTH HAZ:THROAT & ESOPHAGUS, VOMIT, UNCON, SWELL & REDNESS OF SKIN, DRYING OF NASAL MUCOSA, WEAK, ASTHMA, PNEUMOCONIOSIS, SHORTNESS OF BREATH, DERM, ASPHY, WHEEZING, GASTRITIS, INFLAMM OF MUC MEMBS OF NOSE & THROAT, NAUS, DROW, DRYNESS OF MOUTH, ABDOM PAIN, REDUCED VISIBILITY, NARCOS, DIARR, DEPOSITS IN EYES. (SUPDAT)

Medical Cond Aggravated by Exposure:SKIN DISORDERS, PULMONARY CONDITIONS.

First Aid

First Aid:SKIN:REMOVE CONTAM CLTHG & WASH BEFORE REUSE. REMOVE & DESTROY CONTAM SHOES. FLUSH W/WATER FOR AT LST 15 MINS & GET MED ATTN. EYES:FLUSH W/WATER FOR AT LST 15 MINS & GET MED ATTN. INHAL:REMOVE TO FRES H AIR. IF NOT BRTHG, GIVE ARTF RESP, PREF MOUTH-TO-MOUTH. IF BRTHG IS DFCLT, GIVE OXYG. GET MED ATTN. INGEST:GET MEDICAL ATTENTION IMMEDIATELY.

Fire Fighting

Flash Point Method:CC

Flash Point:55.0F,12.8C

Lower Limits:1%

Extinguishing Media:FOAM, CARBON DIOXIDE OR DRY CHEMICAL.

Fire Fighting Procedures:USE NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP . WATER MAY BE INEFT IN FIGHTING FIRE. IF WATER IS USED TO COOL CLSD CNTNRS TO PVNT PRESS BUILD-UP, (SUPDAT)

Unusual Fire/Explosion Hazard:FLAMMABLE LIQUID - 1B. DURING EMER CNDTNS, OVEREXP TO DECOMP PRODS MAY CAUSE HEALTH HAZARD; SYMPTOMS MAY NOT BE IMMEDIATELY APPARENT. OBTAIN MEDICAL ATTENTION.

Accidental Release

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. WEAR APPROPRIATE SAFETY EQUIPMENT AS LISTED IN SAFE HANDLING & USE INFORMATION SECTION. ABSORB ON INERT MATERIAL & DISPOSE OF AS LISTED IN WASTE DISPOSAL METHODS SECTIO N.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:STORE AWAY FROM IGNITION SOURCES. STORE IN A CLEAN, DRY AREA. STORE IN WELL-VENTILATED AREA, AVOID STRONG OXIDIZING AGENTS.

Other Precautions:KEEP CONTAINERS CLOSED WHEN NOT IN USE. EMPTY CONTAINER MAY RETAIN PRODUCT RESIDUES (VAPOR OR LIQUID). ALL PRECAUTIONS MUST BE OBSERVED.

Exposure Controls

Respiratory Protection:WEAR AN APPROPRIATE, PROPERLY FITTED NIOSH/MSHA APPROVED RESPIRATOR DURING APPLICATION & HANDLING UNLESS AIR MONITORING DEMONSTRATES VAPOR/MIST LEVELS BELOW APPLICABLE LIMITS. FOLLOW RESPIRATOR MFR'S RECOMMENDATIONS FOR SELECTION & USE.

Ventilation:SUFFICIENT VENTILATION MUST BE PROVIDED TO MAINTAIN AIRBORNE CONCENTRATIONS BELOW TLV, PEL & LEL LIMITS.

Protective Gloves:CHEM RESIST PROT GLOVES. CHECK (ING 8)

Eye Protection:ANSI APPROVED CHEM WORKERS GOGGS .

Other Protective Equipment:EYE WASH FOUNTAIN & DELUGE SHOWER WHICH MEET ANSI DESIGN CRITERIA . RUBBER APRON SHOULD BE WORN.

Work Hygienic Practices:GOOD PERSONAL HYGIENE PRACTICES ARE REQD AT ALL TIMES WHEN HNDLG CHEMS. THESE PRACTICES INCL, BUT ARE NOT LTD (ING 9)

Supplemental Safety and Health

FIRE FIGHT PROC:FOG NOZZLES ARE PREF. EFTS OF OVEREXP:CHRONIC:RPTD OVEREXP TO THIS PROD MAY CAUSE:SKIN SENSIT, LUNG DMG, CARDIAC ABNORMS, KIDNEY DMG, CNS DMG, LIVER ABNORMS. NOTICE:RPTS HAVE ASSOC

RPT D & PRLNG OVEREXP TO SOLVS W/PERM BRAIN& NERV SYS DMG.
INTENTIONAL MISUSE BY DELIB CONCENTRATING & INHALING (ING 7)

Chemical Properties

Boiling Pt:B.P. Text:>177F,>81C
Vapor Pres:SEE INGS
Vapor Density:HVR/AIR
Spec Gravity:0.84
Evaporation Rate & Reference:SLOWER THAN ETHER
Appearance and Odor:LIQUID.
Percent Volatiles by Volume:90.44

Stability

Stability Indicator/Materials to Avoid:YES
KETONES, EPOXIDES, ACIDS, EPOXY RESINS, ORGANIC HALIDES, OXIDIZERS,
ALDEHYDES.
Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAME, LIGHT.
Hazardous Decomposition Products:VARIOUS HYDROCARBONS, SILICON DIOXIDE,
OXIDES OF CARBON, OXIDES OF NITROGEN.

Disposal

Waste Disposal Methods:DISPOSE OF I/A/W FEDERAL, STATE & LOCAL
REGULATIONS. INCINERATION IS THE PREFERRED METHOD OF DISPOSAL.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.