

SNAP BACK SPRAY BUFF PRESSURIZED #14115-10 TO 14119-10

MSDS Number

CBTXY

National Stock Number

7930-01-380-8365

Product Name

SNAP BACK SPRAY BUFF PRESSURIZED #14115-10 TO 14119-10

Manufacturer

S C JONSON WAX

Product Identification

Product ID:SNAP BACK SPRAY BUFF PRESSURIZED #14115-10 TO 14119-10

MSDS Date:01/08/1994

FSC:7930

NIIN:01-380-8365 MSDS Number: CBTXY

Responsible Party

S.C. JONSON WAX

1525 HOWE ST

RACINE, WI 53403-2237

US

Emergency Phone: 800-228-5635

Info Phone: 414-631-2777

Preparer: TERRY A. MAYERS

Cage: NO353

Contractor

SC JOHNSON AND SON INC

RACINE, WI 53403-2236

US

800-725-6737

Cage: 32204

Ingredients

ISOPARAFFINIC HYDROCARBON SOLVENT

CAS: 64742-48-9

Fraction By Weight: 10-15%

DIETHYLENE GLYCOL MONOETHYL ETHER (SARA 313)

CAS: 111-90-0 RTECS: KK8750000

Fraction By Weight: 1-3%

ISOBUTANE CAS: 75-28-5

RTECS: TZ4300000



Fraction By Weight: 1-3%

WATER

CAS: 7732-18-5 RTECS: ZC0110000

Fraction By Weight: 70-80%

ACRYLIC POLYMERS

Fraction By Weight: 2-4%

N-BUTANE

CAS: 106-97-8

RTECS: EJ4200000

Fraction By Weight: 1-5%

OSHA PEL800 PPM ACGIH TLV: 800 PPM

PROPANE

CAS: 74-98-6

RTECS: TX2275000

Fraction By Weight: 1-3%

OSHA PEL1000 PPM

Hazards

Routes of Entry: Inhalation: NO Skin: YES Ingestion: YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Effects of Overexposure: IF TAKEN INTERNALLY, ASPIRATION OF LIQUID PRODUCT CAN CAUSE CHEMICAL PNEUMONITIS.

Medical Cond Aggravated by Exposure: NONE KNOWN TO SC JOHNSON WAX.

First Aid

First Aid: INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL AID AT ONCE. EYES: FLUSH W/WATER 15-20 MINUTES. IF IRRITATION PERSISTS GET MEDICAL AID. SKIN: REMOVE W/SOAP & WATER.

Fire Fighting

Flash Point Method:TCC Flash Point:Lower Limits:1.8

Upper Limits:9.5

Extinguishing Media: FOAM, CO2, DRY CHEMICAL, WATER FOG.

Fire Fighting Procedures: NORMAL FIRE FIGHTING PROCEDURES MAY BE USED. FIGHT FIRE FROM MAXIMUM DISTANCE OR PROTECTED AREA. COOL AND USE CAUTION WHEN APPROACHING OR HANDLING EXPOSED CNTNR Unusual Fire/Explosion Hazard: CONTAINER MAY BURST IN HEAT OF FIRE.

VAPORS MAY ACCUMULATE IN CONFINED SPACES (E.G.

PITS/SUMPS/SEWERS/INADEQUATELY VENTILATED AREAS).

Accidental Release

Spill Release Procedures: ELIMINATE ALL IGNITION SOURCES. DIKE LARGE SPILLS. ABSORB W/OIL-DRI OR SIMILAR INERT MATERIAL. SWEEP OR SCRAPE UP & CONTAINERIZE.

Handling



Handling and Storage Precautions:STORE IN A COOL, DRY PLACE W/ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. KEEP FROM FREEZING. Other Precautions:DO NOT PRESSURIZE, CUT, HEAT, WELD, EXPOSE CONTAINER TO FLAME. EXPLOSION COULD OCCUR. KEEP AWAY FROM CHILDREN. DON'T SET ON STOVE/RADIATOR OR KEEP WHERE TEMP WILL EXCEED 120F AS CONTAINER MAY BURST. D ON'T PUNCTURE OR THROW IN FIRE.

Exposure Controls

Respiratory Protection: NO SPECIAL REQUIREMENTS UNDER NORMAL USE CONDITIONS.

Ventilation: GENERAL ROOM VENTILATION ADEQUATE.

Protective Gloves: NO SPECIAL REQUIREMENTS UNDER NORMAL USE Eye Protection: NO SPECIAL REQUIREMENTS UNDER NORMAL USE

Work Hygienic Practices: USE GOOD PERSONAL HYGIENE PRACTICES. WASH

CONTAMINATED CLOTHING/EQUIPMENT BEFORE REUSE.

Supplemental Safety and Health

NK

Chemical Properties

Boiling Pt:B.P. Text:NOT EST.
Melt/Freeze Pt:M.P/F.P Text:NOT EST.
Vapor Pres:NOT EST.
Vapor Density:NOT EST.
Spec Gravity:0.9
pH:NODATA
Evaporation Rate & Reference:NA
Solubility in Water:COMPLETE
Appearance and Odor:MILKY MIST, MILD ODOR

Percent Volatiles by Volume:NA

Stability

Stability Indicator/Materials to Avoid:YES

NK

Hazardous Decomposition Products: WHEN EXPOSED TO FIRE, PRODUCES NORMAL PRODUCTS OF COMBUSTION.

Disposal

Waste Disposal Methods: RECYCLE EMPTY AEROSOL CAN TO NEAREST STEEL RECYCLING CENTER. USE UP PACKAGE OR GIVE TO SOMEONE WHO CAN.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.