

---

## **SHOW PLACE, #14060-8-10 TO 14064-8-10**

### **MSDS Number**

CBTYB

### **National Stock Number**

7930-01-380-8406

### **Product Name**

SHOW PLACE, #14060-8-10 TO 14064-8-10

### **Manufacturer**

S C JONSON WAX

### **Product Identification**

Product ID: SHOW PLACE, #14060-8-10 TO 14064-8-10

MSDS Date: 09/01/1994

FSC: 7930

NIIN: 01-380-8406

MSDS Number: CBTYB

### **Responsible Party**

S.C. JONSON WAX

1525 HOWE ST

RACINE, WI 53403-2237

US

Emergency Phone: 800-228-5635

Info Phone: 414-631-2777

Preparer: TERRY A. MAYERS

Cage: NO353

### **Contractor**

SC JOHNSON AND SON INC

RACINE, WI 53403-2236

US

800-725-6737

Cage: 32204

### **Ingredients**

STYRENE/ACRYLIC POLYMERS

Fraction By Weight: 10-20%

DIETHYLENE GLYCOL MONOETHYL ETHER (SARA 313)

CAS: 111-90-0

RTECS: KK8750000

Fraction By Weight: 2-4%

TRIBUTOXYETHYL PHOSPHATE (313)

CAS: 78-51-3

RTECS: KJ9800000

Fraction By Weight: 1-4%

WATER

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight: 70-80%

## Hazards

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Effects of Overexposure:DIRECT CONTACT OF PRODUCT W/EYES MAY CAUSE  
MINOR IRRITATION.  
Medical Cond Aggravated by Exposure:NONE KNOWN TO SC JOHNSON WAX

## First Aid

First Aid:FLUSH EYES W/WATER 15 TO 20 MINUTES. IF IRRITATION PERSISTS  
GET MEDICAL AID. WASH SKIN W/PLENTY OF WATER. IF IRRITATION  
PERSISTS GET MEDICAL AID.

## Fire Fighting

Flash Point:NA  
Lower Limits:NA  
Upper Limits:NA  
Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG, OTHER.  
Fire Fighting Procedures:NORMAL FIRE FIGHTING PROCEDURES MAY BE USED.  
COOL & USE CAUTION WHEN HANDLING FIRE-EXPOSED CONTAINERS.  
Unusual Fire/Explosion Hazard:CONTAINER MAY BURST IN HEAT OF FLAME.

## Accidental Release

Spill Release Procedures:ABSORB W/OIL-DRI OR SIMILAR INERT MATERIAL.  
SWEEP OR SCRAPE UP & CONTAINERIZE.

## Handling

Handling and Storage Precautions:WASH THOROUGHLY AFTER HANDLING. KEEP  
FROM FREEZING. KEEP AWAY FROM CHILDREN.

## Exposure Controls

Respiratory Protection:NO SPECIAL REQUIREMENTS UNDER NORMAL USE  
CONDITIONS.  
Ventilation:GENERAL ROOM VENTILATION ADEQUATE.  
Protective Gloves:NO SPECIAL REQUIREMENTS UNDER NORMAL USE  
Eye Protection:NO SPECIAL REQUIREMENTS UNDER NORMAL USE  
Work Hygienic Practices:USE GOOD PERSONAL HYGIENE PRACTICES.  
Supplemental Safety and Health  
\*PH = 8.7-9.2

## Chemical Properties

Boiling Pt:B.P. Text:>200F,>93C  
Melt/Freeze Pt:M.P/F.P Text:NOT EST.  
Vapor Pres:NOT EST.  
Vapor Density:NOT EST.  
Spec Gravity:1.03  
pH:\*  
Evaporation Rate & Reference:NOT EST. \* 8.1 - 8.5  
Solubility in Water:COMPLETE  
Appearance and Odor:OPAQUE TAN LIQUID, MILD WAX ODOR  
Percent Volatiles by Volume:NA

## Stability

Stability Indicator/Materials to Avoid:YES  
NK  
Hazardous Decomposition Products:WHEN EXPOSED TO FIRE PRODUCES NORMAL  
PRODUCTS OF COMBUSTION.

---

## Disposal

Waste Disposal Methods:NO SPECIAL METHOD. OBSERVE ALL APPLICABLE REGS/LOCAL ORDINANCES REGARDING DISPOSAL OF NON-HAZARDOUS MAT'LS. WASTE FROM NORMAL USE MAY BE SEWERED TO A PUBLIC OWNED TREATMENT WORKS IN COMPLIANCE W/APPLI CABLE FEDERAL/STATE/LOCAL PRETREATMENT REQ.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.