

# **CONCRETE SEALER 14665-5 TO 14669-5**

# **MSDS Number**

**CBTYN** 

## **National Stock Number**

7930-01-380-8501

## **Product Name**

CONCRETE SEALER 14665-5 TO 14669-5

#### Manufacturer

S C JONSON WAX

## **Product Identification**

Product ID:CONCRETE SEALER 14665-5 TO 14669-5 MSDS Date:03/18/1994 FSC:7930

NIIN:01-380-8501 MSDS Number: CBTYN

# **Responsible Party**

S.C. JONSON WAX

1525 HOWE ST

RACINE , WI 53403-2237

US

Emergency Phone: 800-228-5635

Info Phone: 414-631-2777
Preparer: TERRY A. MAYERS

Cage: NO353

Contractor

# SC JOHNSON AND SON INC

RACINE, WI 53403-2236

US

800-725-6737

Cage: 32204

# Ingredients STYRENE ACRYLIC POLYMERS

Fraction By Weight: 10-20%

DIPROPYLENE GLYCOL METHYL ETHER (SARA 313)

CAS: 34590-94-8 RTECS: JM1575000

Fraction By Weight: 2-5%
OSHA PEL100 PPM/STEL 150
ACGIH TLV: 100 PPM/STEL 150

DIETHYLENE GLYCOL MONOETHYL ETHER (SARA 313)

CAS: 111-90-0



RTECS: KK8750000

Fraction By Weight: 3-6%

WATER

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight: 65-85%

N-METHYL 2-PYROLIDONE

CAS: 872-50-4

RTECS: UY5790000

Fraction By Weight: 0.1-0.5%

TRIBUTOXYETHYL PHOSPHATE

CAS: 78-51-3

RTECS: KJ9800000

Fraction By Weight: 0.1-0.5%

DIBUTYL PHTHALATE (SARA 313) (CERCLA)

CAS: 84-74-2

RTECS: TI0875000

Fraction By Weight: 0.1-0.5%

OSHA PEL5 MG/M3 ACGIH TLV: 5 MG/M3

EPA Report Quantity: 10 LBS DOT Report Quantity: 10 LBS

AMMONIUM HYDROXIDE (CERCLA)

CAS: 1336-21-6 RTECS: BQ9625000

Fraction By Weight: 0.1-0.5%

OSHA PEL25 PPM/STEL 35

ACGIH TLV: 25 PPM/STEL 35

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

#### **Hazards**

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Effects of Overexposure:DIRECT CONTACT OF PRODUCT W/EYES CAN CAUSE
MODERATE IRRITATION. PROLONGED/REPEATED CONTACT OF PRODUCT W/SKIN
MAY CAUSE IRRITATION. MAY CAUSE IRRITATION/NAUSEA IF TAKEN
INTERNALLY.

First Aid



First Aid: FLUSH EYES W/WATER 15-20 MINUTES. IF IRRITATION PERSISTS GET MEDICAL AID. IF PRODUCT GETS ON SKIN REMOVE W/SOAP & WATER. IF INGESTED, DRINK LARGE AMOUNTS WATER OR MILK & GET MEDICAL AID.

# Fire Fighting

Flash Point:NONE Lower Limits:NONE Upper Limits:NONE

Extinguishing Media: FOAM, CO2, DRY CHEMICAL, WATER FOG.

Fire Fighting Procedures: NORMAL FIRE FIGHTING PROCEDURES MAY BE USED. Unusual Fire/Explosion Hazard: CONTAINER MAY BURST IN HEAT OF FIRE.

#### **Accidental Release**

Spill Release Procedures: ABSORB W/OIL-DRI OR SIMILAR INERT MATERIAL. SWEEP OR SCRAPE UP & CONTAINERIZE. RINSE AFFECTED AREA THOROUGHLY W/WATER.

### Handling

Handling and Storage Precautions:STORE IN A COOL DRY PLACE W/ADEQUATE VENTILATION. KEEP FROM FREEZING. WASH THOROUGHLY AFTER HANDLING. Other Precautions:KEEP AWAY FROM CHILDREN. MAY BE HARMFUL IF SWALLOWED. DON'T GET IN EYES, ON SKIN OR ON CLOTHING.

#### **Exposure Controls**

Respiratory Protection: NO SPECIAL REQUIREMENTS UNDER NORMAL USE CONDITIONS.

Ventilation: GENERAL ROOM VENTILATION ADEQUATE.

Protective Gloves: IF CHRONIC CONTACT, ANY IMPERVIOUS.

Eye Protection:\*

Other Protective Equipment:IF EYE/SKIN CONTACT PROBLEM USE APPROP PROTECTIVE EQUIP. \*NO REQ UNDER NORMAL USE. CHEMICAL WORKER SPLASH PROOF GOGGLES.

Work Hygienic Practices: USE GOOD PERSONAL HYGIENE PRACTICES.

Supplemental Safety and Health

NK

# **Chemical Properties**

Boiling Pt:B.P. Text:>200F,>93C Melt/Freeze Pt:M.P/F.P Text:ABOUT 32F

Welt/Freeze Pt:M.P/F.P Text:ABOUT 32F Vapor Pres:20-25

Vapor Density: 1.0 Spec Gravity:1.04

pH:9.8

Evaporation Rate & Reference: 0.3-0.5 (BUAC=1)

Solubility in Water: COMPLETE

Appearance and Odor: MILKY WHITE OPAQUE LIQUID, BLAND ODOR

Percent Volatiles by Volume:80.0

# Stability

Stability Indicator/Materials to Avoid:YES

NK

Hazardous Decomposition Products: WHEN EXPOSED TO FIRE, PRODUCES NORMAL PRODUCTS OF COMBUSTION.

#### Disposal

Waste Disposal Methods: NO SPECIAL METHOD. OBSERVE ALL APPLICABLE FEDERAL, STATE, LOCAL REGULATIONS REGARDING DISPOSAL OF NON-HAZARDOUS MATERIALS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

