

UHS CLEANER #14680-3 TO 14684-3

MSDS Number

CBTYS

National Stock Number

7930-01-380-8529

Product Name

UHS CLEANER #14680-3 TO 14684-3

Manufacturer

S C JONSON WAX

Product Identification

Product ID:UHS CLEANER #14680-3 TO 14684-3

MSDS Date:09/15/1994

FSC:7930

NIIN:01-380-8529

MSDS Number: CBTYS

Responsible Party

S.C. JONSON WAX

1525 HOWE ST

RACINE , WI 53403-2237

US

Emergency Phone: 800-228-5635

Info Phone: 414-631-2777

Preparer: TERRY A. MAYERS

Cage: NO353

Contractor

SC JOHNSON AND SON INC

RACINE, WI 53403-2236

US

800-725-6737

Cage: 32204

Ingredients

ETHYLENE GLYCOL MONOBUTYL ETHER (SARA 313)

CAS: 111-76-2

RTECS: KJ8575000

Fraction By Weight: 2-5%

OSHA PEL25 PPM SKIN

ACGIH TLV: 25 PPM SKIN

MONOETHANOLAMINE

CAS: 141-43-5

RTECS: KJ5775000

Fraction By Weight: 1-5%

OSHA PEL3 PPM/STEL 6 PPM

ACGIH TLV: 3 PPM/STEL 6 PPM

WATER

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight: 80-95%

AMMONIUM HYDROXIDE (CERCLA)

CAS: 1336-21-6

RTECS: BQ9625000

Fraction By Weight: 1-3%

OSHA PEL25 PPM/STEL 35

ACGIH TLV: 25 PPM/STEL 35

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

VOC = GLYCOL ETHER MONOETHANOLAMINE. THEORETICAL VOC = 0.55

RTECS: 9999999VO

Fraction By Weight: NA

OSHA PELNOT RELEVANT

ACGIH TLV: NOT RELEVANT

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Effects of Overexposure:DIRECT CONTACT OF PRODUCT W/EYES CAN CAUSE MODERATE IRRITATION. DIRECT CONTACT OF PRODUCT W/SKIN CAN CAUSE IRRITATION. PRODUCT SPRAY, MIST, FOG OR VAPOR MAY CAUSE IRRITATION TO NOSE, THROAT, LUNGS IF ADEQUATE VENTILATION IS NOT EMPLOYED.
Medical Cond Aggravated by Exposure:PERSONS W/PREEXISTING SKIN DISORDERS MAY BE MORE SUSCEPTIBLE TO IRRITATING EFFECTS.

First Aid

First Aid:FLUSH EYES W/WATER 15-20 MINUTES. GET PROMPT MEDICAL AID. WASH SKIN W/PLENTY OF WATER. IF IRRITATION PERSISTS GET MEDICAL AID. IF MISTS/FOG/VAPOR CAUSE DISCOMFORT, REMOVE TO FRESH AIR & VENTILATE AREA . IF DISCOMFORT PERSISTS GET MEDICAL AID.

Fire Fighting

Flash Point:NA
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG.
Fire Fighting Procedures:NORMAL FIRE FIGHTING PROCEDURES MAY BE USED.
Unusual Fire/Explosion Hazard:NO SPECIAL HAZARDS KNOWN.

Accidental Release

Spill Release Procedures:DIKE LARGE SPILLS. ABSORB W/OIL-DRI OR SIMILAR INERT MATERIAL. SWEEP OR SCRAPE UP & CONTAINERIZE.

Handling

Handling and Storage Precautions:WASH THOROUGHLY AFTER HANDLING. KEEP FROM FREEZING. KEEP OUT OF REACH OF CHILDREN.
Other Precautions:WARNING: EYE IRRITANT. MAY BE HARMFUL IF

SWALLOWED.AVOID CONTACT W/EYES. AVOID CHRONIC CONTACT W/SKIN. DON'T BREATHE PRODUCT MISTS IN HIGH SPEED SCRUBBING.

Exposure Controls

Respiratory Protection:IF MISTS/VAPORS NOT ADEQUATELY CONTROLLED BY LOCAL VENTILATION, USE APPROPRIATE RESPIRATORY PROTECTION TO PREVENT OVEREXPOSURE
Ventilation:GENERAL ROOM VENTILATION ADEQUATE. SUBSTANTIAL AMTS OF MISTS/VAPORS CAN BE CONTROLLED W/LOCAL EXHAUST OR RESP PROTECTION
Protective Gloves:NEOPRENE OR RUBBER
Eye Protection:CHEMICAL WORKER SPLASH PROOF GOGGLES.
Other Protective Equipment:WHERE GROSS EYE/SKIN CONTACT MAY BE A PROBLEM, WEAR/USE APPROPRIATE PROTECTIVE EQUIPMENT.
Work Hygienic Practices:USE GOOD PERSONAL HYGIENE PRACTICES. WASH CONTAMINATED CLOTHES/EQUIPMENT BEFORE REUSE.
Supplemental Safety and Health
NK

Chemical Properties

Boiling Pt:B.P. Text:NOT EST.
Melt/Freeze Pt:M.P/F.P Text:NOT EST.
Vapor Pres:NOT EST.
Vapor Density:NOT EST.
Spec Gravity:1.01
pH: *
Evaporation Rate & Reference:NOT EST. *PH 11.2-12.0
Solubility in Water:COMPLETE
Appearance and Odor:CLEAR, GREEN-BLUE LIQUID, AMMONIA ODOR
Percent Volatiles by Volume:NE

Stability

Stability Indicator/Materials to Avoid:YES
NK
Hazardous Decomposition Products:WHEN EXPOSED TO FIRE, PRODUCES NORMAL PRODUCTS OF COMBUSTION.

Disposal

Waste Disposal Methods:UNDILUTED: DISPOSAL REGULATED UNDER RESOURCE CONSERVATION/RECOVERY ACT AS CORROSIVE WASTE. DISPOSAL OF REGULATED AMTS SHOULD BE BY NEUTRALIZATION AT PERMITTED FACILITY ACCORDING TO ALL GOVERNMENT REGS REGARDING DISPOSAL OF CORROSIVE WASTES.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.